

Intmax2: A ZK-rollup with Minimal Onchain Data and Computation Costs Featuring Decentralized Aggregators

Erik Rybakken¹, Leona Hioki¹, and Mario Yaksetig²

¹ Intmax

paper@intmax.io

² University of Porto

Abstract. We present a blockchain scaling solution called Intmax2, which is a Zero-Knowledge rollup (ZK-rollup) protocol with stateless and permissionless block production, while minimizing the usage of data and computation on the underlying blockchain. Our architecture distinctly diverges from existing ZK-rollups since essentially all of the data and computational costs are shifted to the client-side as opposed to imposing heavy requirements on the block producers or the underlying Layer 1 blockchain. The only job for block producers is to periodically generate a commitment to a set of transactions, distribute inclusion proofs to each sender, and collect and aggregate signatures by the senders. This design allows permissionless and stateless block production, and is highly scalable with the number of users.

Keywords: Zero-Knowledge Proofs · Stateless ZK-Rollup · Blockchain Scaling

1 Introduction

As the blockchain ecosystem continually evolves, so does the urgency for blockchain scaling solutions that preserve security, reduce transaction costs, and improve overall throughput. Layer 2 (L2) technologies, particularly rollups, have emerged as pivotal tools to overcome these challenges, and have thus gathered substantial attention. Among these, Zero-Knowledge rollups (or ZK-rollups) have shown great promise due to their unique capability to bundle numerous transactions into a single proof that can be verified quickly and cheaply onchain. Existing ZK-rollups, while managing to move computation costs away from the underlying Layer 1 (L1) blockchain, are still limited by the fact that all necessary data for verifying users' balances have to be posted on L1. This data, in a typical scenario, includes the transaction sender, the index of the token, the amount, and the recipient for each transaction, thus limiting the number of transactions per second that can be supported by the rollup.

1.1 Data Availability

A fundamental bottleneck for blockchains is what is known as data availability. Data availability means that transaction data needs to be available in order to be able to prove the current state, such as account balances, of the blockchain. This is a problem for both Layer 1 blockchains and rollups. Layer 1 blockchains usually achieve data availability by requiring that all transaction data is publicly available for a node to consider the blockchain valid. Rollups achieve data availability by leveraging the data availability of the underlying blockchain and require that all transaction data is posted to L1 (e.g. using calldata or blob data on Ethereum). Because this data needs to be replicated among a large set of nodes, there is a limit on how much data can be made available, which limits the number of transactions per second that the blockchain or the rollup can support. While for smart contract blockchains it might be necessary to provide the complete transaction data, it turns out that for simple payment transactions it is only necessary to make available a commitment to the set of transactions in a block (such as a Merkle tree root), together with the set of senders who have signed the commitment, confirming that they have received inclusion proofs of their transactions. Users can then generate Zero-Knowledge proofs (ZK-proofs) of their own balances by combining the inclusion proofs of their sent transactions with the inclusion proofs and ZK-proofs of sufficient balance of each received transaction, which is provided by the transaction sender offchain. Our rollup design uses this method to achieve increased throughput compared to existing alternatives. In addition, the design allows permissionless block building that can happen in parallel, without needing any leader election or any coordination between the block builders. Since the block builders do not verify the validity of the transactions, they can be fully stateless, allowing a very simple and censorship resistant rollup design.

1.2 Our Contributions

Intmax2 is an efficient and stateless rollup design that:

- Uses less onchain data than any existing rollup, giving an upper limit of 7500 transaction batches per second on Ethereum, where each transaction batch can transfer an unlimited number of tokens to an unlimited number of recipients.
- Offers permissionless block production.
- Provides stronger privacy properties than traditional ZK-rollups.

2 Simplified design description

In this section we describe a simplified version of the design which doesn't use ZK-proofs. The simplified design achieves low onchain data consumption (4-5 bytes per transaction sender), but is otherwise inefficient and not private.

In Section 4 we add ZK-proofs to the design in order to achieve efficiency and privacy.

2.1 Overview

The simplified design works roughly as follows. At the heart of the design is a rollup contract deployed on a programmable blockchain (such as Ethereum). To deposit funds to the rollup, a user simply sends the funds, together with the L2 address of the recipient, to the rollup contract which then records the deposit in its contract storage. To transfer funds on the rollup, a subset of L2 accounts will first send their transactions to a single aggregator, which then inserts the transactions at the leaves of a merkle tree. Then the aggregator sends to each sender the merkle root and the merkle proof for that sender’s transaction. Each sender then signs the merkle root with their public BLS key and sends this signature back to the aggregator. The aggregator then aggregates the signatures into a single aggregated signature, and sends the merkle root, the aggregated signature and the list of public keys of the senders that was included in the aggregated signature to the rollup contract. The rollup contract then verifies the signature and adds the root, signature and sender list to its storage. Each sender is then responsible for sending the merkle proof of the transaction to each transaction recipient offchain, together with earlier merkle proofs that together prove that the sender had sufficient balance for the transaction. To prove their own balance, each user needs to keep track of all merkle proofs they have received from aggregators and other users. This collection of merkle proofs, called a balance proof, is sent to the rollup contract when a user wants to withdraw their funds to L1.

We now describe the simplified design in more details.

2.2 Notation

If X and Y are sets, we will write Y^X for the set of all functions from X to Y . We will often call a function $f \in Y^X$ a *mapping* from (elements of) X to (elements of) Y .

2.3 Setup

The design depends on an authenticated dictionary scheme³ AD , a signature aggregation scheme⁴ SA , and a collision-resistant hash function $H : \{0, 1\}^* \rightarrow \{0, 1\}^n$. Given a security parameter $\lambda \in \mathbb{N}$ we set up the authenticated dictionary scheme

$$AD.(\mathcal{K}, \mathcal{M}, \mathcal{C}, H, \text{Commit}, \text{Verify})$$

and the signature aggregation scheme

$$SA.(\mathcal{K}_p, \mathcal{K}_s, \Sigma, \text{KeyGen}, \text{Sign}, \text{Aggregate}, \text{Verify}).$$

³See Appendix A.2.

⁴See Appendix A.3.

We use the alias $\mathcal{K}_2 := \text{SA}.\mathcal{K}_p$ and call this the set of *L2 accounts*. We also depend on a set \mathcal{K}_1 of L1 accounts⁵, and a lattice-ordered abelian group \mathcal{V} which is used as the set of transaction values and account balances.⁶ We denote by $\mathcal{V}_+ \subset \mathcal{V}$ the subset of non-negative values.

2.4 Rollup contract

The rollup contract is a smart contract deployed on a programmable blockchain (e.g. Ethereum), which is responsible for keeping track of the rollup state and for managing deposits, transfers, and withdrawals. The internal state of the rollup contract consists of the list of all blocks that have been added to the rollup so far. There are three types of blocks in our design, namely deposit blocks, transfer blocks and withdrawal blocks, denoted by $\mathcal{B}_{\text{deposit}}$, $\mathcal{B}_{\text{transfer}}$ and $\mathcal{B}_{\text{withdrawal}}$ respectively. We formally define these sets below where we describe the respective protocols. Letting $\mathcal{B} := \mathcal{B}_{\text{deposit}} \amalg \mathcal{B}_{\text{transfer}} \amalg \mathcal{B}_{\text{withdrawal}}$ be the set of all blocks, the contract state is formally defined as

$$\mathcal{S}_{\text{contract}} := \mathcal{B}^*.$$

When the rollup contract is deployed to the blockchain, it is initialized with the state $()$ consisting of the empty list.

2.5 Depositing

To deposit funds from L1 to L2, a L1 user will simply send the funds to the rollup contract along with the L2 address of the recipient. The rollup contract then constructs a *deposit block* which consists of the specified recipient and the deposited amount. Formally, we define the set of deposit blocks as

$$\mathcal{B}_{\text{deposit}} := \mathcal{K}_2 \times \mathcal{V}_+.$$

The contract then adds this deposit block to the list of blocks in its storage.

2.6 Transferring

We now describe the protocol for transferring funds on the rollup (illustrated in Figure 1). To transfer funds from an L2 account, the account owner will first construct a *transaction batch*, which is a mapping that maps each transaction recipient to the amount the sender wants to send to that recipient. A

⁵For instance, in Ethereum, accounts are represented by 20 bytes, so in this case we have $\mathcal{K}_1 := \{0, 1\}^{20 \cdot 8}$.

⁶See Appendix A.5 for the definition of a lattice-ordered abelian group. This generality allows us to easily support transfers of multiple value types (e.g. NFTs, ERC20 tokens, etc.) by letting \mathcal{V} be the set of mappings from a set of token names to the set \mathbb{Z} of integers, which naturally gets the structure of a lattice-ordered abelian group.

transaction recipient is either an L2 account or an L1 account (used when withdrawing to L1, as described in Section 2.7). Formally, letting $\mathcal{K} := \mathcal{K}_1 \amalg \mathcal{K}_2$, a transaction batch is an element of $\mathcal{V}_+^{\mathcal{K}}$, i.e. a mapping from \mathcal{K} to V_+ . Suppose we have a set of senders $S \subset \mathcal{K}_2$ where each sender $s \in S$ has a secret key sk_s and a transaction batch $t_s \in \mathcal{V}_+^{\mathcal{K}}$ they want to send. The transfer protocol consists of two phases. In the first phase, the senders collaborate with a single aggregator to produce a *transfer block* which is added to the rollup contract. In the second phase, after the transfer block has been added to the rollup contract, each transaction sender s will send (offchain) to each recipient (i.e. accounts $r \in \mathcal{K}$ where $t_s(r) \neq 0$) the data needed to prove that the sender sent the specified amount to the recipient in the transfer block. We now describe the two phases of the transfer protocol in more details.

Phase 1: Constructing and adding a transfer block To send the transaction batches, the senders will first select a single aggregator⁷ and agree upon a common bitstring $extradata \in \{0, 1\}^*$. This bitstring can be used to implement protections against replay attacks and delayed block publication (see Section 2.8). Then the senders and aggregator interacts in the following protocol.

1. First, each sender s chooses a random salt $salt_s$, hashes their transaction batch with the salt

$$h_s \leftarrow H(t_s, salt_s),$$

and sends h_s to the aggregator.⁸

2. The aggregator collects all the transaction batch hashes from the senders. Let $S' \subset S$ be the subset of senders who sent a transaction batch hash to the aggregator. The aggregator then constructs the dictionary⁹ (S', h) where h_s is the transaction batch hash by s for all $s \in S'$, and constructs a dictionary commitment and lookup proofs:

$$(C, (S', \pi)) \leftarrow \text{AD.Commit}(S', h).$$

The aggregator sends to each user $s \in S'$ the dictionary commitment C and the lookup proof π_s for the user's transaction batch hash.

3. Upon receiving the dictionary commitment and lookup proof, each user s checks if the lookup proof is valid with the commitment:

$$\text{AD.Verify}(\pi_s, s, h_s, C) \stackrel{?}{=} \text{True}.$$

If the lookup proof is valid, the user generates the signature

$$\sigma_s \leftarrow \text{SA.Sign}(sk_s, (C, aggregator, extradata))$$

⁷The protocol allows anyone to be an aggregator for a transfer block, enabling maximum censorship resistance.

⁸Sending the transaction hash instead of the transaction itself gives privacy from the aggregator.

⁹See Appendix A.1 for the definition of a dictionary.

and sends this signature to the aggregator.

4. The aggregator collects the signatures from the users and verifies them. Let $S'' \subset S'$ be the subset of senders who sent a valid signature. The aggregator then constructs the aggregated signature

$$\sigma \leftarrow \text{SA.Aggregate}((s, \sigma_s)_{s \in S''}),$$

and constructs the tuple $(\text{aggregator}, \text{extradata}, C, S'', \sigma)$, called a *transfer block*. Formally, we define the set of transfer blocks as

$$\mathcal{B}_{\text{transfer}} = \mathcal{K}_1 \times \{0, 1\}^* \times \text{AD.C} \times \mathcal{P}(\mathcal{K}) \times \text{SA.}\Sigma.$$

The aggregator sends this transfer block to the rollup contract using their L1 account.

5. Upon receiving the transfer block, the rollup contract verifies the aggregated signature:

$$\text{SA.Verify}(S'', (C, \text{aggregator}, \text{extradata}), \sigma) \stackrel{?}{=} \text{True}$$

and also verifies that the transaction is indeed coming from the account *aggregator*. If these checks are valid, the contract adds the transfer block to the list of blocks in its storage. If not, the transaction is reverted.

Phase 2: Maintaining and distributing balance proofs To be able to prove the balance of their account, each user needs to maintain a *balance proof*, which is the collection of transaction batches with corresponding salts and lookup proofs that they have received from an aggregator (when sending transactions) and from other users (when receiving transactions). We formally define the set of balance proofs as

$$\Pi = \text{Dict}(\text{AD.C} \times \mathcal{K}_2, (\text{AD.}\Pi \times \{0, 1\}^*) \times \mathcal{V}_+^{\mathcal{K}}).$$

A balance proof is valid if the following algorithm returns *True*.

$$\begin{aligned} \text{Verify: } \Pi &\rightarrow \{\text{True}, \text{False}\} \\ (K, D) &\mapsto \bigwedge_{\substack{(C, s) \in K \\ ((\pi, \text{salt}), t) = D(C, s)}} \text{AD.Verify}(\pi, s, H(t, \text{salt}), C) \end{aligned}$$

In other words, a valid balance proof is a dictionary which maps commitment-sender pairs (C, s) to tuples $((\pi, \text{salt}), t)$ where $t \in \mathcal{V}_+^{\mathcal{K}}$ is a transaction batch, *salt* is a random salt and $\pi \in \text{AD.}\Pi$ is a valid lookup proof that $H(t, \text{salt})$ is the value at index s in an authenticated dictionary with commitment C .

Each user will maintain a balance proof, which is initialized as the empty dictionary. In the second phase of the transfer protocol, each transaction sender will add their transaction batch with the corresponding lookup proof they received from the aggregator (if they did receive one) to their own balance proof.




Fig. 1. The transfer protocol. In this example, Alice wants to send 5 coins to Bob. a) Alice starts by sending the hash of the the transaction batch, consisting of a single transaction of 5 coins to Bob, and a random salt to an aggregator. b) The aggregator then constructs a merkle tree consisting of Alice’s transaction batch hash and the transaction batch hashes of other senders. c) The aggregator sends the merkle proof of Alice’s transaction batch to Alice. d) Alice verifies the merkle proof and signs the merkle root together with the pre-determined extradata e . This signature is sent back to the aggregator. e) The aggregator collects the signatures from all users, constructs the transfer block, and sends it to the rollup contract. f) Alice watches the blocks that are added to the rollup contract until the block containing her transaction is published. g) Alice updates her balance proof by adding her transaction batch, the salt and the merkle proof. h) Alice sends to Bob her updated balance proof. h) Bob updates his view of the rollup blocks. i) Bob updates his balance proof by merging it with the balance proof he received from Alice.

Then, they will send this new balance proof to each recipient of the transaction batch. Upon receiving the balance proof, each recipient will then merge it with their own. In details, if $\pi_b \in \Pi$ is the current balance proof of a recipient named Bob and $\pi_a \in \Pi$ is the balance proof they received from a sender named Alice, then Bob performs the following algorithm:

- Verify the received balance proof:

$$\text{Verify}(\pi_a) \stackrel{?}{=} \text{True}.$$

If valid, continue to the next step, otherwise terminate.

- Update their balance proof π_b by merging it with π_a :

$$\pi_b \leftarrow \text{Merge}(\pi_a, \pi_b),$$

where Merge is the dictionary merging algorithm defined in Appendix A.1.

To compute the balance of their accounts, users will use the balance function

$$\text{Bal}: \Pi \times \mathcal{B}^* \rightarrow \mathcal{V}^{\mathcal{K}_+},$$

defined in Appendix B. Here $\mathcal{K}_+ := \mathcal{K}_1 \amalg \mathcal{K}_2 \amalg \{\text{Source}\}$, and Source is a special account used to represent deposits and withdrawals. The balance function takes a balance proof $\pi \in \Pi$ and the current state of the rollup contract $(B_*) \in \mathcal{B}^*$, and returns the balance of each account in the rollup that can be proven by the balance proof.

2.7 Withdrawing

When a user wants to withdraw funds from their L2 account to an L1 account, they must first transfer the funds to the L1 account using the transfer protocol described above. When the transfer block is added to the rollup contract, the contract does not automatically withdraw the funds to L1. Instead, to initiate the withdrawal, the owner of the L1 account must send a withdrawal request to the rollup contract which consists of the user’s current balance proof $\pi \in \Pi$. Upon receiving the balance proof, the rollup contract performs the following steps:

- First, the balance proof is verified:

$$\text{Verify}(\pi) \stackrel{?}{=} \text{True}.$$

- If the balance proof is valid, the rollup contract constructs a withdrawal block, which is simply the in-rollup balance of each L1 account computed from the balance proof and the current rollup state:

$$B \leftarrow \text{Bal}(\pi, B_*)|_{\mathcal{K}_1},$$

where B_* is the current list of blocks in the rollup contract. Formally, the set of withdrawal blocks is defined as

$$\mathcal{B}_{\text{withdrawal}} = \mathcal{V}_+^{\mathcal{K}_1}.$$

- The contract adds the withdrawal block B to the list of blocks in its storage:

$$B_* \leftarrow (B_* || (B))$$

- For each L1 account $k \in K_1$, the contract withdraws the amount B_k to the L1 account.

2.8 Protection against replay attacks and delayed block publication

There are a couple of attacks that a malicious aggregator can do that we need to protect against. One kind of attack is delayed block publication, where a malicious aggregator waits a long time before publishing the transfer block, causing a liveness issue. A second attack is replay attacks, where a malicious aggregator publishes the same transfer block multiple times, thereby draining the balances of the senders. Instead of adding protections against these attacks in-protocol, it can be done out-of-protocol as follows.

In order to make users trust them, an aggregator can self-impose restrictions that prohibits them from performing these attacks by deploying a *relayer contract* on L1. When a subset of users wants to create a transfer block with this aggregator, the aggregator will first pick a deadline for the transfer block not far into the future. The users who accepts the deadline enters the transfer protocol using this deadline as *extradata*, and the relayer contract address as *aggregator*. After constructing the transfer block, the aggregator will send it to the relayer contract from an L1 address which is whitelisted by the contract (for front-running protection). Upon receiving the transfer block, the relayer contract verifies the sender and checks if the deadline in the *extradata* field is no later than the current time, before forwarding the transfer block to the rollup contract. This protects against delayed block publication. In addition, the relayer contract stores the timestamp of the last block that it has forwarded to the rollup contract, and verifies that each new transfer block has a timestamp strictly greater than the last forwarded block before forwarding it. This protects against replay attacks.

3 Data usage and compression

In this section we analyze the scalability of our design and describe how to add compression to achieve even more scalability. The main bottleneck for the scalability is the size of the transfer blocks, which is decomposed as follows:

- The aggregator’s L1 address (20 bytes in Ethereum)
- A *extradata* string (32 bytes)
- An authenticated dictionary commitment (32 bytes if it is a merkle tree root)
- The subset of senders $S \subset \mathcal{K}_2$ in the block ($|S| \times 96$ bytes if encoded as a list of BLS public keys)
- An aggregated signature (48 bytes for BLS signatures)

This gives a transfer block size of $|S| \times 96 + 132$ bytes, where $|S|$ is the number of senders in the block. This is smaller than for traditional rollups where all transaction details (such as sender, recipient and transaction amount) are included in the blocks. Also, unlike traditional rollups, our block size only depends on the number of senders, and not the number of transactions. This means that a sender can send a transaction batch with an arbitrary number of recipients without affecting the size of the transfer block.

To further increase scalability, we can add block compression out-of-protocol using the relay contracts we introduced in Section 2.8, where an aggregator sends compressed transfer blocks to their relay contract, which will decompress the blocks before relaying them to the rollup contract. A simple compression algorithm works as follows. Users can register their public BLS key with the relay contract of an aggregator and receive a short incremental ID. The relay contract stores in its storage a dictionary which maps IDs to BLS public keys. Then, when the aggregator sends transfer blocks to the relay contract, they will send the short IDs of the senders instead of their public keys. The relay contract looks up each ID in its dictionary and reconstructs the transfer block with the public keys before sending it to the rollup contract. The size of the IDs depends on the total number of IDs in the dictionary. As an example, in order to support 10 billion addresses (more than the current world population), each ID must be

$$\log_2(10^9) \approx 33 \text{ bits} \approx 4.15 \text{ bytes},$$

which gives a block size of about $|S| \times 4.15 + 132$ bytes. When implemented on Ethereum, which provides 0.375 MB of data per block[18], with blocks coming every 12 seconds[1], we get a theoretical limit of about

$$\frac{0.375 \times 10^6 - 132}{4.15} \approx 90000$$

senders per L1 block, or 7500 senders per second. This number will increase when Ethereum adds more scaling. According to [18], the goal is to achieve ≈ 16 MB per block, which would allow ≈ 320000 senders per second.

4 Adding privacy and efficiency

The simplified design described in Section 2 lacks privacy, because transaction recipients will gain information about other transactions not intended for them, and it lacks efficiency because the balance proofs are large and expensive to verify (especially onchain during withdrawals). In this section, we add privacy and efficiency using recursive ZK-proofs.

4.1 Changes to rollup contract state and the procedure of adding blocks

First, the rollup contract is modified so that instead of storing the list of all blocks added to the rollup, it stores a list of *history roots*, where each root is

a hash digest in $\{0, 1\}^n$, as well as a mapping which maps each L1 account to the total amount that has been withdrawn to the L1 account:

$$\mathcal{S}_{contract} := (\{0, 1\}^n)^* \times \mathcal{V}_+^{\mathcal{K}_1}.$$

If $((root_i)_{i \in [N]}, withdrawn)$ is the current state of the contract, and $B \in \mathcal{B}$ is a new block to be added to the rollup, the contract adds the new block as follows. If the block is a deposit block or a transfer block, the contract computes a new history root by taking the hash $H(root_N, B)$ of the most recent history root and the new block, and adds this new history root to its list of history roots. If the new block is a withdrawal block, the withdrawn amounts are added to the current map of withdrawn amounts:

$$withdrawn \leftarrow withdrawn + B.$$

4.2 Changes to the transfer protocol

Phase 1 of the transfer protocol regarding how to construct and add transfer blocks remains exactly as described in Section 2.6, but Phase 2 regarding how to maintain and distribute balance proofs is changed as follows. When a transaction sender s sends funds to a recipient r , instead of providing the recipient with the complete transaction history of the sender and recursively those of other users (as in the simplified design), they will only send the tuple $(root, s, r, v, \pi)$ where

- $root \in \{0, 1\}^n$ is the history root of the rollup block containing the transaction,
- $s \in \mathcal{K}_2$ is the sender’s L2 address,
- $r \in \mathcal{K}$ is the recipient’s address,
- $v \in \mathcal{V}_+$ is the transaction amount,
- π is a transaction validity proof, which is a ZK-proof proving that the sender s did send a transaction with value v to the recipient r in the rollup block with history hash $root$, and that the sender had a sufficient balance for sending it.

This means that the recipient only learns about this transaction, and gets zero knowledge about anything else, such as the balance of the sender or other transactions.

To be able to construct transaction validity proofs, each user needs to maintain the data consisting of

- All transaction batches they have sent (that have been included in a transfer block onchain) together with their corresponding salts and lookup proofs
- All verified transactions $(hash, s, r, v, \pi)$ they have received from other users

Given this data, as well as the list of blocks added to the rollup¹⁰, each user can generate validity proofs for their transactions.

¹⁰This can be obtained by monitoring all L1 transactions sent to the rollup contract.

4.3 Changes to the withdrawal protocol

When the owner of an L1 account wants to withdraw their in-rollup balance to L1, they will send a withdrawal request to the rollup contract which consists of an L1 address $address \in \mathcal{K}_1$, a value $v \in \mathcal{V}_+$, a history root $root \in \{0, 1\}^n$ and a ZK-proof that $address$ has received at least v in the rollup at history root $root$. Upon receiving the withdrawal request, the rollup contract will verify that the ZK-proof is valid and that $root$ is in the list of history roots in its storage. If these checks are valid, the contract will compute the in-rollup balance of the L1 account by subtracting the previously withdrawn amount of the address from v . Then, the contract withdraws the computed balance to L1 and updates the total amount withdrawn in its storage.

5 Conclusion

We presented Intmax2, a novel ZK-rollup approach that completely shifts away from traditional ZK-rollup approaches. In contrast with previous approaches, our solution does not require the posting of all transaction data on the underlying L1, which enables unprecedented scalability. By leveraging the fact that aggregators do not need to perform computationally intensive zero-knowledge proofs, and instead moving the computation on the side of the users in the system, our design provides a novel, practical, and resilient solution to L2 scaling. On a final note, by making the aggregator role completely permissionless, our design allows for a much more censorship-resistant solution, thus addressing one of the main existing problems in the rollup space.

References

1. Blocks: Block time. Ethereum Development Documentation, <https://ethereum.org/en/developers/docs/blocks/#block-time>, accessed: April 16, 2024
2. Ben-Sasson, E., Bentov, I., Horesh, Y., Riabzev, M.: Scalable, transparent, and post-quantum secure computational integrity. *Cryptology ePrint Archive*, Paper 2018/046 (2018), <https://eprint.iacr.org/2018/046>, <https://eprint.iacr.org/2018/046>
3. Boneh, D., Drijvers, M., Neven, G.: Compact multi-signatures for smaller blockchains. In: Peyrin, T., Galbraith, S. (eds.) *Advances in Cryptology – ASIACRYPT 2018*. pp. 435–464. Springer International Publishing, Cham (2018)
4. Bünz, B., Fisch, B., Szepieniec, A.: Transparent snarks from dark compilers. *Cryptology ePrint Archive*, Paper 2019/1229 (2019), <https://eprint.iacr.org/2019/1229>, <https://eprint.iacr.org/2019/1229>
5. Chiesa, A., Hu, Y., Maller, M., Mishra, P., Vesely, P., Ward, N.: Marlin: Preprocessing zkSnarks with universal and updatable srs. *Cryptology ePrint Archive*, Paper 2019/1047 (2019), <https://eprint.iacr.org/2019/1047>, <https://eprint.iacr.org/2019/1047>
6. Chiesa, A., Ojha, D., Spooner, N.: Fractal: Post-quantum and transparent recursive proofs from holography. *Cryptology ePrint Archive*, Paper 2019/1076 (2019), <https://eprint.iacr.org/2019/1076>, <https://eprint.iacr.org/2019/1076>
7. Dahlberg, R., Pulls, T., Peeters, R.: Efficient sparse merkle trees. In: Brumley, B.B., Röning, J. (eds.) *Secure IT Systems*. pp. 199–215. Springer International Publishing, Cham (2016)
8. Dompeldorius, A.: Springrollup. <https://github.com/adompeldorius/springrollup> (2021), accessed: April 16, 2024
9. Gabizon, A., Williamson, Z.J., Ciobotaru, O.: Plonk: Permutations over lagrange-bases for oecumenical noninteractive arguments of knowledge. *Cryptology ePrint Archive*, Paper 2019/953 (2019), <https://eprint.iacr.org/2019/953>, <https://eprint.iacr.org/2019/953>
10. Garg, S., Goel, A., Jain, A., Policharla, G.V., Sekar, S.: zkSaaS: Zero-knowledge snarks as a service. *Cryptology ePrint Archive*, Paper 2023/905 (2023), <https://eprint.iacr.org/2023/905>, <https://eprint.iacr.org/2023/905>
11. Goldwasser, S., Micali, S., Rackoff, C.: The knowledge complexity of interactive proof-systems. In: *Proceedings of the Seventeenth Annual ACM Symposium on Theory of Computing*. p. 291–304. STOC '85, Association for Computing Machinery, New York, NY, USA (1985). <https://doi.org/10.1145/22145.22178>, <https://doi.org/10.1145/22145.22178>
12. Groth, J.: On the size of pairing-based non-interactive arguments. *Cryptology ePrint Archive*, Paper 2016/260 (2016), <https://eprint.iacr.org/2016/260>, <https://eprint.iacr.org/2016/260>
13. Hioki, L.: Intmax: Trustless and near-zero gas cost token transfer payment system. <https://ethresear.ch/t/intmax-trustless-and-near-zero-gas-cost-token-transfer-payment-system/13904>, accessed: April 16, 2024
14. Mac Lane, S.: *Categories for the working mathematician*, vol. 5. Springer Science & Business Media (2013)
15. Maller, M., Bowe, S., Kohlweiss, M., Meiklejohn, S.: Sonic: Zero-knowledge snarks from linear-size universal and updateable structured reference strings. *Cryptology ePrint Archive*, Paper 2019/099 (2019), <https://eprint.iacr.org/2019/099>, <https://eprint.iacr.org/2019/099>

16. Nguyen, W., Boneh, D., Setty, S.: Revisiting the nova proof system on a cycle of curves. Cryptology ePrint Archive, Paper 2023/969 (2023), <https://eprint.iacr.org/2023/969>, <https://eprint.iacr.org/2023/969>
17. team, B.F.: Plasma prime design proposal. <https://ethresear.ch/t/plasma-prime-design-proposal/4222>, accessed: April 16, 2024
18. (@vbuterin), V.B., (@dankrad), D.F., (@protolambda), D.L., (@asn d6), G.K., (@lightclient), M.G., (@Inphi), M.T., (@adietrichs), A.D.: Eip-4844: Shard blob transactions [draft]. Ethereum Improvement Proposals, no. 4844 (2022), <https://eips.ethereum.org/EIPS/eip-4844>

A Background

A.1 Dictionaries

Definition 1 Given a set of keys \mathcal{K} and a set of values \mathcal{V} , a dictionary over $(\mathcal{K}, \mathcal{V})$ is a tuple (K, x) where K is a subset of \mathcal{K} and $x \in \mathcal{V}^K$. We write $\text{Dict}(\mathcal{K}, \mathcal{V})$ for the set of all dictionaries over $(\mathcal{K}, \mathcal{V})$.

Dictionaries can be combined with the following algorithm.

Definition 2 Let \mathcal{K} and \mathcal{V} be sets. We define

$$\begin{aligned} \text{Merge: } \text{Dict}(\mathcal{K}, \mathcal{V}) \times \text{Dict}(\mathcal{K}, \mathcal{V}) &\rightarrow \text{Dict}(\mathcal{K}, \mathcal{V}) \\ ((K_1, D_1), (K_2, D_2)) &\mapsto (K_1 \cup K_2, D), \\ \text{where } D(k) &= \begin{cases} D_1(k), & \text{if } k \in K_1 \\ D_2(k), & \text{otherwise.} \end{cases} \end{aligned}$$

A.2 Authenticated dictionaries

Definition 3 (Authenticated dictionary scheme) An authenticated dictionary scheme over a key set \mathcal{K} and value set \mathcal{M} consists of sets

- \mathcal{C} of commitments
- Π of lookup proofs

and algorithms

- $\text{Commit} : \text{Dict}(\mathcal{K}, \mathcal{M}) \rightarrow \mathcal{C} \times \text{Dict}(\mathcal{K}, \Pi)$
- $\text{Verify} : \Pi \times \mathcal{K} \times \mathcal{M} \times \mathcal{C} \rightarrow \{\text{True}, \text{False}\}$

parameterized over a security parameter $\lambda \in \mathbb{N}$.

An authenticated dictionary scheme should satisfy correctness and binding, defined as follows.

Definition 4 (Correctness) An authenticated dictionary scheme is correct if for all dictionaries $(K, M) \in \text{Dict}(\mathcal{K}, \mathcal{M})$ we get

$$(C, (K', \pi)) \leftarrow \text{Commit}(K, M)$$

such that

$$\begin{aligned} K' &= K \\ \wedge \text{Verify}(\pi_k, k, M_k, C) &= \text{True}, \forall k \in K. \end{aligned}$$

Definition 5 (Binding) An authenticated dictionary scheme is binding if it is computationally infeasible to find a commitment $C \in \mathcal{C}$, a key $k \in \mathcal{K}$, values $m_1, m_2 \in \mathcal{M}$ and lookup proofs $\pi_1, \pi_2 \in \Pi$ such that

$$\begin{aligned} \text{Verify}(\pi_1, k, m_1, C) &= \text{True} \\ \wedge \text{Verify}(\pi_2, k, m_2, C) &= \text{True} \\ \wedge m_1 &\neq m_2. \end{aligned}$$

Implementation A common implementation of an authenticated dictionary scheme is sparse merkle trees [7], where the binding property is achieved by using a collision-resistant hash function.

A.3 Signature aggregation

A signature aggregation scheme consists of sets

- \mathcal{K}_p of public keys
- \mathcal{K}_s of secret keys
- Σ of signatures

and algorithms

- $\text{KeyGen} : 1 \rightarrow \mathcal{K}_p \times \mathcal{K}_s$
- $\text{Sign} : \mathcal{K}_s \times \mathcal{M} \rightarrow \Sigma$
- $\text{Aggregate} : (\mathcal{K}_p \times \Sigma)^* \rightarrow \Sigma$
- $\text{Verify} : \mathcal{K}_p^* \times \mathcal{M} \times \Sigma \rightarrow \{\text{True}, \text{False}\}$

parameterized over a security parameter $\lambda \in \mathbb{N}$.

A signature aggregation scheme should satisfy correctness and unforgeability, defined as follows.

Definition 6 *A signature aggregation scheme is correct if whenever we have a list of key-pairs $(pk_i, sk_i)_{i \in [n]}$ generated by the KeyGen algorithm, and a message $m \in \mathcal{M}$, we have*

$$\text{Verify}((pk_i)_{i \in [n]}, m, \text{Aggregate}((pk_i, \text{Sign}(sk_i, m))_{i \in [n]})) = \text{True}.$$

Definition 7 *A signature aggregation scheme is unforgeable if it is computationally infeasible for an adversary to output a list $(pk_i)_{i \in [n]}$ of public keys, a message $m \in \mathcal{M}$ and a signature $\sigma \in \Sigma$ such that*

$$\text{Verify}((pk_i)_{i \in [n]}, m, \sigma) = \text{True},$$

and where one of the public keys $(pk_i)_{i \in [n]}$ belongs to an honest user who didn't sign the message m with their secret key.

Implementation We will use the modified BLS signature scheme introduced in [3], which is defined as follows.

Given a security parameter $\lambda \in \mathbb{N}$, we setup a bilinear pairing $e : \mathbb{G}_0 \times \mathbb{G}_1 \rightarrow \mathbb{G}_T$ of groups of prime order q , and two hash functions $\mathcal{H}_0 : \mathcal{M} \rightarrow \mathbb{G}_0$ and $\mathcal{H}_1 : \mathcal{M} \rightarrow \mathbb{Z}_q$. We then let

- $\mathcal{K}_p := \mathbb{G}_1$
- $\mathcal{K}_s := \mathbb{Z}_q$
- $\Sigma := \mathbb{G}_0$

and

- $\text{KeyGen}() \rightarrow (sk, pk)$, where the secret key is a random value $sk \xleftarrow{R} \mathbb{Z}_q$ and the public key is $pk \leftarrow g_1^{sk} \in \mathbb{G}_1$
- $\text{Sign}(sk, m) \rightarrow \sigma$, where $\sigma \leftarrow \mathcal{H}_0(m)^{sk} \in \mathbb{G}_0$.
- $\text{Aggregate}((pk_1, \sigma_1), \dots, (pk_n, \sigma_n)) \rightarrow \sigma$, where

$$\sigma \leftarrow \prod_{i \in [n]} \sigma_i^{t_i},$$

and where $t_i \leftarrow \mathcal{H}_1(pk_i, \{pk_1, \dots, pk_n\})$ for all $i \in [n]$.

- $\text{Verify}((pk_1, \dots, pk_n), m, \sigma)$ is computed by first computing the aggregated public key as

$$pk \leftarrow \prod_{i \in [n]} pk_i^{t_i},$$

where $t_i \leftarrow \mathcal{H}_1(pk_i, (pk_j)_{j \in [n]})$ for all $i \in [n]$. Then, output *True* if

$$e(g_1, \sigma) = e(pk, \mathcal{H}_0(m))$$

and output *False* otherwise.

A.4 Zero-knowledge proofs

Zero-knowledge proofs, introduced in [11], allow a prover \mathcal{P} to prove to a verifier \mathcal{V} a relation between a statement x and a witness w . A non-interactive zero-knowledge (NIZK) proof is a trio of algorithms:

- $\text{ZK.Setup}(\lambda) \rightarrow pp$. For a certain security parameter λ , the setup algorithm outputs pp , the public parameters of the system.
- $\text{ZK.Prove}(pp, x, w) \rightarrow P$. Given the system's public parameters pp , a statement x , and a witness w , issue a proof P .
- $\text{ZK.Verify}(pp, x, P) \rightarrow \{True, False\}$. Upon receiving the public parameters pp , the public statement x and the proof P , the verifier \mathcal{V} either accepts (returns *True*) or rejects (returns *False*) the proof depending on whether or not P is well-formed. In this case well-formed implies the successful proof of the relation between the statement x and the witness w .

Properties. A zero-knowledge proof scheme is considered sound if an adversary \mathcal{A} attempting to prove the statement without knowing the secret witness w cannot produce a valid proof with probability greater than 2^{-k} for knowledge error k . A zero knowledge proof scheme is considered complete if there is a guarantee that if the prover and verifier are honest, then the verifier successfully accepts a proof that shows that the prover \mathcal{P} knows the witness w . Additionally, a proof P is considered a proof-of-knowledge if the prover \mathcal{P} must

know the witness w to compute the proof for the pair (x, w) , and such proof-of-knowledge is considered zero knowledge if the proof P reveals nothing about the witness w . Additionally, if the scheme produces succinct arguments, then it is a (zk)SNARK [4,5,9,12,15]. Quantum-secure similar constructions exist, as in [2,6].

A.5 Order theory

We here restate some common definitions and results from order theory, which are used in our protocol description and security proof.

Preorders and posets

Definition 8 A preorder is a tuple (X, \leq) where X is a set and \leq is a binary relation on X satisfying

- (transitivity) For all $a, b, c \in X$ we have $a \leq b \wedge b \leq c \Rightarrow a \leq c$
- (reflexivity) For all $a \in X$ we have $a \leq a$.

We write \geq for the opposite relation on X :

$$a \leq b \Leftrightarrow b \geq a.$$

Definition 9 Let (X, \leq) be a preorder. We say that two elements $x, y \in X$ are isomorphic, written $x \simeq y$ if $x \leq y$ and $y \leq x$.

Definition 10 A partially ordered set (poset) is a preorder (X, \leq) where we also have antisymmetry, which means that for all $a, b \in X$ we have

$$a \simeq a \Rightarrow a = b.$$

Monotone functions

Definition 11 Let (X, \leq_X) and (Y, \leq_Y) be preorders, and let $f : X \rightarrow Y$ be a function. We say that f is monotone (also often called order-preserving) if for all $a, b \in X$ we have

$$a \leq_X b \Rightarrow f(a) \leq_Y f(b).$$

Proposition 1 If (X, \leq_X) , (Y, \leq_Y) and (Z, \leq_Z) are preorders, and if $f : X \rightarrow Y$ and $g : Y \rightarrow Z$ are monotone functions, then the composite function

$$\begin{aligned} g \circ f : X &\rightarrow Y \\ x &\mapsto g(f(x)) \end{aligned}$$

is also monotone.

Joins and meets

Definition 12 Let (X, \leq) be a preorder, let $(x_i)_{i \in I}$ be an indexed family of elements of X and let $x \in X$. We say that x is a join of $(x_i)_{i \in I}$ if the following two properties hold:

- $x_i \leq x$ for all $i \in I$ (x is an upper bound of $(x_i)_{i \in I}$)
- The element x is the least upper bound, i.e. if $x' \in X$ is another element such that $x_i \leq x'$ for all $i \in I$, then we have $x \leq x'$.

Dually, we say that x is a meet of $(x_i)_{i \in I}$ if the following two properties hold:

- $x_i \geq x$ for all $i \in I$ (x is a lower bound of $(x_i)_{i \in I}$)
- The element x is the greatest lower bound, i.e. if $x' \in X$ is another element such that $x' \leq x_i$ for all $i \in I$, then we have $x' \leq x$.

We have that meets and joins are unique up to isomorphism, stated as follows.

Proposition 2 Let (X, \leq) be a preorder, let $(x_i)_{i \in I}$ be an indexed family of elements of X and let $x, y \in X$. If x and y are both joins (or both meets) of $(x_i)_{i \in I}$, then we have $x \simeq y$ (or equality if (X, \leq) is a poset).

Definition 13 A lattice is a poset (X, \leq) where every finite indexed family $(x_i)_{i \in I}$ of elements of X has both a join and a meet. Since meets and joins are unique in a poset (Proposition 2), we can write the join as

$$\bigvee_{i \in I} x_i$$

and the meet as

$$\bigwedge_{i \in I} x_i.$$

Lattice-ordered abelian groups We now define lattice-ordered abelian groups, which is the structure we require from the set \mathcal{V} of transaction values (and account balances) in our design.

Definition 14 A lattice-ordered abelian group is a tuple $(X, \leq, +)$ where X is a set, \leq is a binary relation on X and $+$ is a binary operator on X such that

- $(X, +)$ is an abelian group
- (X, \leq) is a lattice
- For all $a, b, x \in X$ we have

$$a \leq b \Rightarrow a + x \leq b + x.$$

B Computing balances

In this section we define the function

$$\text{Bal}: \Pi \times \mathcal{B}^* \rightarrow \mathcal{V}^{\mathcal{K}^+}$$

which is used in the simplified design to compute account balances from a balance proof and rollup contract state. This function is used by users to compute their own balance, as well as by the rollup contract when processing a withdrawal request. Given a balance proof $\pi \in \Pi$ and the current rollup state $B_* \in \mathcal{B}_*$, the account balances are computed in two steps. First, we extract a list of partial transactions from π and B_* , where a partial transaction consists of a sender, a recipient and a (possibly unknown) transaction amount. Then, we compute the balances of every account by applying a state transition function on the list of partial transactions. We now describe the steps in more details.

B.1 Step 1: Extracting a list of partial transactions

The first step of calculating balances is to extract a list of *partial transactions* from a balance proof π and the current list of blocks in the rollup B_* . The set of partial transactions, denoted \mathcal{T} , is defined as the subset of

$$\mathcal{K}_+^2 \times (\mathcal{V}_+ \amalg \{\perp\})$$

consisting of the tuples $((s, r), v)$ where $s \neq r$ and where $s = \text{Source}$ implies $v \neq \perp$. The process of extracting the list of partial transactions is described by a function

$$\text{TransactionsInBlocks}: \Pi \times B^* \rightarrow \mathcal{T}^*$$

which we will now define. Given a deposit block $(r, v) \in \mathcal{B}_{\text{deposit}}$, we extract the one-element list consisting of the partial transaction $((\text{Source}, r), v)$:

$$\begin{aligned} \text{TransactionsInBlock}_{\text{deposit}}: \mathcal{B}_{\text{deposit}} &\rightarrow \mathcal{T}^* \\ (r, v) &\mapsto (((\text{Source}, r), v)). \end{aligned}$$

We then define the function

$$\text{TransactionsInBlock}_{\text{transfer}}: \Pi \times \mathcal{B}_{\text{deposit}} \rightarrow \mathcal{T}^*$$

for extracting a list of partial transactions from a balance proof and a transfer block as follows. Given a balance proof $(K, D) \in \Pi$ and a transfer block $(\text{aggregator}, \text{extradata}, C, S, \sigma) \in \mathcal{B}_{\text{transfer}}$, we take, for each sender-recipient pair $(s, r) \in \mathcal{K}_2 \times \mathcal{K}$ where $s \neq r$, in lexicographic order, the partial transaction $((s, r), v)$ where

$$v = \begin{cases} t(r), & \text{where } ((\pi, \text{salt}), t) = D(C, s), & \text{if } s \in S \text{ and } (C, s) \in K \\ \perp, & & \text{if } s \in S \text{ and } (C, s) \notin K \\ 0, & & \text{otherwise.} \end{cases}$$

Given a withdrawal block, the list of transactions extracted from it consists of a transaction from each L1 account to the source account in order:

$$\begin{aligned} \text{TransactionsInBlock}_{\text{withdrawal}}: \mathcal{B}_{\text{withdrawal}} &\rightarrow \mathcal{T}^* \\ B &\mapsto ((s, \text{Source}), B_s)_{s \in K_1}. \end{aligned}$$

We combine these functions into one function for extracting partial transactions from a balance proof and a block:

$$\begin{aligned} \text{TransactionsInBlock}: \Pi \times \mathcal{B} &\rightarrow \mathcal{T}^* \\ (\pi, B) &\mapsto \begin{cases} \text{TransactionsInBlock}_{\text{deposit}}(B), & \text{if } B \in \mathcal{B}_{\text{deposit}} \\ \text{TransactionsInBlock}_{\text{transfer}}(\pi, B), & \text{if } B \in \mathcal{B}_{\text{transfer}} \\ \text{TransactionsInBlock}_{\text{withdrawal}}(B), & \text{if } B \in \mathcal{B}_{\text{withdrawal}} \end{cases}. \end{aligned}$$

Finally, to extract a list of partial transactions from a balance proof and a list of blocks, we extract the transactions from each block and concatenate the lists of partial transactions:

$$\begin{aligned} \text{TransactionsInBlocks}: \Pi \times \mathcal{B}^* &\rightarrow \mathcal{T}^* \\ (\pi, (B_i)_{i \in [n]}) &\mapsto \text{Concatenate}((\text{TransactionsInBlock}(\pi, B_i))_{i \in [n]}). \end{aligned}$$

B.2 Step 2: Computing balances from a list of partial transactions

The second step in computing balances is to apply a *transition function* to the list of partial transactions obtained in step 1, starting from the state where all account balances are zero.

Definition 15 A transition function¹¹ is a function on the form $f: \mathcal{T} \times \mathcal{S} \rightarrow \mathcal{S}$, where \mathcal{T} is called the set of transactions and \mathcal{S} is called the set of states.

In our case, a state is an assignment of a balance to each account:

$$\mathcal{S} := \mathcal{V}^{\mathcal{K}_+},$$

and the set of transactions is the set \mathcal{T} of partial transactions defined in Step 1 above. In order to define the transition function f , we will first define a different transition function $f_c: \mathcal{T}_c \times \mathcal{S} \rightarrow \mathcal{S}$, where the set of transactions is the subset $\mathcal{T}_c \subset \mathcal{T}$, called the *complete transactions*, consisting of the transactions $((s, r), v) \in \mathcal{T}$ where $v \neq \perp$. For all $i \in \mathcal{K}_+$, let $\mathbf{e}_i \in \mathcal{V}^{\mathcal{K}_+}$ be the map where

$$(\mathbf{e}_i)_j = \begin{cases} 1, & \text{if } i = j \\ 0, & \text{otherwise.} \end{cases}$$

Then, for all complete transactions $((s, r), v) \in \mathcal{T}_c$ and for all $b \in \mathcal{S}$ we define

¹¹Sometimes called a semiautomation in the literature.

$$f_c(((s, r), v), b) := b + v'(\mathbf{e}_r - \mathbf{e}_s),$$

$$\text{where } v' := \begin{cases} v \vee b_s, & \text{if } s \neq \text{Source} \\ v, & \text{if } s = \text{Source}. \end{cases}$$

Remark 1 *To apply a transaction where a non-source sender s sends the amount v to a recipient r , we first reduce the transacted amount v to the amount v' , which is the greatest amount that is both less than the original value v (the sender shouldn't send more than in the original transaction) and less than the balance of the sender b_s (to avoid overspending). The reduced value v' is then subtracted from the sender and added to the recipient. The source account is considered to have sufficient balance for all of its transactions, so if the sender is the source account, the transaction value is not reduced.*

We will now define the transition function $f : \mathcal{T} \times \mathcal{S} \rightarrow \mathcal{S}$. First, let \leq_p be the preorder on the set \mathcal{T} of partial transactions induced by the relations $((s, r), \perp) \leq_p ((s, r), v)$ for all $((s, r), v) \in \mathcal{T}$. Then, for all $T \in \mathcal{T}$ and $b \in \mathcal{S}$, we define

$$f(T, b) := \bigwedge_{\substack{T' \in \mathcal{T}_c \\ T \leq_p T' \\ b \leq b'}} f_c(T', b').$$

Remark 2 *The way we defined the transition function f may seem somewhat abstract, but the idea is this. If we have a sequence of complete transactions (as in any traditional blockchain), we can compute the balance of each account by applying the transition function f_c defined above. If some of the transactions are unknown, however, we cannot know for sure what the balance of each account is. Instead, we will compute a lower bound on the balance of each account. When we apply the transition function f to a partial transaction $T \in \mathcal{T}$ and a state $b \in \mathcal{S}$, we interpret b as the current lower bound on the true, but unknown state $b' \in \mathcal{S}$ where $b \leq b'$, and we interpret the partial transaction T as the lower bound of the true (but unknown if $v = \perp$) transaction $T' \in \mathcal{T}_c$, where $T \leq_p T'$. Since the true transaction T' and the true state b' are unknown to us, we need to consider the result of applying the transition function f_c to all possible values of T' and b' , and take their meet to get the updated lower bound. We note that the construction where we extend the function f_c to f is a well-known construction in category theory called a Kan extension (see eg. [14]).*

The transition function $f : \mathcal{T} \times \mathcal{S} \rightarrow \mathcal{S}$ induces the function $f^* : \mathcal{T}^* \times \mathcal{S} \rightarrow \mathcal{S}$ which takes a list of transactions $T_* \in \mathcal{T}^*$ and an initial state $s_0 \in \mathcal{S}$ and returns the state obtained by applying the transition function f , in order, to every transaction in T_* , starting with the initial state s_0 . In our case, given the list of partial transactions T_* obtained in Step 1, we compute the balances

as $f^*(T_*, 0)$, where $0 \in \mathcal{S}$ is the initial state where every account has a zero balance. Combining the two steps, we define the balance function as follows:

$$\begin{aligned} \text{Bal}: \Pi \times B^* &\rightarrow \mathcal{V}^{\mathcal{K}^+} \\ (\pi, B_*) &\mapsto f^*(\text{TransactionsInBlocks}(\pi, B_*), 0). \end{aligned}$$

B.3 Explicit description of the transition function

We can describe the transition function f explicitly as follows.

Proposition 3 *For all partial transactions $T = ((s, r), v) \in \mathcal{T}$ and states $b \in \mathcal{S}$ we have*

$$f(T, b) = \begin{cases} f_c(T, b), & \text{if } v \neq \perp \\ b - b_s \mathbf{e}_s, & \text{if } v = \perp. \end{cases}$$

In other words, if the transaction is complete, the transition function f behaves exactly as the transition function f_c for complete transactions. If the transaction is incomplete, the transition function sets the balance of the sender to 0.

Proof. We first prove that the transition function $f_c : \mathcal{T}_c \times \mathcal{S} \rightarrow \mathcal{S}$ for complete transactions is monotone in its second argument. Let $T = ((s, r), v) \in \mathcal{T}_c$ be a complete transaction. We have two cases to consider, either $s = \text{Source}$ or $s \neq \text{Source}$. Suppose $s = \text{Source}$. Then, for all $b \leq b' \in \mathcal{V}^{\mathcal{K}^+}$ we have

$$\begin{aligned} f_c(T, b) &= b + v(\mathbf{e}_r - \mathbf{e}_s) \\ &\leq b' + v(\mathbf{e}_r - \mathbf{e}_s) \\ &= f_c(T, b'), \end{aligned}$$

So f_c is monotone in its second argument in this case. Now, suppose $s \neq \text{Source}$. Then, for all $b \in \mathcal{V}^{\mathcal{K}^+}$ and $k \in \mathcal{K}_+$, we get

$$f_c(T, b)_k = \begin{cases} b_s - v \vee b_s = (b_s - v) \wedge 0, & \text{if } k = s \\ b_r + v \vee b_s, & \text{if } k = r \\ b_k, & \text{otherwise.} \end{cases}$$

We observe that the transition function is monotone in b in all three cases. We conclude that f_c is monotone in its second argument. It follows that for all complete transactions $T \in \mathcal{T}_c$ and all states $b \in \mathcal{S}$, we have

$$\begin{aligned} f(T, b) &= \bigwedge_{\substack{T' \in \mathcal{T}_c \\ T \leq_p T' \\ b \leq b'}} f_c(T', b') \quad (\text{By definition}) \\ &= \bigwedge_{\substack{T = T' \\ b \leq b'}} f_c(T', b') \quad (\text{By definition of } \leq_p) \\ &= f_c(T, b) \quad (\text{Since } f_c \text{ is monotone in its second argument}) \end{aligned}$$

It remains to show that for all partial transactions $T = ((s, r), \perp) \in \mathcal{T}$ and for all states $b \in \mathcal{S}$ we have $f(T, b) = b - b_s \mathbf{e}_s$. Indeed, for all $k \in \mathcal{K}_+$ we have

$$\begin{aligned}
f(T, b)_k &= \bigwedge_{\substack{T' \in \mathcal{T}_c \\ T \leq_p T' \\ b \leq b'}} f_c(T', b')_k && \text{(By definition)} \\
&= \bigwedge_{\substack{v \in \mathcal{V}_+ \\ b \leq b'}} f_c(((s, r), v), b')_k && \text{(By definition of } \leq_p \text{)} \\
&= \bigwedge_{v \in \mathcal{V}_+} f_c(((s, r), v), b)_k && \text{(Since } f_c \text{ is monotone in its second argument)} \\
&= \begin{cases} \bigwedge_{v \in \mathcal{V}_+} ((b_s - v) \wedge 0), & \text{if } k = s \\ \bigwedge_{v \in \mathcal{V}_+} (b_r + v \vee b_s), & \text{if } k = r \\ \bigwedge_{v \in \mathcal{V}_+} b_k, & \text{otherwise.} \end{cases} && \text{(By definition of } f_c \text{)} \\
&= \begin{cases} 0, & \text{if } k = s \quad (\text{letting } v = b_s) \\ b_r, & \text{if } k = r \quad (\text{letting } v = 0) \\ b_k, & \text{otherwise.} \end{cases} \\
&= (b - b_s \mathbf{e}_s)_k
\end{aligned}$$

C Security

In this section we define and prove the security of the rollup contract. Informally speaking, we say that the rollup contract is secure if every withdrawal request succeeds, i.e. the rollup contract has sufficient balance for every withdrawal. This means that if a user has a balance proof which proves the in-rollup balance of one or more of their L1 accounts, they will be able to withdraw these balances to L1.

C.1 Security definition

We formally define the security of the rollup contract with the following attack game.

Attack game 1 *The attack game is played between a PPT adversary and a challenger, where the challenger plays the role of the rollup contract. First, the challenger initializes the rollup contract with the empty list of blocks $() \in \mathcal{B}^*$. The challenger also stores a value $contractBalance \in \mathcal{V}$ which keeps track of the balance of the rollup contract. This value is initialized as 0. Then, the adversary sends a sequence of contract transactions to the rollup contract, where a contract transaction is either a deposit, a transfer block or a withdrawal request. For each contract transaction, the challenger updates the rollup contract storage as defined by the protocols in Sections 2.5 to 2.7 and updates the current contract balance according to how much value is being deposited and withdrawn. The adversary wins the attack game if at the end of the interaction, the rollup contract does not have a positive balance:*

$$contractBalance \not\geq 0.$$

Definition 16 *The rollup contract is secure if winning Attack game 1 is at least as hard as breaking either the binding property of the authenticated dictionary scheme, or finding a collision of the hash function H .*

C.2 Security proof

Before we can prove the security of the rollup contract is secure, we will first prove some properties of the balance function.

Lemma 1. *For all balance proofs $\pi \in \Pi$ and block lists $B_* \in \mathcal{B}^*$ we have*

$$\text{Bal}(\pi, B_*)_{Source} \leq 0.$$

Proof. We start by noticing some basic facts about the transition function for complete transactions f_c , which are easily verified by using the definition of f_c . First, we have that f_c preserves the sum of balances, i.e.

$$\sum_{k \in \mathcal{K}_+} f_c(T, b)_k = \sum_{k \in \mathcal{K}_+} b_k, \quad \forall T \in \mathcal{T}_c, b \in \mathcal{V}^{\mathcal{K}_+}.$$

Second, we have that if the balance of a non-source account is positive before a complete transaction is applied, it is again positive after applying the transaction:

$$b_k \geq 0 \Rightarrow f_c(T, b)_k \geq 0 \quad \forall T \in \mathcal{T}_c, b \in \mathcal{V}^{K_+}, k \in \mathcal{K}_+ \setminus \{\text{Source}\}.$$

These two facts imply the following facts about the transition function for partial transactions f :

$$\sum_{k \in \mathcal{K}_+} f(T, b)_k \leq \sum_{k \in \mathcal{K}_+} b_k, \quad \forall T \in \mathcal{T}, b \in \mathcal{V}^{K_+}$$

and

$$b_k \geq 0 \Rightarrow f(T, b)_k \geq 0 \quad \forall T \in \mathcal{T}, b \in \mathcal{V}^{K_+}, k \in \mathcal{K}_+ \setminus \{\text{Source}\}.$$

Then, it follows by induction that we have

$$\sum_{k \in \mathcal{K}_+} f_*(T_*, 0)_k \leq \sum_{k \in \mathcal{K}_+} 0_k = 0, \quad \forall T_* \in \mathcal{T}^* \quad (1)$$

and

$$f_*(T_*, 0)_k \geq 0 \quad \forall T_* \in \mathcal{T}^*, k \in \mathcal{K}_+ \setminus \{\text{Source}\}. \quad (2)$$

Finally, for all balance proofs $\pi \in \Pi$ and block lists $B_* \in \mathcal{B}^*$, letting $T_* = \text{TransactionsInBlocks}(B_*)$ we have

$$\begin{aligned} \text{Bal}(\pi, B_*)_{\text{Source}} &= f^*(T_*, 0)_{\text{Source}} && \text{(by definition)} \\ &= \sum_{k \in K_+} f^*(T_*, 0)_k - \sum_{k \in K_+ \setminus \{\text{Source}\}} f^*(T_*, 0)_k \\ &\leq - \sum_{k \in K_+ \setminus \{\text{Source}\}} f^*(T_*, 0)_k && \text{(by Equation (1))} \\ &\leq 0 && \text{(by Equation (2))} \end{aligned}$$

which is the statement of the lemma.

In order to state the last two lemmas, we will first need to define a preorder structure on the set Π of balance proofs. Under this preorder, a balance proof is greater than another if it contains proofs for the same transactions as the other, and possibly more.

Definition 17 *We define the preorder \leq on Π where for all $(K, D), (K', D') \in \Pi$ we have $(K, D) \leq (K', D')$ if and only if the following holds:*

- $K \subset K'$
- For all $k \in K$, letting $((\pi, \text{salt}), t) = D(k)$ and $((\pi', \text{salt}'), t') = D'(k)$, we have $t = t'$.

We now prove the following lemma.

Lemma 2. *The balance function*

$$\text{Bal} : \Pi \times B^* \rightarrow \mathcal{V}^{\mathcal{K}^+}$$

is monotone in its first argument.

Proof. Let $B_* \in \mathcal{B}^*$. We can then decompose the partial function $\text{Bal}(-, B_*) : \Pi \rightarrow \mathcal{V}^{\mathcal{K}^+}$ as follows:

$$\Pi \xrightarrow{\text{TransactionsInBlocks}(-, B_*)} \mathcal{T}^* \xrightarrow{f^*(-, 0)} \mathcal{V}^{\mathcal{K}^+}.$$

Note that the function `TransactionsInBlocks` outputs a list of partial transactions whose length is only dependent on the second argument (the list of blocks). This means that since B_* is fixed, we can replace \mathcal{T}^* by $\mathcal{T}^{[n]}$ above, for some integer n :

$$\Pi \xrightarrow{\text{TransactionsInBlocks}(-, B_*)} \mathcal{T}^{[n]} \xrightarrow{f^*(-, 0)} \mathcal{V}^{\mathcal{K}^+}.$$

We give $\mathcal{T}^{[n]}$ the preorder structure induced by the preorder \leq_p on \mathcal{T} . Then, to prove that the balance function is monotone in its first argument, it suffices to show (by Proposition 1) that the two functions in the above composition are monotone.

We first show that the function `TransactionsInBlocks`($-, B_*$) is monotone. Let $\pi, \pi' \in \Pi$ be balance proofs where $\pi \leq \pi'$, and let $T_* = \text{TransactionsInBlocks}(\pi, B_*)$ and $T'_* = \text{TransactionsInBlocks}(\pi', B_*)$. We need to show that $T_i \leq_p T'_i$ for all $i \in [n]$. Let $i \in [n]$, and let $((s, r), v) = T_i$ and $((s', r'), v') = T'_i$. Notice first that we have $(s, r) = (s', r')$, since by construction, we have that the sender and recipient of the transaction at a given index in the list of partial transactions extracted from a balance proof and block list is only determined by the block list (more specifically by the arrangement of the three block types in the list). Then, we realize that the only way the two transactions T and T' can differ, is if they are both extracted from the same transfer block B , and if π' contains a proof of the transaction from s in B , and π doesn't. In this case, we have $v = \perp$, so we get $((s, r), v) \leq_p ((s', r'), v')$.

It remains to show that the function $f^*(-, 0)$, considered as a function from $\mathcal{T}^{[n]}$ to $\mathcal{V}^{\mathcal{K}^+}$ is monotone. To show this, we first notice that the transition function f is monotone in both arguments, since if $T_1 \leq_p T_2 \in \mathcal{T}$ and $b_1 \leq b_2 \in \mathcal{S}$, we get

$$\begin{aligned} f(T_1, b_1) &= \bigwedge_{\substack{T' \in \mathcal{T}_c \\ T_1 \leq_p T' \\ b_1 \leq b'}} f_c(T', b') \quad (\text{By definition}) \\ &\leq \bigwedge_{\substack{T' \in \mathcal{T}_c \\ T_2 \leq_p T' \\ b_2 \leq b'}} f_c(T', b') \quad (\text{Since we take the meet of a smaller set of elements}) \\ &= f(T_2, b_2) \quad (\text{By definition}). \end{aligned}$$

It then follows, by induction, that f^* is also monotone in both arguments, and in particular we conclude that $f^*(-, 0)$ is monotone.

Finally, we have the following lemma.

Lemma 3. *Let $(K_1, D_1), (K_2, D_2) \in \Pi$ be two balance proofs. Then the following statements are equivalent:*

- a) *The merged balance proof $\text{Merge}((K_1, D_1), (K_2, D_2))$ is a join of (K_1, D_1) and (K_2, D_2) in Π .*
- b) *(K_1, D_1) and (K_2, D_2) have a join in Π .*
- c) *For all $k \in K_1 \cap K_2$, letting $((\pi_1, \text{salt}_1), t_1) = D_1(k)$ and $((\pi_2, \text{salt}_2), t_2) = D_2(k)$, we have $t_1 = t_2$.*

Proof. We will prove equivalence by proving $a) \Rightarrow b)$, $b) \Rightarrow c)$ and $c) \Rightarrow a)$.

$a) \Rightarrow b)$ This is trivial.

$b) \Rightarrow c)$ Assume the balance proofs have a join $(K, D) \in \Pi$. Then we have $(K_1, D_1) \leq (K, D)$ and $(K_2, D_2) \leq (K, D)$ by the definition of a join, which implies that $K_1 \subset K$ and $K_2 \subset K$. Now, if k is an element in the intersection $K_1 \cap K_2$, we have that $k \in K$. Let $((\pi_1, \text{salt}_1), t_1) = D_1(k)$, $((\pi_2, \text{salt}_2), t_2) = D_2(k)$ and $((\pi, \text{salt}), t) = D(k)$. Then we get $t_1 = t$ since $(K_1, D_1) \leq (K, D)$, and we get $t_2 = t$ since $(K_2, D_2) \leq (K, D)$, implying $t_1 = t_2$.

$c) \Rightarrow a)$ We assume that for all $k \in K_1 \cap K_2$, letting $((\pi_1, \text{salt}_1), t_1) = D_1(k)$ and $((\pi_2, \text{salt}_2), t_2) = D_2(k)$, we have $t_1 = t_2$. Let $(K, D) = \text{Merge}((K_1, D_1), (K_2, D_2)) \in \Pi$. We will show that (K, D) is a join of (K_1, D_1) and (K_2, D_2) . We first show that $(K_1, D_1) \leq (K, D)$ and $(K_2, D_2) \leq (K, D)$. Clearly, we have $K_1 \subset K_1 \cup K_2$ and $K_2 \subset K_1 \cup K_2$. Also, if $k \in K_1$, letting $((\pi_1, \text{salt}_1), t_1) = D_1(k)$ and $((\pi, \text{salt}), t) = D(k)$ we have $t_1 = t$ because $D_1(k) = D(k)$ by construction. Finally, if $k \in K_2$, letting $((\pi_2, \text{salt}_2), t_2) = D_2(k)$ and $((\pi, \text{salt}), t) = D(k)$ we have $t_2 = t$ because either $k \notin K_1$ which implies $D_2(k) = D(k)$ by construction, or $k \in K_1$, in which case, letting $((\pi_1, \text{salt}_1), t_1) = D_1(k)$ we get $t_2 = t_1$ (by assumption) and $t_1 = t$ (by an earlier argument), which implies $t_2 = t$.

We have now shown that the merged balance proof (K, D) is an upper bound of (K_1, D_1) and (K_2, D_2) . It remains to show that it is the least upper bound. To do so, assume we have another upper bound (K', D') of (K_1, D_1) and (K_2, D_2) . Then we have $(K' = K_1 \cup K_2 \subset K'$. Now, pick an element $k \in K$, and let $((\pi, \text{salt}), t) = D(k)$ and $((\pi', \text{salt}'), t') = D'(k)$. Then we have, by construction, either $k \in K_1$ or $k \in K_2 \setminus K_1$. In the former case, letting $((\pi_1, \text{salt}_1), t_1) = D_1(k)$, we have $t = t_1 = t'$. In the latter case, letting $((\pi_2, \text{salt}_2), t_2) = D_2(k)$, we have $t = t_2 = t'$. We conclude that $(K, D) \leq (K', D')$, which implies that (K, D) is the join of (K_1, D_1) and (K_2, D_2) .

Theorem 1 *The rollup contract is secure (by Definition 16).*

Proof. Suppose an adversary and a challenger have interacted in Attack game 1. We will show that either the resulting contract balance is positive (the adversary lost the game), or the adversary has been able to either break the binding property of the authenticated dictionary scheme or found a collision of the hash function H . Let $B_* = (B_i)_{i \in [n]}$ be the contract state after the attack game, let $I \subset [n]$ be the indices of the withdrawal blocks in B_* and let $(\pi_i)_{i \in I}$ be the balance proofs used in the withdrawal requests. The resulting contract balance can be computed by adding all deposited amounts and subtracting all withdrawn amounts:

$$\text{contractBalance} = v_{\text{deposited}} - v_{\text{withdrawn}},$$

where

$$v_{\text{deposited}} = \sum_{\substack{i \in [n] \\ B_i \in \mathcal{B}_{\text{deposit}} \\ B_i = (r, v)}} v$$

and

$$v_{\text{withdrawn}} = \sum_{\substack{i \in I \\ k \in \mathcal{K}_1}} \text{Bal}(\pi_i, (B_j)_{j \in [i-1]})_k.$$

We now have two possibilities, either the balance proofs $(\pi_i)_{i \in I}$ have a join in Π or they don't. Suppose they have a join $\pi \in \Pi$. Then we have

$$\begin{aligned} 0 &\leq -\text{Bal}(\pi, B_*)_{\text{Source}} && \text{(lemma 1)} \\ &= v_{\text{deposited}} - \sum_{\substack{i \in I \\ k \in \mathcal{K}_1}} \text{Bal}(\pi_i, (B_j)_{j \in [i-1]})_k \wedge \text{Bal}(\pi, (B_j)_{j \in [i-1]})_k \\ &= v_{\text{deposited}} - \sum_{\substack{i \in I \\ k \in \mathcal{K}_1}} \text{Bal}(\pi, (B_j)_{j \in [i]})_k && \text{(Follows from Lemma 2 since } \pi_i \leq \pi \text{)} \\ &= \text{contractBalance} \end{aligned}$$

which shows that the contract balance is positive. Now, suppose the balance proofs $(\pi_i)_{i \in I}$ do not have a join in Π . Let i_k be the k 'th index in I (so that $I = \{i_1, i_2, \dots, i_m\}$, where $m = |I|$). Then, let $(\pi'_k)_{k \in \{1, \dots, m\}}$ be the balance proofs defined recursively as $\pi'_1 = \pi_{i_1}$ and $\pi'_k = \text{Merge}(\pi'_{k-1}, \pi_{i_k})$. Clearly, these merged balance proofs are valid, since each of the original balance proofs are valid (otherwise they wouldn't be accepted by the rollup contract), and since the merge of two valid balance proofs is again valid. Now, we argue that there must be an index $k \in \{1, \dots, m\}$ such that π'_k is *not* the join of π'_{k-1} and π_{i_k} in Π , since if not, the final merged balance proof π'_m would be a join of $(\pi_i)_{i \in I}$ (by Lemma 3), which we have assumed not to exist. Let $(K, D) = \pi'_{k-1}$ and $(K', D') = \pi_{i_k}$. It then follows from Lemma 3 that there is a key $k \in K \cap K'$ such that, letting $((\pi, \text{salt}), t) = D(k)$ and $((\pi', \text{salt}'), t') = D'(k)$, we have $t \neq t'$. Also, since both balance proofs are valid, as remarked earlier, we have

$$\text{AD.Verify}(\pi, s, H(t, \text{salt}), C)$$

and

$$\text{AD.Verify}(\pi', s, \text{H}(t, \text{salt}'), C),$$

where $(C, s) = k$. It follows that that either $\text{H}(t, \text{salt}) = \text{H}(t', \text{salt}')$, meaning that we have found a hash collision, or $\text{H}(t, \text{salt}) \neq \text{H}(t', \text{salt}')$, which means we have broken the binding property of the authenticated dictionary scheme.

D Discussion

D.1 Tracing the Path to Intmax2

Plasma Prime [17] is the starting point for the path that lead to Intmax2. Plasma Prime incorporates RSA accumulators and is based on the UTXO model, where each unspent output represents ownership of a specific segment. The concept of range chunking is also introduced, and is used to compress transaction history to simplify block verification. This design also features the use of a SumMerkleTree for efficient overlap verification between transaction segments and inclusion proof generation.

Springrollup [8] is a Layer 2 solution that introduces a new type of zk-rollup, that aims to use less on-chain data and enhance privacy. The rollup state is divided into on-chain and off-chain available states, with the design ensuring users' funds remain safe even if the off-chain state is withheld by the operator. The operator can modify the rollup state by posting a rollup block to the L1 contract, which includes the new merkle state root, a diff between the old and new on-chain states, and a zk-proof of valid operations. The system also includes a frozen mode for situations where the operator doesn't post a new rollup block within 3 days.

Intmax [13] introduces a design where the aggregator maintains a global state that is used when the aggregator makes new rollup blocks. This state is not necessarily known by anyone other than the aggregator, and can be withheld by the aggregator. This means that to allow multiple aggregators for the rollup, each aggregator must be trusted to provide the updated rollup state off-chain to the next aggregator in order to keep the rollup alive. This results in two things: First, since each aggregator needs to build upon the previous block, this method requires the complexity of a leader selection method to determine which aggregator can create the next block. Second, and more importantly, the rollup will halt if one of the aggregators fails to provide the data to the next aggregator, and all users would need to exit the rollup. This means that all aggregators need to be trusted in order to guarantee liveness.

Intmax2 (this work), solves these problems by modifying the protocol so that block production becomes stateless, meaning that new blocks can be added to the rollup without having to know the previous blocks at all, allowing aggregating to become decentralized.

D.2 Liveness

We highlight that if a user receives a transaction and then remains offline for an extended period of time, the user is still able to perform withdrawals at a future point in time when they are online again. While it is recommended that a user continuously performs the update of the recursive zero-knowledge balance proof that allows for the withdrawal of funds, the user can remain offline for a certain time period and then, when back online, can perform a syn-

chronization process and calculate the corresponding recursive zero knowledge proof (e.g., [16]).

D.3 Privacy of Intmax2

Our proposed solution does not post any transaction data on the underlying layer 1. Also, since aggregators do not need to verify transactions, the transaction data can also be hidden from the aggregators. As a result, the details of user transactions are only revealed to the recipients. As the importance of privacy on blockchains continues to grow, our proposed solution offers a promising path towards a privacy-focused future.

D.4 Delegating Zero-Knowledge Proof Generation

The emergence of new research on delegating the generation of zero-knowledge proofs [10], brings exciting prospects for the wider adoption of these technologies, particularly among light clients like mobile phones. This development holds great promise in overcoming the computational limitations of resource-constrained devices and enabling them to actively engage in zero-knowledge proof protocols. By delegating the generation of zero-knowledge proofs to more powerful devices or servers, the burden of computationally intensive tasks can be alleviated, paving the way for enhanced participation and utilization of zero-knowledge proofs.

As the research continues to evolve and mature, we anticipate a future where zero-knowledge proofs become more accessible and seamlessly integrated into various domains, empowering users with enhanced security and privacy guarantees. This development holds immense potential for bringing zero-knowledge proofs to the masses and unlocking their benefits for various applications.