

# An Algorithmic Framework for the Generalized Birthday Problem

Itai Dinur

Department of Computer Science, Ben-Gurion University, Israel

**Abstract.** The generalized birthday problem (GBP) was introduced by Wagner in 2002 and has shown to have many applications in cryptanalysis. In its typical variant, we are given access to a function  $H : \{0, 1\}^\ell \rightarrow \{0, 1\}^n$  (whose specification depends on the underlying problem) and an integer  $K > 0$ . The goal is to find  $K$  distinct inputs to  $H$  (denoted by  $\{x_i\}_{i=1}^K$ ) such that  $\sum_{i=1}^K H(x_i) = 0$ . Wagner's K-tree algorithm solves the problem in time and memory complexities of about  $N^{1/(\lceil \log K \rceil + 1)}$  (where  $N = 2^n$ ). Two important open problems raised by Wagner were (1) devise efficient time-memory tradeoffs for GBP, and (2) reduce the complexity of the K-tree algorithm for  $K$  which is not a power of 2.

In this paper, we make progress in both directions. First, we improve the best known GBP time-memory tradeoff curve (published by independently by Nikolić and Sasaki and also by Biryukov and Khovratovich) for all  $K \geq 8$  from  $T^2 M^{\lceil \log K \rceil - 1} = N$  to  $T^{\lceil (\log K)/2 \rceil + 1} M^{\lfloor (\log K)/2 \rfloor} = N$ , applicable for a large range of parameters. For example, for  $K = 8$  we improve the best previous tradeoff from  $T^2 M^2 = N$  to  $T^3 M = N$  and for  $K = 32$  the improvement is from  $T^2 M^4 = N$  to  $T^4 M^2 = N$ .

Next, we consider values of  $K$  which are not powers of 2 and show that in many cases even more efficient time-memory tradeoff curves can be obtained. Most interestingly, for  $K \in \{6, 7, 14, 15\}$  we present algorithms with the same time complexities as the K-tree algorithm, but with significantly reduced memory complexities. In particular, for  $K = 6$  the K-tree algorithm achieves  $T = M = N^{1/3}$ , whereas we obtain  $T = N^{1/3}$  and  $M = N^{1/6}$ . For  $K = 14$ , Wagner's algorithm achieves  $T = M = N^{1/4}$ , while we obtain  $T = N^{1/4}$  and  $M = N^{1/8}$ . This gives the first significant improvement over the K-tree algorithm for small  $K$ .

Finally, we optimize our techniques for several concrete GBP instances and show how to solve some of them with improved time and memory complexities compared to the state-of-the-art.

Our results are obtained using a framework that combines several algorithmic techniques such as variants of the Schroeppel-Shamir algorithm for solving knapsack problems (devised in works by Howgrave-Graham and Joux and by Becker, Coron and Joux) and dissection algorithms (published by Dinur, Dunkelman, Keller and Shamir). It then builds on these techniques to develop new GBP algorithms.

**Keywords:** Cryptanalysis, time-memory tradeoff, generalized birthday problem, K-tree algorithm.

## 1 Introduction

The generalized birthday problem (GBP) is a generalization of the classical birthday problem of finding a collision between two elements in two lists, introduced by Wagner in 2002 [19]. Since its introduction, Wagner’s K-tree algorithm for GBP has become a widely applicable tool used in cryptanalysis of code-based cryptosystems [3] (that are important designs in post-quantum cryptography), hash functions (such as FSB [5]) and stream ciphers, where it is used as a procedure in fast correlation attacks [9, 14]. Furthermore, it is an important component in improved algorithms for hard instances of the knapsack problem [2, 13]. The K-tree algorithm is also closely related to the BKW algorithm for the learning parity with noise (LPN) problem [7], and the BKW extension to the learning with errors (LWE) problem [1].

We consider the most relevant GBP variant in cryptanalysis. For integer parameters  $K > 0$  and  $0 \leq \ell \leq n$ , we are given access to a function  $H : \{0, 1\}^\ell \rightarrow \{0, 1\}^n$ , and the goal is to find  $K$  distinct inputs to  $H$ ,  $\{x_i\}_{i=1}^K$ , such that  $\sum_{i=1}^K H(x_i) = 0$ . For simplicity, we assume that addition is performed bitwise over  $GF(2)$ , but our algorithms easily extend to work with addition over  $GF(2^n)$ . We further assume that  $K \ll n$  and treat it as a constant. We view  $H$  as a random oracle whose outputs are selected independently and uniformly at random from  $\{0, 1\}^n$ . The number of  $K$ -tuples over  $\ell$ -bit words is about  $2^{K\ell}$ , and as the problem places an  $n$ -bit constraint on the solution, the expected number of solutions is  $2^{K\ell-n}$ . In particular, we expect a solution only if  $K\ell \geq n$ . For  $K \geq 2$ , the problem can be solved in time  $2^{n/2}$  using a simple collision search. Wagner’s observation was that for values of  $K \geq 4$ , the problem can be solved much more efficiently assuming that the number of expected solutions is sufficiently large.

Wagner’s K-tree algorithm for  $K = 2^k$  (where  $k$  is a positive integer) receives as input  $K$  lists  $\{L_i\}_{i=1}^K$ , each containing about  $2^{n/(k+1)}$  strings of  $n$  bits, which are assumed to be uniform in  $\{0, 1\}^n$ . The algorithm returns a  $K$ -tuple  $\{y_i\}_{i=1}^K$ , where  $y_i \in L_i$  such that  $\sum_{i=1}^K y_i = 0$ . The algorithm can be used to solve GBP assuming that  $\ell \geq n/(k+1)$  by initializing the lists  $\{L_i\}_{i=1}^K$  with elements of the form  $y = H(x)$  for arbitrary values of  $x \in \{0, 1\}^\ell$ .

At a high level, the K-tree algorithm merges its  $2^k$  inputs lists in a full binary tree structure with  $k$  layers. In each layer, the lists are merged in pairs, where each merged pair gives a new list that is input to the next layer and contains words with a larger zero prefix. Finally, the last layer yields a zero word which can be traced back to a  $K$ -tuple  $\{x_i\}_{i=1}^K$  such that  $\sum_{i=1}^K H(x_i) = 0$  as required. The time and memory complexities of the K-tree algorithm are about  $2^{n/(k+1)} = N^{1/(\log K+1)}$  (up to constants and small multiplicative factors in  $n, K$ ), as detailed in Section 3. Since any GBP algorithm for a certain value of  $K$  can be extended with the same complexity to any  $K' > K$ , the time and memory complexities of the K-tree algorithm for general  $K$  are  $N^{1/(\log K+1)}$ , where  $\log K$  is rounded down to the nearest integer.

Due to the high memory consumption of the K-tree algorithm, an important challenge (already pointed out by Wagner) is to investigate time-memory tradeoff algorithms for GBP, which optimize the time complexity  $T$  given only  $2^m = M <$

$2^{n/(k+1)}$  memory. The trivial time-memory tradeoff algorithm repeatedly builds  $K$  lists of size  $M$  from arbitrary inputs to  $H$  and executes the K-tree algorithm until a solution is found. Simple analysis shows that this algorithm achieves a tradeoff of  $TM^{\log K} = N$ , which is very inefficient even when  $K$  is moderately large, as the time complexity  $T$  increases sharply for memory  $M < N^{1/(\log K+1)}$ .

Improved tradeoffs were first published in [4, 5] (by Bernstein and Bernstein et al., respectively), where the main idea is to execute (what we call) a *preparation phase* before running the K-tree algorithm. This phase iterates over a portion of the domain space and builds lists that are input to the K-tree algorithm (rather than building them arbitrarily), thus increasing its probability to find a solution. A different approach to the preparation phase based on partial collisions in  $H$  was published independently by Nikolić and Sasaki [16] and by Biryukov and Khovratovich [6]. This technique gives the currently best known GBP time-memory tradeoff of  $T^2M^{\log K-1} = N$ .

Another challenge for GBP is to improve the K-tree algorithm for values of  $K$  that are not powers of 2. While it is known how to achieve small (polynomial in  $n$ ) savings in the GBP time complexity for some values of  $K$  (e.g., see [16]), obtaining exponential improvements in  $n$  remains an open problem.

In an additional practical setting, the domain size  $L = 2^\ell$  of  $H$  is limited and the K-tree algorithm cannot be directly applied. The best known algorithm for such cases is an extension of the K-tree algorithm, published by Minder and Sinclair [15]. In this context, we also mention the recent work of Both and May [8] which analyzed GBP instances generated by the *parity check problem*, which is an important problem in stream cipher cryptanalysis that can be reduced to GBP. Both and May developed a specific optimization technique for the parity check problem and used it to improve upon the extended K-tree algorithm for several GBP instances with values of  $K$  that are not powers of 2.

In this paper, we improve the state-of-the-art with respect to the aforementioned challenges. Some of our results are summarized at a high level below, while our full tradeoff curves for  $K \in \{8, 16, 32, 6, 14\}$  are plotted in Appendix F.

1. We devise a sub-linear<sup>1</sup> time-memory tradeoff  $T^{\lceil(\log K)/2\rceil+1}M^{\lfloor(\log K)/2\rfloor} = N$  for GBP with  $K \geq 8$ . This improves upon the currently best known tradeoff  $T^2M^{\log K-1} = N$  for all  $K \geq 8$ . Our tradeoff is applicable whenever  $T^{1/2} \leq M \leq T$ . For the range  $1 < M \leq T^{1/2}$ , we also improve upon the best known tradeoff for  $K \geq 8$ , but our curve formula becomes more complex as  $K$  grows. We further improve these tradeoffs for values of  $K$  that are not powers of 2. Some examples are described below.
2. We devise the tradeoff  $T^2M^2 = N$  for  $K = 6$  (and  $K = 7$ ), which improves upon the currently best tradeoff of  $T^2M = N$  (obtained by the formula  $T^2M^{\log K-1} = N$  using  $K = 4$ ) for the full range  $1 < M \leq T^{1/2}$ .
3. In particular, for  $K = 6$  (and  $K = 7$ ) we achieve  $T = N^{1/3}$ ,  $M = N^{1/6}$ , reducing to a square root the memory complexity of the best GBP algorithm, which obtains  $T = M = N^{1/3}$  using the K-tree algorithm for  $K = 4$ .

<sup>1</sup> In a sub-linear time-memory tradeoff, the exponent of  $T$  is larger than the exponent of  $M$ .

4. We devise the tradeoff  $T^3M^2 = N$  for  $K = 14$  (and  $K = 15$ ), which improves upon the currently best tradeoff of  $T^2M^2 = N$  (obtained by the formula  $T^2M^{\log K-1} = N$  using  $K = 8$ ) for the range  $T^{1/4} \leq M \leq T^{1/2}$ . We also obtain the improved tradeoff  $T^2M^6 = N$  for the range  $1 \leq M \leq T^{1/4}$ .
5. In particular, for  $K = 14$  (and  $K = 15$ ) we achieve  $T = N^{1/4}$ ,  $M = N^{1/8}$ , reducing to a square root the memory complexity of the best GBP algorithm which obtains  $T = M = N^{1/4}$  using the K-tree algorithm for  $K = 8$ .
6. We consider concrete GBP instances with a limited domain size  $L$ , recently analyzed by Both and May [8] and show how to solve some (but not all) of them more efficiently, improving both the time and memory complexities. Unlike Both and May's technique (which is specific to the parity check problem) our algorithms can be applied to any GBP instance, achieving improvements over the extended K-tree algorithm [15] for many values of  $K$  that are not powers to 2.

As noted above, previous time-memory tradeoffs applied a *preparation phase* to initialize several lists and search for a solution among them in (what we call) a *list sum phase*. In these works the focus was placed on the preparation phase, while the list sum phase applied the K-tree algorithm. In contrast, we focus on the list sum phase and develop algorithms that are superior to the straightforward application of the K-tree algorithm when the available memory is limited. We then carefully combine these algorithms with previous preparation phase techniques to obtain improved time-memory tradeoffs for GBP.

We begin by considering a *list sum problem* whose input consists of  $K$  sorted lists  $\{L_i\}_{i=1}^K$  of  $n$ -bit words and the goal is to find a certain number of  $K$ -tuples  $\{y_i\}_{i=1}^K$ , where  $y_i \in L_i$  such that  $\sum_{i=1}^K y_i = 0$ . There are several *exhaustive* list sum memory-efficient algorithms known for this problem that output all solutions. These algorithms are the starting points of the framework we develop in this paper. Our framework transforms such an exhaustive list sum algorithm into an efficient GBP algorithm for a given amount of memory. Obviously, an exhaustive list sum algorithm can be directly applied to solve GBP (after initializing  $\{L_i\}_{i=1}^K$  accordingly), as the goal is to find only one out of all solutions. However, this trivial application is inefficient since it does not exploit the fact that we only search for a single solution and moreover, it does not use a preparation phase.

Our framework consists of three main parts. First, we transform a given exhaustive list sum algorithm to efficiently output a limited number of solutions, obtaining a *basic* list sum algorithm, optimized for a specific value of  $K = P$ .

There are two classes of exhaustive memory-efficient list sum algorithms relevant to this work: the first class consists of variants of the Schroeppe-Shamir algorithm for solving knapsacks, devised by Howgrave-Graham and Joux [13] (which focused on  $K = 4$ ) and by Becker, Coron and Joux [2] (which applied a recursive variant for  $K = 16$ ). The second class consists of dissection algorithms [10], published by Dinur et al. and used to efficiently solve certain search problems with limited amount of memory.

In general, both classes of exhaustive list sum algorithms partition the problem on  $K$  lists into smaller subproblems, solve these subproblems and merge the

solutions to solve the original problem. The difference between the classes is in the way the problem is partitioned: while Schroeppe-Shamir variants partition the problem symmetrically into subproblems of equal sizes, dissection algorithms partition the problem asymmetrically into smaller and larger subproblems. Thus, Schroeppe-Shamir variants work best on values of  $K$  which are powers of 2, while dissection works best on “magic numbers” of  $K$  (which are not necessarily powers of 2) such as 7 and 11 that exhibit ideal asymmetric partitions.

While the first part of the framework builds basic list sum algorithms for specific values of  $K = P$ , the second part composes basic algorithms in a *layered* tree structure. This gives optimized list sum algorithms for values of  $K = P^k$  (and additional values) where  $k$  is a positive integer. Finally, after optimizing the list sum phase, we combine it with a preparation phase to obtain a memory-efficient GBP algorithm. Methodologically, we make the following contributions:

1. We generalize and tie together several existing algorithmic techniques in a consistent framework: Section 2 introduces new algorithmic classification and notation and Section 3 presents prior work in a very structured way based on this classification. While these are preliminary sections, they already contain a non-trivial contribution that allows to construct new list sum algorithms in the subsequent parts of this paper in a relatively simple manner.
2. We transform the (symmetric) exhaustive Schroeppe-Shamir variants of [2, 13] to basic list sum algorithms for all values of  $K$  that are powers of 2. This generalizes the transformation for  $K = 4$  by Howgrave-Graham and Joux.
3. We devise new algorithms that extend the dissection framework to GBP. We further highlight the subtle differences in the ways that symmetric and asymmetric exhaustive list sum algorithms are transformed to solve GBP. Prior to this work dissection algorithms could not be efficiently applied to GBP as their complexity was at least  $2^{n/2}$ , which is a substantial limitation.
4. Analytically, we derive formulas that allow comparing competing list sum (and consequently GBP) algorithms for various parameter values.

Even though the focus of this work is on memory-efficient GBP algorithms, for many concrete instances our techniques yield improvements in both time and memory complexities compared to the extended K-tree algorithm [15] (which is the current state-of-the-art). This occurs for values of  $K$  which are not powers of 2 (such as  $K = 7$ ), where our new algorithms extend the dissection framework. Such an improvement is surprising as standard dissection algorithms are time-memory tradeoffs which cannot improve the best time complexity of solving a problem given unlimited memory. The time complexity improvement is due to the fact that symmetric algorithms round the value of  $K$  down to the nearest power of 2 and ignore many of the possible solutions. On the other hand, the efficiency of GBP algorithms depends on their ability to find one out of many solutions, and ignoring a large fraction of them in advance is a suboptimal approach. This further highlights the contribution of our third item above.

Finally, as a first important future research direction, our framework can be adapted to the (increasingly relevant) quantum computation model by combining it with Grover’s algorithm [12]. Here, time complexity of search algorithms

can be substantially reduced, whereas memory complexity remains unchanged. This gives yet another advantage to our time-memory tradeoff curves (particularly to points such as  $T = M^2$ ) over the classical memory-consuming K-tree algorithm. Second, our framework can be extended to solve the LPN and LWE problems that are closely related to GBP. Preliminary analysis suggests that it improves several LPN time-memory tradeoffs recently obtained in [11]. Moreover, this work opens the door for efficient application of asymmetric (dissection-like) algorithms to LPN, whereas their complexity was previously too high to be competitive.

The rest of the paper is organized as follow. In Section 2 we introduce our notations and conventions, and describe preliminaries and previous work in Section 3. The first part of our framework that transforms exhaustive list sum algorithms to basic ones is introduced in Section 4, while the second part that constructs new layered algorithms is described in Section 5. In Section 6 we focus on the third part of the framework that combines preparation and list sum phase algorithms to solve GBP. Finally, in Section 7 we apply our new algorithms to concrete GBP instances and conclude the paper in Section 8.

## 2 Notations and Conventions

Given an  $n$ -bit string  $x$ , we label its bits as  $x[1], x[2], \dots, x[n]$  (where  $x[1]$  is the least significant bit or LSB). Given integers  $1 \leq a \leq b \leq n$ , we denote by  $x[a-b]$  the  $(b - a + 1)$ -bit string  $x[a], x[a + 1], \dots, x[b]$ .

Let  $F : \{0, 1\}^\ell \rightarrow \{0, 1\}^n$ , be a function for  $\ell \leq n$ . Given parameters  $\ell' \leq \ell$  and  $n' \leq n$ , define the *truncated function*  $F_{|\ell', n'} : \{0, 1\}^{\ell'} \rightarrow \{0, 1\}^{n'}$  as  $F_{|\ell', n'}(x') = F(x)[1-n']$  (where the  $\ell$ -bit string  $x$  is constructed by appending  $\ell - \ell'$  zero most significant bits to the  $\ell'$ -bit string  $x'$ ).

*The generalized birthday problem (GBP).* GBP with parameter  $K$  is given oracle access a function  $H : \{0, 1\}^\ell \rightarrow \{0, 1\}^n$  for  $\ell \leq n$ , and the goal is to find a  $K$ -tuple  $\{x_i\}_{i=1}^K$ , where  $x_i \in \{0, 1\}^\ell$  are distinct (i.e.,  $x_i \neq x_j$  for  $i \neq j$ ) such that  $\sum_{i=1}^K H(x_i) = 0$ . The addition is performed bitwise over  $GF(2)$ .

We assume in this paper that  $H$  is a pseudo-random function. Our goal is to optimize the time complexity  $T$  of solving GBP with parameters  $K$  and  $\ell$ , given  $M = 2^m$  words of memory, each of length  $n$  bit. In some settings (such as in [5]) each  $x_i$  in the output  $K$ -tuple needs to come from a different domain. This can be modeled using  $K$  functions  $\{H_i\}_{i=1}^K$ . The adaptation of the algorithms we consider to this setting is mostly straightforward.

Typically, GBP algorithms evaluate the function  $H$  in a preparation phase in order to set up an instance of the list sum problem.

*The list sum problem.* Given  $K$  sorted lists  $\{L_i\}_{i=1}^K$ , each of  $M = 2^m$  words (chosen uniformly at random) of length at least  $n$ , the goal is to find  $S$  (one, several, or all)  $K$ -tuples  $\{y_i\}_{i=1}^K$ , where  $y_i \in L_i$  such that  $(\sum_{i=1}^K y_i)[1-n] = 0$ . The number of required solutions  $S$  is a parameter to the problem. We note that

in our framework list sum algorithms use about  $M = 2^m$  memory (which is the input size, up to the constant  $K$ ).<sup>2</sup>

The list sum problem is related to the well-known  $K$ -SUM problem, which searches for a single solution  $\sum_{i=1}^K y_i = 0$  in one input set, as opposed to several lists. Moreover, typically the distribution of words in the input set of the  $K$ -SUM problem is arbitrary and it is a worst case problem (whereas we are interested in average case complexity).

**Naming Conventions and Notations for List Sum Algorithms** An algorithm that finds all solutions to the list sum problem is called an *exhaustive* list sum algorithm. Otherwise, we name algorithms that output a limited number of solutions (with a bound on  $S$ ) according to their internal structure: in general we have *basic* algorithms and *layered* algorithms that compose basic algorithms in a tree structure (similarly to the K-tree algorithm).

We refer to a list sum algorithm that solves the list sum problem for a specific value of  $K$  as a  $K$ -way list sum algorithm. However, when referring to specific list sum algorithms we mostly need more refined notation that distinguishes them according to the values of  $K$  and  $S$  (the number of required solutions) and also the type of basic algorithms composed in layered algorithms (which determine the arity of the tree). These parameters are sufficient to uniquely identify each list sum algorithm considered in this paper.

The (unique) non-layered list sum algorithm with parameters  $K, S$  is denoted by  $A_{K,S}$ , where  $S$  is the number of solutions it produces. In case the algorithm is exhaustive (outputs all solutions), we simply write  $A_K$ . For example,  $A_4$  is an exhaustive 4-way list sum algorithm, while  $A_{4,1}$  produces only a single solution (and hence can be naturally used to solve GBP with  $K = 4$ ).<sup>3</sup> In general, we will be interested in exhaustive  $A_K$  algorithms, basic  $A_{K,1}$  algorithms that output a single solution and basic  $A_{K,2^m}$  algorithms that produce  $S = 2^m$  solutions, allowing to compose basic algorithms and form layered ones.

The (unique) layered list sum algorithm with  $S = 1$  and arity  $P$  is denoted by  $A_K^P$  (we do not consider layered algorithms with  $S > 1$  in this paper). For example, the K-tree algorithm is denoted by  $A_K^2$ , as it merges its input lists in pairs. We note that layered algorithms can be uniquely distinguished by their arity  $P$ , while  $K$  is left is symbolic form (unlike basic algorithms). We also remark that for any specific value of  $K$ , the algorithm  $A_K^K$  has a single layer and is actually the basic algorithm  $A_{K,1}$  (which is our preferred notation).

When composing basic list sum algorithms in layers, the LSBs of the words in the input lists to the algorithms may already be zeroed by a previously applied

<sup>2</sup> This definition does not capture algorithms (such as Minder and Sinclair’s algorithm [15]) that merge the initial lists into larger ones. However, the restriction typically does not result in loss of generality, as an initial merge can be considered as a preparation phase algorithm by defining the function  $H$  appropriately.

<sup>3</sup> When the number of expected solutions to the list sum problem is  $S$ , then  $A_{K,S}$  typically coincides with  $A_K$ . The more interesting case is when the number of expected solutions is greater than  $S$  and  $A_{K,S}$  could potentially be more efficient than  $A_K$ .

basic algorithm and the task of the succeeding basic algorithm is to output solutions where the next sequence of bits is nullified. In such cases, we can ignore the zero LSBs in the input lists, resulting in a problem that complies with the above definition of list merge problem (which requires nullifying LSBs).

**Complexity Evaluation** The time and memory complexities of our algorithms are functions of the parameters  $n$  and  $K$  (and also  $L = 2^\ell$  for some GBP instances). We assume that  $K \ll n$  and treat it as a constant. In the complexity analysis, we ignore multiplicative polynomial (and constant) factors in  $n$  and  $K$ , which is common practice in exponential-time algorithms. Nevertheless, we note that these factors are relatively small for the algorithms considered.

On the other hand, when evaluating the complexity of our algorithms on concrete GBP instances in Section 7, we multiply both of their time and memory complexities by  $K$  in order to allow fair comparison to previous work.

### 3 Preliminaries and Previous Work

The literature relevant to this work is vast. In this section we summarize it constructively so we can build upon it in the rest of this paper. We first describe general properties of list sum algorithms in Subsection 3.1. Then, we describe previous exhaustive list sum algorithms  $A_K$ : in Subsection 3.2 we focus on exhaustive symmetric Schroepel-Shamir variants for several values of  $K$  which are powers of 2 ( $K \in \{4, 16\}$  and the basic  $K = 2$ ), while in Subsection 3.3 we deal with asymmetric exhaustive dissection algorithms. In Subsection 3.4, we show how exhaustive algorithms for  $K = 2$  and  $K = 4$  were efficiently adapted to basic algorithms that output a limited number of solutions. In Subsection 3.5, we describe the (layered) K-tree algorithm. Next, in Subsection 3.6 we focus on the preparation phase algorithms parallel collision search (PCS) and clamping through precomputation (CTP). We end this section by summarizing the currently best known time-memory tradeoff for GBP in Subsection 3.7.

#### 3.1 General Properties of List Sum Algorithms

From a combinatorial viewpoint, the number of  $K$ -tuples  $\{y_i\}_{i=1}^K$  in the  $K$  lists input to the list sum problem is  $2^{Km}$ . Since the problem imposes an  $n$ -bit restriction on them, the number of expected solutions is  $2^{Km-n}$ . Hence the list sum problem is interesting only if  $m \geq n/K$ . If we impose an additional  $b$ -bit constraint on the tuples (e.g., by requiring that  $(y_1 + y_2)[1-b] = c$  for an arbitrary  $b$ -bit value  $c$ ), then the number of expected solutions drops<sup>4</sup> to  $S = 2^s = 2^{Km-b-n}$ . In this paper, we mostly use an equivalent statement, where we view  $n$  as a parameter: if we search for  $S = 2^s$  solutions to the problem and set an additional

<sup>4</sup> Our algorithms will also assume that the number of solutions has low variance, hence such constraints have to be set carefully for this to hold.

$b$ -bit constraint on the solutions, then the number of bits we can *nullify* is

$$n = Km - b - s. \quad (1)$$

By default, a list sum algorithm is given the  $n$ -bit *target value* 0, but it can easily be adapted and applied with similar complexity to an arbitrary  $n$ -bit target value  $w$ , such that it outputs  $K$ -tuples  $\{y_i\}_{i=1}^K$  where  $\sum_{i=1}^K y_i[1-n] = w$ . This can be done by XORing  $w$  to the all the words in  $L_1$ , resorting it and solving the problem with a target of 0.

A basic list sum algorithm that searches for a single solution  $S = 1$  for a certain  $K$  value using  $M$  memory (such that  $m \geq n/K$ ) can be applied with the same complexity to any  $K' > K$ . This is done by considering an arbitrary  $(K' - K)$ -tuple  $\{y_i\}_{i=K+1}^{K'}$  from lists  $\{L_i\}_{i=K+1}^{K'}$ , and applying the given algorithm with input lists  $\{L_i\}_{i=1}^K$  and target value  $\sum_{i=K+1}^{K'} y_i[1-n]$ . Hence the list sum problem for  $S = 1$  does not become harder as  $K$  grows, in contrast to exhaustive list sum problems that require all solutions.

We now describe exhaustive list sum algorithms of type  $A_K$  for several values of  $K$ . We denote by  $T = 2^{\tau_K m}$  (for a parameter  $\tau_K$ ) the time complexity of  $A_K$ .

### 3.2 Exhaustive Symmetric List Sum Algorithms $A_K$ for $K = 2^k$

**A<sub>2</sub>** The standard list sum algorithm  $A_2$  looks for all matches on  $n$  bits between two sorted lists of size  $2^m$ . There are  $2^{2m-n}$  possible solutions to the problem and  $A_2$  finds them in time  $T = 2^m$  ( $\tau_2 = 1$ ) assuming that their number is at most  $2^m$ , namely,  $2^{2m-n} \leq 2^m$  or  $m \leq n$ .

**A<sub>4</sub> [13]** This algorithm was devised in [13] by Howgrave-Graham and Joux as a practical variant of the Schroepel-Shamir's algorithm [17].

1. For all  $2^m$  possible values of the  $m$ -bit word  $c$ :
  - (a) Apply  $A_2$  to the sorted lists  $L_1, L_2$  with the  $m$ -bit word  $c$  as the target value. Namely, look for pairs  $(y_1, y_2) \in L_1 \times L_2$  such that  $(y_1 + y_2)[1-m] = c$ . Store the expected number of  $2^{2m-m} = 2^m$  output sums  $y_1 + y_2$  in a new sorted list  $L'_1$ , along with the corresponding  $(y_1, y_2) \in L_1 \times L_2$ .
  - (b) Apply  $A_2$  to the sorted lists  $L_3, L_4$  with  $c$  as the target value and build the sorted list  $L'_2$ .
  - (c) Apply  $A_2$  to the sorted lists  $L'_1, L'_2$  with target value 0.<sup>a</sup> Trace the output pairs  $(y'_1, y'_2)$  back to solutions to the list sum problem:  $(y_1, y_2, y_3, y_4) \in L_1 \times L_2 \times L_3 \times L_4$  where  $(y_1 + y_2 + y_3 + y_4)[1-n] = 0$ .

<sup>a</sup> Note that for any  $y'_1 \in L'_1$  and  $y'_2 \in L'_2$  we have  $(y'_1 + y'_2)[1-m] = 0$ , hence it remains to nullify bits  $[m + 1-n]$ .

The  $A_4$  algorithm enumerates all possible  $2^{4m-n}$  solutions (in expectation), as any specific solution  $y_1 + y_2 + y_3 + y_4 = 0$  is output when the value of  $c$  is set

to  $(y_1 + y_2)[1-m]$ . Assuming that the number of solutions is not larger than  $2^{2m}$  (i.e.,  $2^{4m-n} \leq 2^{2m}$  or  $m \leq n/2$ ), then its time complexity is  $T = 2^{2m}$ , namely  $\tau_4 = 2$  (since the time complexity of the loop for each value of  $c$  is  $2^m$ ).

The algorithm may produce up to  $2^{2m}$  solutions, but its memory complexity is only  $2^m$ . This is possible since we are not required to store the solutions, but may *stream* them to another algorithm that will process them on-the-fly. This is an important property that holds for all list sum algorithms described in this paper.

**A<sub>16</sub> [2]** An extension of the  $A_4$  algorithm will allow us to construct algorithms that find a single solution ( $S = 1$ ) for a limited range of the memory parameter  $M$ . An extension of the  $A_{16}$  algorithm below will yield algorithms that find a single solution for a broader range of memory complexities. The exhaustive  $A_{16}$  algorithm is a recursive variant of the previous  $A_4$  algorithm, published by Becker et al. [2].

1. For all  $2^{9m}$  possible values of the four  $3m$ -bit words  $c_1, c_2, c_3, c_4$  that satisfy  $c_1 + c_2 + c_3 + c_4 = 0$ :
  - (a) Apply the 4-way list sum algorithm  $A_4$  four times to lists  $\{L_i\}_{i=1}^4$ ,  $\{L_i\}_{i=5}^8$ ,  $\{L_i\}_{i=9}^{12}$  and  $\{L_i\}_{i=13}^{16}$ , with  $c_1, c_2, c_3, c_4$  as the  $3m$ -bit target values, respectively. Store the outcomes of these algorithms in four sorted lists  $L'_1, L'_2, L'_3, L'_4$ , each of expected size  $2^{4m-3m} = 2^m$ .
  - (b) Apply the 4-way list sum algorithm  $A_4$  to  $L'_1, L'_2, L'_3, L'_4$  (nullifying bits  $[3m+1-n]$ ) and from each output 4-tuple, derive a corresponding 16-tuple as a solution to the problem.

We iterate over all possible solutions in time  $T = 2^{9m+2m} = 2^{11m}$  ( $\tau_{16} = 11$ ),<sup>5</sup> assuming the number of solutions satisfies  $2^{16m-n} \leq 2^{11m}$  or  $m \leq n/5$ .

### 3.3 Exhaustive Asymmetric List Sum Algorithms $A_K$ [10]

Dissection algorithms [10] in our context can be viewed as memory-efficient asymmetric list sum algorithms of class  $A_K$ .

Given a  $A_{K'}$  algorithm, it can be trivially utilized as a  $A_K$  algorithm for  $K > K'$  (with no additional memory) by enumerating all the  $2^{m(K-K')}$  possible tuples in the first  $K - K'$  lists, and applying  $A_{K'}$  on the remaining  $K'$  lists (with the target sum set to be the sum of the current  $(K - K')$ -tuple). However, for certain values of  $K$  we can do better than this trivial algorithm, and dissection algorithms define a sequence of values of  $K$  for which this efficiency gain occurs.

The first dissection algorithm is defined for  $K = 2$  (namely  $A_2$ ), and it looks for matches in its 2 sorted input lists. The next number in the sequence is  $K = 4$  and this dissection algorithm essentially coincides with  $A_4$  described above. Next is the 7-way dissection algorithm, which utilizes the 3-way list sum algorithm  $A_3$  described below.

<sup>5</sup> We note that [2] extended this algorithm to a time-memory tradeoff. However, as it uses memory larger than  $2^m$  (the size of the input lists), we do not consider it in this paper.

### A<sub>3</sub>

For each pair  $(y_1, y_2) \in L_1 \times L_2$ , compute  $y_1 + y_2$ , and search for a match  $y_3 \in L_3$  such that  $y_3[1-n] = (y_1 + y_2)[1-n]$ . For each match found, output the triplet  $(y_1, y_2, y_3)$ .

The algorithm enumerates over all  $2^{3m-n}$  solutions in time  $T = 2^{2m}$  ( $\tau_3 = 2$ ) assuming  $m \leq n$ .

**A<sub>7</sub>** For  $K \geq 7$ , the asymmetry in dissection algorithms becomes more apparent, as they partition the problem of size  $K$  into two *subproblems* of different sizes. We begin by describing the  $K = 7$  algorithm.

1. For each possible value of the  $2m$ -bit word  $c$ :
  - (a) Apply the  $A_3$  algorithm to  $L_1, L_2, L_3$  with the  $2m$ -bit target value  $c$ , and store the expected number of  $2^{3m-2m} = 2^m$  outputs (whose  $2m$  LSBs equal to  $c$ ) in a new sorted list  $L'$ . Each word is stored along with the corresponding triplet of indexes in  $L_1 \times L_2 \times L_3$ .
  - (b) Apply the  $A_4$  algorithm of Section 3.2 to  $L_4, L_5, L_6, L_7$  with the  $2m$ -bit target  $c$ . For each obtained solution quartet,  $(y_4, y_5, y_6, y_7) \in L_4 \times L_5 \times L_6 \times L_7$  (such that  $(y_4 + y_5 + y_6 + y_7)[1-2m] = c$ ), search  $L'$  for matches on  $(y_4 + y_5 + y_6 + y_7)[2m + 1-n]$  and output the corresponding 7-tuples.

The algorithm enumerates all possible  $2^{7m-n}$  solutions (in expectation) to the problem, since each solution can be decomposed as above. The time complexity of each 3-way and 4-way list sum steps in the loop is  $2^{2m}$ , while we iterate over  $2^{2m}$  possible values of  $c$ . Hence the expected time complexity is  $T = 2^{4m}$  ( $\tau_7 = 4$ ) as long as the expected number of solutions is at most  $2^{4m}$ , namely, we require  $7m - n \leq 4m$  or  $m \leq n/3$ .

We also note that the algorithm splits the problem on 7 lists into 2 subproblems of respective sizes 3, 4, while the size 4 problem itself is internally split into two subproblems of sizes 2, 2 by the  $A_4$  algorithm. Altogether, the problem of size 7 is split into 3 subproblems of respective sizes 3, 2, 2.

**General Dissection** The details and analysis of general dissection algorithms are given in Appendix A. For a value of  $i = 0, 1, 2, \dots$ , this appendix shows how to construct a  $K_i$ -way list sum algorithm that runs in time  $\tau_{K_i}$  such that  $K_i = 1 + i(i+1)/2$  and  $\tau_{K_i} = 1 + i(i-1)/2$ . In particular, after  $A_7$  which corresponds to  $K_3 = 7, \tau_7 = 4$ , we have  $K_4 = 11$  and  $\tau_{11} = 7$ , i.e. the  $A_{11}$  dissection algorithm has time complexity  $2^{7m}$ . Internally,  $A_{K_i}$  recursively splits the problem of size  $K_i = 1 + i(i+1)/2$  into  $i$  subproblems of sizes  $i, i-1, i-2, \dots, 3, 2, 2$  and applies the algorithms  $A_i, A_{i-1}, \dots, A_3, A_2, A_2$ , respectively, for various choices of *intermediate target values* (such as the  $2m$ -bit word  $c$  in  $A_7$ ).

### 3.4 Basic List Sum Algorithms

**A<sub>2,1</sub> and A<sub>2,2<sup>m</sup></sub>** The  $A_{2,1}$  algorithm is an extension of the  $A_2$  algorithm of Section 3.2. It searches for a single solution ( $S = 2^s = 1$ ) to the problem by looking for an  $n$ -bit match in the two lists. According to (1),  $A_{2,1}$  can nullify  $n = 2m$  bits in time  $T = 2^m$ .

For  $A_{2,2^m}$ , instead of matching and nullifying  $2m$  bits using  $A_{2,1}$  with  $S = 1$ , we require  $S = 2^m$  solutions, or  $s = m$ . Plugging  $K = 2, b = 0, s = m$  into (1), we conclude that we match and nullify  $n = m$  bits (in time complexity  $T = 2^m$ ).

**A<sub>3,1</sub>** This algorithm extends the  $A_3$  algorithm of Section 3.3. It searches for a single solution to the problem and hence can nullify  $n = 3m$  bits in time  $2^{2m}$ .

**A<sub>4,1</sub> and A<sub>4,2<sup>m</sup></sub>** [13] The  $A_{4,1}$  algorithm is an extension of the  $A_4$  algorithm of Section 3.2, also described in [13]. When we search for a limited number of solutions to the list sum problem, we can enumerate over fewer values of the  $m$ -bit *intermediate target value*  $c$  in the  $A_4$  algorithm. This is equivalent to placing another constraint on the 4-tuple solutions: for  $0 \leq v \leq m$ , we place a  $(m - v)$ -bit constraint by only enumerating over  $2^v$  values of  $c$ . Setting  $v = 0$  places an  $m$ -bit constraint and reduces the time complexity of the algorithm to  $2^m$ , while nullifying  $n = 4m - m = 3m$  bits (according to (1)). In general, we can nullify  $n = 4m - (m - v) = 3m + v$  bits in time  $T = 2^{m+v}$ , giving the tradeoff

$$TM^2 = 2^{m+v} \cdot 2^{2m} = 2^{3m+v} = 2^n = N.$$

The tradeoff is only applicable for  $0 \leq v \leq m$  or  $T^{1/2} \leq M \leq T$ .

For  $A_{4,2^m}$  we apply a similar algorithm, but (according to (1)) since  $s$  is increased by  $m$  then  $n$  is reduced by  $m$ . Denote by  $n'$  the parameter of  $A_{4,1}$ , then  $n = n' - m$ . Using the tradeoff formula above, we obtain  $TM^2 = 2^{n'} = 2^{n+m} = NM$  or  $TM = N$ , applicable once again for  $T^{1/2} \leq M \leq T$ .

### 3.5 The K-Tree Algorithm: $A_K^2$ [19]

The K-tree algorithm for  $K = 2^k$  is a  $A_K^2$  algorithm that works in  $k$  layers as summarized next. For more details, refer to [19].

For any integer  $0 \leq j \leq k - 1$ , the input to layer  $j$  consists of  $K/2^j$  sorted input lists, where for each word in each list the  $j \cdot m$  LSBs are zero. At layer  $0 \leq j < k - 1$  the algorithm merges the lists in pairs by applying  $A_{2,2^m}$  and outputting  $K/2^{j+1}$  new lists, each containing  $2^m$  words whose  $(j + 1) \cdot m$  LSBs are zero (as  $A_{2,2^m}$  nullifies  $m$  bits). These lists are input to the next layer  $j + 1$ .

Finally, the input to layer  $j = k - 1$  consists of  $K/2^{k-1} = 2$  lists of expected size  $2^m$  containing words whose  $(k - 1) \cdot m$  LSBs are zero. The K-tree algorithm then applies  $A_{2,1}$  to obtain the final solution, nullifying additional  $2m$  bits. Altogether,  $n = (k + 1) \cdot m$  bits are nullified in  $T = 2^m = 2^{n/(k+1)} = N^{1/(\log K+1)}$  time and  $M = 2^m = N^{1/(\log K+1)}$  memory.

Note that  $A_{4,1}$  above for  $M = T$  is, in fact, the  $A_4^2$  algorithm. Indeed, when  $M = T$ ,  $A_{4,1}$  is composed of 2 layers of 2-way list sum algorithms.

### 3.6 Preparation Phase Algorithms

**Parallel Collision Search [18]** The parallel collision search (PCS) algorithm was published by van Oorschot and Wiener [18] as a memory-efficient technique for finding collisions in an  $r$ -bit function  $F : \{0, 1\}^r \rightarrow \{0, 1\}^r$ . The details of the algorithm are given in Appendix B. It shows that given  $2^m \leq 2^r$  words of memory, PCS finds  $2^m$  collisions in time complexity

$$T = 2^{(r+m)/2}.$$

**Parallel Collision Search in Expanding Functions [18]** Assume that our goal is to find  $2^m$  collisions using  $2^m$  memory in the expanding function  $F : \{0, 1\}^\ell \rightarrow \{0, 1\}^r$ , where  $(r + m)/2 \leq \ell \leq r$  (ensuring that  $2^m$  collisions indeed exist in  $F$ ). PCS in expanding functions achieves this goal in time complexity of

$$T = 2^{r+(m-\ell)/2},$$

as shown in Appendix B.

**Clamping through Precomputation [4, 5]** The goal here is to find  $2^m$  values  $x_i$  such that  $F(x_i)[1-r] = 0$  for a parameter  $r$ , given a function  $F : \{0, 1\}^\ell \rightarrow \{0, 1\}^n$  (for  $m + r \leq \ell \leq n$ ). This can be done by using clamping through precomputation (CTP) [4, 5] which simply exhausts about  $T = 2^{m+r}$  values of  $x_i$  and collects the expected number of  $2^{m+r-r} = 2^m$  values that satisfy the condition  $F(x_i)[1-r] = 0$ .

### 3.7 Previous GBP Tradeoff Algorithms for $K = 2^k$ [6, 16]

The best known time-memory tradeoff algorithm for GBP was published independently by Nikolić and Sasaki [6, 16] and also by Biryukov and Khovratovich [6]. The algorithm is described and analyzed in Appendix C and it gives the time-memory tradeoff

$$T^2 M^{\log K - 1} = N.$$

This algorithm uses PCS in the preparation phase and the K-tree algorithm as the list sum algorithm that outputs the GBP solution. However, the two steps of the algorithm are not balanced, as the time complexity of PCS is larger than the complexity of the K-tree algorithm. In Section 6 we show how to improve this tradeoff for  $K \geq 6$  by replacing the K-tree algorithm with our new list sum algorithms.

## 4 Construction of New Basic List Sum Algorithms

The first part of our framework transforms exhaustive list sum algorithms (of type  $A_K$ ) into basic ones of types  $A_{K,1}$  and  $A_{K,2^m}$  (that are useful for devising layered algorithms). In this section we transform both exhaustive symmetric and asymmetric algorithms described in sections 3.2 and 3.3, respectively. The most relevant basic list sum algorithms obtained in this section and in [13] are summarized in Table 1.

**Table 1.** Basic List Sum Algorithms

Algorithm	Time-Memory Tradeoff	Range ( $M$ vs. $T$ )	Range ( $M$ vs. $N$ )	Reference
$A_{4,1}$	$TM^2 = N$	$T^{1/2} \leq M \leq T$	$N^{1/4} \leq M \leq N^{1/3}$	[13]
$A_{7,1}$	$TM^3 = N$	$T^{1/4} \leq M \leq T^{1/2}$	$N^{1/7} \leq M \leq N^{1/5}$	New
$A_{11,1}$	$TM^4 = N$	$T^{1/7} \leq M \leq T^{1/2}$	$N^{1/11} \leq M \leq N^{1/6}$	New
$A_{16,1}$	$TM^5 = N$	$T^{1/11} \leq M \leq T^{1/2}$	$N^{1/16} \leq M \leq N^{1/7}$	New

#### 4.1 Preliminary Construction and Analysis of Basic List Sum Algorithms

Recall that we denote the time complexity of  $A_K$  by  $2^{\tau_K m}$  for a parameter  $\tau_K$ . As we show next, the time-memory tradeoff for  $A_{K,1}$  is of the form  $TM^{\alpha_K} = N$  for  $\alpha_K = K - \tau_K$ .

The basic idea generalizes the one used to construct  $A_{4,1}$  in Section 3.4. We deal with an algorithm  $A_K$  that partitions the problem of size  $K$  into several smaller subproblems, solves each one for various choices of intermediate target values and for each such choice, merges the outputs, hopefully obtaining a final solution. When we iterate over a subset that contains a  $2^{-b}$  fraction of the possible intermediate target values we essentially set an additional  $b$ -bit constraint on the returned solutions. Ideally, this allows to reduce the time complexity of the algorithm by a factor of  $2^b$  to  $2^{\tau_K m - b}$  at the expense of nullifying less bits: recall from (1) that by setting a  $b$ -bit constraint on the solutions, we can nullify  $n = Km - b - s = Km - b$  bits (as  $s = 0$  for  $A_{K,1}$ ). Therefore, we obtain a tradeoff of

$$TM^{K-\tau_K} = N. \quad (2)$$

Indeed, after setting the  $b$ -bit constraint, we hope to reduce the time complexity to  $T = 2^{\tau_K m - b}$  and obtain  $TM^{K-\tau_K} = 2^{\tau_K m - b + m(K-\tau_K)} = 2^{Km-b} = 2^n = N$ . We stress that this is an ideal formula which cannot always be achieved using a concrete algorithm. We carefully design such algorithms below, aiming to apply the ideal formula to the widest range of parameters possible. This will be relatively simply for symmetric list sum algorithms, but requires deeper insight for asymmetric algorithms.

As deduced above in (2), ideally the tradeoff curve of a basic list sum algorithm of type  $A_{K,1}$  is of the form

$$TM^{\alpha_K} = N \quad (3)$$

for a constant  $\alpha_K = K - \tau_K$ . When considering the variant  $A_{K,2^m}$ , we require  $2^m$  solutions and the number of bits that can be nullified is reduced from  $n$  to  $n - m$ . Consequently, the tradeoff becomes  $TM^{\alpha_K} = N'$  for  $N' = 2^{n-m}$ , giving

$$TM^{\alpha_K-1} = N. \quad (4)$$

As a result, we do not need to analyze  $A_{K,2^m}$  separately.

## 4.2 Basic Symmetric List Sum Algorithms

The algorithms  $A_{4,1}$  and  $A_{4,2^m}$  for  $K = 4$  (that are applicable in the range  $T^{1/2} \leq M \leq T$ ) were already constructed in Section 3.4, where we showed that indeed  $\alpha_4 = 4 - \tau_4 = 2$ . We continue with  $K = 16$ .

**$A_{16,1}$  and  $A_{16,2^m}$**  Following the general approach above, we extend the 16-way list sum algorithm  $A_{16}$  of Section 3.2. Since the time complexity of  $A_{16}$  is  $2^{11m}$ , we have  $\tau_{16} = 11$  and  $\alpha_{16} = 16 - \tau_{16} = 5$  as given by (2) and (3). Below, we perform this computation in more detail and calculate the range for which this tradeoff is applicable.

If we fix all the words  $c_1, c_2, c_3, c_4$  in  $A_{16}$  (such that their sum is 0), we cast a constraint of  $9m$  bits on the 16-tuples and can nullify  $n = 16m - 9m = 7m$  bits in time complexity  $2^{2m}$  (which is the time complexity of the  $A_4$  algorithms).

More generally, when we vary  $2^v$  times the value of  $c_1, c_2, c_3, c_4$ , we cast a  $(9m - v)$ -bit constraint on the 16-tuples and nullify  $n = 16m - (9m - v) = 7m + v$  bits in time complexity  $T = 2^{2m+v}$ , giving a tradeoff of

$$TM^5 = N,$$

namely  $\alpha_{16} = 5$  as expected. Since we can choose any  $0 \leq v \leq 9m$ , the tradeoff is applicable for  $T^{1/11} \leq M \leq T^{1/2}$ .

**Beyond 16-Way List Sum Algorithms** In order to extend the tradeoff curve of  $A_{4,1}$  to smaller memory ranges of  $M \leq T^{1/2}$  we squared  $K$ . We can continue to extend the curve to very small memory values in a similar way by defining  $A_K$  for  $K = 16^2 = 256$  and transforming it to  $A_{K,1}$ . For even smaller memory ranges, we use  $K = 256^2 = 2^{16}$  and so forth.


## 4.3 Basic Asymmetric List Sum Algorithms

**$A_{7,1}$  and  $A_{7,2^m}$**  We extend the 7-way dissection  $A_7$  of Section 3.3, whose time complexity is  $2^{\tau_7 m} = 2^{4m}$  to  $A_{7,1}$ . According to the preliminary analysis above, we have  $\alpha_7 = 7 - \tau_7 = 3$ , as obtained in more detail below.

If we fix the  $2m$ -bit value  $c$  in the loop of  $A_7$ , we set a  $2m$ -bit constraint and can nullify  $7m - 2m = 5m$  bits in time  $2^{4m-2m} = 2^{2m}$ . In general, when we vary  $2^v$  times the value of  $c$ , we nullify  $n = 5m + v$  bits in time  $T = 2^{2m+v}$ , giving

$$TM^3 = N,$$

namely  $\alpha_7 = 3$  as obtained above. Since we can choose any  $0 \leq v \leq 2m$ , the tradeoff is applicable for  $T^{1/4} \leq M \leq T^{1/2}$ . The algorithm for the specific parameters  $M = 2^{n/5}, T = 2^{2n/5}$  is sketched in Figure 1.




**Fig. 1.**  $A_{7,1}$  with  $M = 2^{n/5}, T = 2^{2n/5}$

**$A_{11,1}$  and  $A_{11,2^m}$**  We consider the next value of  $K = 11$  in the dissection sequence described in Section 3.3, which has time complexity of  $T = 2^{7m}$  (nullifying  $11m$  bits), i.e.,  $\tau_{11} = 7$ . The main loop of  $A_{11}$  splits the problem into subproblem of sizes 4 and 7, while iterating over  $3m$  intermediate target values. To construct  $A_{11,1}$ , we can easily fix these  $3m$  values which reduces the time complexity to  $2^{4m}$  (nullifying only  $8m$  bits). In general, we obtain the tradeoff  $TM^4 = N$  ( $\alpha_{11} = 11 - \tau_{11} = 4$ ) for  $T^{1/7} \leq M \leq T^{1/4}$ . Interestingly, we can recursively fix more values and extend this tradeoff to  $T^{1/7} \leq M \leq T^{1/2}$ , which is crucial when the number of solutions is large. Below, we describe the algorithm for  $M = T^{1/2}$  (i.e.,  $M = 2^{n/6}, T = 2^{2n/6}$ ). This algorithm is sketched in Figure 2.

1. For a fixed  $3m$ -bit word  $c$ , apply the  $A_{4,2^m}$  algorithm to  $\{L_i\}_{i=1}^4$  with the target value  $c$ , and store the expected number of  $2^{4m-3m} = 2^m$  outputs in a new sorted list  $L'$ . Each word is stored along with the corresponding 4-tuple of indexes from  $\{L_i\}_{i=1}^4$ .
2. Apply a  $A_{7,2^{2m}}$  algorithm to  $\{L_i\}_{i=5}^{11}$  with the  $3m$ -bit target value  $c$  by recursively fixing (additional)  $2m$  bits (the expected number of solutions is indeed  $2^{7m-3m-2m} = 2^{2m}$ ). For each returned solution  $\{y_i\}_{i=5}^{11}$ , look for matches with  $\{y_i\}_{i=1}^4$  in  $L'$  and obtain an 11-tuple  $\{y_i\}_{i=1}^{11}$  such that  $\sum_{i=1}^{11} y_i = 0$  as required.

The complexity of both steps is  $2^{2m}$ , hence  $T = 2^{2m}$ . Altogether,  $3m + 2m = 5m$  bits are fixed and  $n = 11m - 5m = 6m$  bits are nullified. Therefore,  $M =$

$2^{n/6}, T = 2^{2n/6}$  as claimed. The ability to recursively fix target values (while maintaining the tradeoff of (3)) is a distinct feature of asymmetric algorithms. Next, we elaborate on which and how many values can be fixed this way for general  $K$ .



**Fig. 2.**  $A_{11,1}$  with  $M = 2^{n/6}, T = 2^{2n/6}$

**Generic Analysis of Basic Asymmetric List Sum Algorithms** We analyze the transformation of the  $K_i$ -way dissection algorithm  $A_{K_i}$  (mentioned in Section 3.3) to  $A_{K_i,1}$ . As described in Section 3.3,  $A_{K_i}$  for  $K_i = 1 + i(i + 1)/2$  runs in time  $2^{\tau_{K_i} m}$  for  $\tau_{K_i} = 1 + i(i - 1)/2$ . Therefore  $\alpha_{K_i} = K_i - \tau_{K_i} = i$ , ideally giving the tradeoff

$$TM^i = N.$$

Determining the range of parameters for which this tradeoff applies is more subtle, as demonstrated for  $A_{11,1}$  above. Recall from Section 3.3 that  $A_{K_i}$  splits the problem into subproblems of sizes  $i, i - 1, i - 2, \dots, 3, 2, 2$ , and applies the algorithms  $A_i, A_{i-1}, \dots, A_3, A_2, A_2$ , respectively. Hence, the time complexity of

the algorithm cannot be reduced below the time complexity of  $A_i$ ,<sup>6</sup> which is  $2^{\tau_i m}$ . In conclusion, the tradeoff is applicable in the range  $T^{1/\tau_{K_i}} \leq M \leq T^{1/\tau_i}$ .

For example, for  $i = 3$ , we have  $K_3 = 7, \tau_7 = 4$  (as the time complexity of  $A_{K_3} = A_7$  is  $2^{4m}$ ) and  $\tau_3 = 2$  (as the time complexity of  $A_i = A_3$  is  $2^{2m}$ ). Therefore, we obtain the tradeoff  $TM^3 = N$ , applicable for  $T^{1/4} \leq M \leq T^{1/2}$ , which indeed coincides with the  $A_{7,1}$  tradeoff obtained above. For  $i = 4$ , we have  $K_4 = 11$  and obtain the tradeoff  $TM^4 = N$ , applicable for  $T^{1/7} \leq M \leq T^{1/2}$ .

We conclude the analysis with several observations.

- The optimal time complexity in the tradeoff range of basic list sum algorithms is determined by the largest subproblem that they solve. Since symmetric algorithms partition the problem evenly, they have an advantage over asymmetric algorithms in case we are interested only in a small fraction of many solutions (and hence can fix many intermediate target values) and care only about time complexity.
- On the other hand, in many practical GBP instances the number of solutions is limited and asymmetric algorithms may have a significant advantage (as we show in Section 7) by better exploiting the solution space. Moreover, asymmetric algorithms offer substantially better time-memory tradeoffs for many parameters (as demonstrated explicitly in Section 5.3).
- Technically, basic asymmetric list sum algorithms are constructed from exhaustive algorithms by recursively fixing intermediate target values. The values are fixed in the order of recursion from the largest  $K$  value to the smallest until we cannot further improve the time complexity (e.g., for  $A_{11,1}$  we fix values inside the recursive calls with  $K = 11$  and  $K = 7$ , but not  $K = 4$ ). On the other hand, for symmetric algorithms (such as  $A_{16,1}$ ), values are fixed in the main loop in an arbitrary manner.

## 5 Construction of New Multiple-Layer List Sum Algorithms

The second part of our framework uses the basic  $A_{P,1}$  and  $A_{P,2^m}$  algorithms developed in the previous sections in order to construct multi-layered algorithms  $A_K^P$ .<sup>7</sup> The most relevant multi-layer list sum algorithms obtained in this section and in [19] are summarized in Table 2.

The analysis for  $A_K^P$  will use the parameter  $\alpha_P$  established for  $A_{P,1}$  according to its tradeoff curve (3).

---

<sup>6</sup> We could try to fix additional intermediate target values that the algorithm  $A_i$  iterates over internally. However, this generally results in a less efficient tradeoff compared to  $TM^i = N$ .

<sup>7</sup> Note that in this section we rename the parameter of basic algorithms from  $K$  to  $P$ .

**Table 2.** Multiple-Layer List Sum Algorithms

Algorithm	Time-Memory Tradeoff	Range ( $M$ vs. $T$ )	Reference
$A_K^2$	$T = M = N^{1/(\log K+1)}$	$T = M$	[19]
$A_K^4$	$T^{\lfloor (\log K)/2 \rfloor} M^{\lceil (\log K)/2 \rceil + 1} = N$	$T^{1/2} \leq M \leq T$	New
$A_K^7$	$T^{\log_7 K} M^{2 \log_7 K + 1} = N$	$T^{1/4} \leq M \leq T^{1/2}$	New
$A_K^{11}$	$T^{\log_{11} K} M^{3 \log_{11} K + 1} = N$	$T^{1/7} \leq M \leq T^{1/2}$	New
$A_K^{16}$	$T^{\log_{16} K} M^{4 \log_{16} K + 1} = N$	$T^{1/11} \leq M \leq T^{1/2}$	New

### 5.1 Generic Construction and Analysis of Multiple-Layer Algorithms

We assume that  $K = P^k \cdot Q$ , where  $1 \leq Q < P$  and  $P, k, Q$  are integers (if  $K$  is not of the required form we round it down to  $K'$  of this form and apply the algorithm for  $K'$ ). In this decomposition, we have  $k = \log_P K$  (the logarithm is rounded down to the nearest integer). We construct the algorithm  $A_K^P$ .

If  $Q = 1$ ,  $A_K^P$  has  $k - 1$  layers of  $A_{P,2^m}$  (merging the lists in groups of  $P$ , where each merge outputs a list of  $2^m$  inputs into the next layer) and a final layer of  $A_{P,1}$ . If  $Q > 1$ ,  $A_K^P$  has  $k$  layers of  $A_{P,2^m}$  and a final layer of  $A_{Q,1}$ .

First, we analyze the case of  $K = P^k$  (namely,  $Q = 1$ ), based on the tradeoff parameter  $\alpha_P$  for  $A_{P,1}$  (as specified in (3)). Fix a parameter  $n'$  such that each of the  $k - 1$  layers of  $A_{P,2^m}$  nullifies  $n'$  bits in time complexity  $2^{n' - (\alpha_P - 1)m}$ , according to the tradeoff curve (4) for  $A_{P,2^m}$ . Altogether,  $n'(k - 1)$  bits are nullified in these layers and  $n - n'(k - 1)$  remain to be nullified by the final layer  $A_{P,1}$  in time  $2^{n - n'(k - 1) - \alpha_P m}$ . In order to balance the algorithm, we equate the time complexities of the layers by setting  $n' - (\alpha_P - 1)m = n - n'(k - 1) - \alpha_P m$  or  $n' = (n - m)/k$ . Consequently, the time complexity of the layered algorithm is  $T = 2^{n' - (\alpha_P - 1)m} = 2^{(n - m)/k - (\alpha_P - 1)m} = 2^{(n - m(k(\alpha_P - 1) + 1))/k}$ . This gives a time-memory tradeoff of  $T^k M^{k(\alpha_P - 1) + 1} = N$  or

$$T^{\log_P K} M^{\log_P K \cdot (\alpha_P - 1) + 1} = N. \quad (5)$$

It is applicable for the same time-memory range as  $A_{P,1}$  (and  $A_{P,2^m}$ ).

For example, in the K-tree algorithm, we have  $P = 2$  and  $\alpha_2 = 2 - \tau_2 = 1$ . Hence, the tradeoff of  $T^{\log_P K} M^{\log_P K \cdot (\alpha_2 - 1) + 1}$  collapses to  $T^{\log K} M = N$ . Setting  $T = M$  (which is the only point in which the K-tree algorithm is directly applicable) gives the standard formula of  $T^{\log K + 1} = N$  or  $T = N^{1/(\log K + 1)}$ .

In case  $K = P^k \cdot Q$  for  $1 < Q < P$ , the generic analysis becomes more involved and depends on the time-memory tradeoff curve of  $A_{Q,1}$ .

In this paper we focus on  $Q = 2$ , where the final merge is a basic  $A_{2,1}$  algorithm that runs in fixed time complexity of  $2^m$  and nullifies  $2m$  bits. Fix a parameter  $n'$  such that each of the  $k$  layers of  $A_{P,2^m}$  nullifies  $n'$  bits in time complexity  $2^{n' - (\alpha_P - 1)m}$ . Altogether,  $n'k$  bits are nullified in these layers and  $n - n'k$  remain to be nullified by the final layer  $A_{2,1}$  in time  $2^m$ . Since the final 2-way list sum algorithm nullifies  $2m$  bits, we have  $n - n'k = 2m$  or  $n' = (n - 2m)/k$ .

The algorithm's time complexity is dominated by the first  $k$  layers and is therefore  $T = 2^{n' - (\alpha_P - 1)m} = 2^{(n - 2m)/k - (\alpha_P - 1)m} = 2^{(n - m(k(\alpha_P - 1) + 2))/k}$ . This gives a time-memory tradeoff of

$$T^{\log_P K} M^{\log_P K \cdot (\alpha_P - 1) + 2} = N, \quad (6)$$

applicable for the same time-memory parameter range as  $A_{P,1}$  (and  $A_{P,2^m}$ ).

## 5.2 Analysis of Specific Multiple-Layer List Sum Algorithms

We analyze the  $A_K^4$  algorithm according to the generic approach above. The analysis of the rest of the layered algorithms  $A_K^P$  summarized in Table 2 is obtained in a similar manner by plugging the relevant  $\alpha_P$  parameter into (5).

**$A_K^4$**  For arity  $P = 4$ , we only analyze values of  $K$  which are powers of 2 (as this allows direct comparison to previous tradeoffs for GBP). For  $A_{4,1}$ , we have  $\alpha_4 = 2$ , established in Section 4.2.

In case  $K = 4^k$ , we plug  $\log_P K = \log_4 K = \log K/2$  and  $\alpha_P = \alpha_4 = 2$  into (5), obtaining

$$T^{(\log K)/2} M^{(\log K)/2 + 1} = N,$$

applicable for  $T^{1/2} \leq M \leq T$  (as the  $A_{4,1}$  and  $A_{4,2^m}$  algorithms).

We demonstrate the  $A_{16}^4$  algorithm (that works in two layers) below.

1. Apply the  $A_{4,2^m}$  algorithm of Section 3.4 four times to lists  $\{L_i\}_{i=1}^4$ ,  $\{L_i\}_{i=5}^8$ ,  $\{L_i\}_{i=9}^{12}$  and  $\{L_i\}_{i=13}^{16}$ , nullifying  $n' = (n - m)/2$  bits. Obtain four sorted lists  $L'_1, L'_2, L'_3, L'_4$ , each of expected size  $2^m$ .
2. Apply the  $A_{4,1}$  algorithm of Section 3.4 to  $L'_1, L'_2, L'_3, L'_4$ , nullifying the remaining  $n - n' = (n + m)/2$  bits. Derive a single solution to the list sum problem  $\sum_{i=1}^{16} y_i [1 - n] = 0$ .

In case  $K = 2 \cdot 4^k$ , we have  $P = 4$ ,  $Q = 2$  and  $\log_4 K = (\log K - 1)/2$ . Plugging these values into (6) we obtain

$$T^{(\log K - 1)/2} M^{(\log K - 1)/2 + 2} = N,$$

applicable for  $T^{1/2} \leq M \leq T$ .

*Unified formula for powers of 2.* Unifying the tradeoff formulas obtained above to any  $K = 2^k$ , we obtain

$$T^{\lceil (\log K)/2 \rceil} M^{\lceil (\log K)/2 \rceil + 1} = N,$$

applicable for  $T^{1/2} \leq M \leq T$ .

### 5.3 Comparison of Single-Solution List Sum Algorithms

As shown in Table 2,  $A_K^{16}$  is applicable in the range  $T^{1/11} \leq M \leq T^{1/2}$ , while  $A_K^7$  is applicable in the range  $T^{1/4} \leq M \leq T^{1/2}$ . Hence, both algorithms are applicable in  $T^{1/4} \leq M \leq T^{1/2}$  and it is interesting to investigate which of the algorithms is more efficient in this parameter range. The goal of this section is to compare the efficiency single-solution list sum algorithms (such as  $A_K^{16}$  and  $A_K^7$ ) for any fixed value of  $K$  for parameters where the algorithms can be applied.

The efficiency of the algorithms is determined by the tradeoff formula (5). The difficulty in applying this formula to  $A_K^{16}$  is that this algorithm is directly applicable only for values of  $K$  that are powers of 16. Hence the logarithm  $\log_{16} K$  is rounded down in (5) for  $K = 16$ . Similarly,  $A_K^7$  is directly applicable only for values of  $K$  that are powers of 7.

In general, the difficulty in comparing  $A_K^{P_1}$  and  $A_K^{P_2}$  for a fixed value of  $K$  (for parameters in which both are applicable), is that we need to round down the logarithms  $\log_{P_1} K$  and  $\log_{P_2} K$  in (5). To simplify the analysis, we assume that the tradeoffs are continuous and can be evaluated at any positive real number  $K$  with no rounding. Hence, we equate the time and memory complexities  $T, M$  of these algorithms for a fixed value  $K = K_1 = (P_1)^{k_1} = (P_2)^{k_2} = K_2$  and compare the resulting values of  $N$ . We then investigate the implications this comparison.

*Continuous analysis.* According to (5) the tradeoff for  $A_K^P$  is of the form  $T^{\log_P K} M^{\log_P K \cdot (\alpha_P - 1) + 1} = N$  (for a value  $\alpha_P$  for  $A_{P,1}$ ). For a parameter  $x$ , let  $T = M^x$  be a point for which the tradeoff is applicable. Then, we obtain the equality  $M^{x \log_P K} M^{\log_P K \cdot (\alpha_P - 1) + 1} = N$  or  $M^{\log_P K(x + \alpha_P - 1) + 1} = N$ . Converting to base 2, the exponent of  $M$  is equal to  $\log K / \log P \cdot (x + \alpha_P - 1) + 1$ .

Therefore, in order to compare two tradeoffs  $T^{\log_{P_1} K} M^{\log_{P_1} K \cdot (\alpha_{P_1} - 1) + 1} = N$  and  $T^{\log_{P_2} K} M^{\log_{P_2} K \cdot (\alpha_{P_2} - 1) + 1} = N$  (for  $K = (P_1)^{k_1}$  and  $K = (P_2)^{k_2}$ , respectively), we can compare their exponents after plugging in  $T = M^x$  for a value of  $x$  for which both are applicable.

Hence, the tradeoff for  $A_K^{P_1}$  is superior if and only if

$$\log K / \log P_1 \cdot (x + \alpha_{P_1} - 1) + 1 > \log K / \log P_2 \cdot (x + \alpha_{P_2} - 1) + 1, \quad (7)$$

or

$$x > 1 + (\alpha_{P_2} \log P_1 - \alpha_{P_1} \log P_2) / (\log P_2 - \log P_1). \quad (8)$$

Note that the last formula does not depend on  $K$ .

We say that if the above formulas hold, then  $A_K^{P_1}$  is *weakly superior* to  $A_K^{P_2}$  (for the relevant parameter range). Indeed, this does not imply that  $A_K^{P_1}$  is actually more efficient than  $A_K^{P_2}$  for a fixed value of  $K$ , as we did not round down the logarithms  $\log_{P_1} K$  and  $\log_{P_2} K$  in (5) as required. The consequences of this comparison are given by the theorem below.

**Theorem 1.** *Assume that  $A_K^{P_1}$  is weakly superior to  $A_K^{P_2}$  in a range of  $T, M$  parameters where both tradeoffs are applicable. Then, for this range:*

1. The  $A_K^{P_1}$  algorithm is more efficient than the  $A_K^{P_2}$  algorithm for all values of  $K = (P_1)^k$  for an integer  $k$ .
2. There exists a value of  $K'$  such that the  $A_K^{P_1}$  algorithm is more efficient than the  $A_K^{P_2}$  algorithm for any  $K > K'$  (including  $K = (P_2)^k$  for an integer  $k$ ).

For example, we will show that for  $T^{1/4} \leq M \leq T^{1/2.7}$ ,  $A_K^7$  is weakly superior to  $A_K^{16}$ . The theorem implies that for  $T^{1/4} \leq M \leq T^{1/2.7}$ ,  $A_K^7$  is always more efficient than  $A_K^{16}$  for values of  $K$  that are powers of 7. Moreover, for  $T^{1/4} \leq M \leq T^{1/2.7}$ , there exists a value of  $K'$  such that  $A_K^7$  is more efficient than  $A_K^{16}$  for any  $K > K'$ .

*Proof.* The first part of the theorem follows from the fact that when  $K = (P_1)^k$ , the  $A_K^{P_1}$  algorithm can be directly applied with no rounding loss in  $\log_{P_1} K$ . Comparing exponents, the left hand side of (7) remains the same for  $A_K^{P_1}$ , whereas the right hand side can only decrease for  $A_K^{P_2}$  due to rounding. As a result, the value of  $N$  for  $A_K^{P_1}$  remains larger.

The second part of the theorem is obtained by analyzing the efficiency loss due to rounding, and showing that it becomes negligible as  $K$  grows to infinity. From (7) we get  $1/\log P_1 \cdot (x + \alpha_{P_1} - 1) > 1/\log P_2 \cdot (x + \alpha_{P_2} - 1)$ . Therefore,

$$\lim_{K \rightarrow \infty} \log K \cdot (1/\log P_1 \cdot (x + \alpha_{P_1} - 1) - 1/\log P_2 \cdot (x + \alpha_{P_2} - 1)) = \infty.$$

The rounding loss for  $A_K^{P_1}$  can decrease the factor  $\log_{P_1} K = \log K / \log P_1$  in (7) by less than 1. To complete the proof we show that (7) holds for all sufficiently large  $K$  even after this loss, namely,  $(\log K / \log P_1 - 1) \cdot (x + \alpha_{P_1} - 1) + 1 > \log K / \log P_2 \cdot (x + \alpha_{P_2} - 1) + 1$ . Equivalently,

$$\log K \cdot (1/\log P_1 \cdot (x + \alpha_{P_1} - 1) - 1/\log P_2 \cdot (x + \alpha_{P_2} - 1)) > x + \alpha_{P_1} - 1,$$

which holds for all sufficiently large  $K$  as the left hand side approaches infinity, while the right hand side is constant. ■

We note that the value of  $K'$  in the second part of the theorem depends on the actual tradeoffs and the value of  $x$  in the proof.

**Comparison of Specific Single-Solution List Sum Algorithms** Since the tradeoffs of  $A_K^P$  for  $P \in \{7, 11, 16\}$  are applicable in intersecting ranges (as shown in Table 2), we compare their efficiency.

Using (8) by setting  $P_1 = 7$  and  $P_2 = 16$ , we obtain the crossover point of  $x_{7,16} = 1 + (5 \log 7 - 3 \log 16) / (\log 16 - \log 7) \approx 2.7$ . By similar comparison which takes into account the range for which each tradeoff is applicable, we obtain the results of Table 3 that lists the weakly best algorithms among the 3 compared in the range  $T^{1/11} \leq M \leq T^{1/2}$ .

**Table 3.** Comparison of List Sum Algorithms

Range	Weakly Best Algorithm
$T^{1/2.7} \leq M \leq T^{1/2}$	$A_K^{16}$
$T^{1/4} \leq M \leq T^{1/2.7}$	$A_K^7$
$T^{1/7} \leq M \leq T^{1/4}$	$A_K^{11}$
$T^{1/11} \leq M \leq T^{1/7}$	$A_K^{16}$

## 6 Construction of New Algorithms for the Generalized Birthday Problem

The third part of our framework combines preparation phase and list sum algorithms (for  $S = 1$ ) to obtain new GBP algorithms. It combines either PCS (parallel collision search) or CTP (clamping through precomputation) with a given list sum algorithm in a generic manner. The generic formulas are then used to obtain improved tradeoffs for various specific  $K$  values (some of which are specified in Table 4). We focus on values of  $K$  that allow direct comparison to previous tradeoff curves in addition to values that are relevant to Section 7, where we analyze concrete GBP instances.

**Table 4.** Time-Memory Tradeoffs of GBP Algorithms

$K$	Time-Memory Tradeoff	Range ( $M$ vs. $T$ )	Building Blocks
$\geq 8$	$T^{\lceil(\log K)/2\rceil+1} M^{\lfloor(\log K)/2\rfloor} = N$	$T^{1/2} \leq M \leq T$	PCS + $A_{K/2}^4$
$\geq 8$	$T^2 M^{3\lceil(\log K)/2\rceil-2-(\log K) \bmod 2} = N$	$1 \leq M \leq T^{1/2}$	PCS + $A_{K/2}^4$
8	$T^3 M = N$	$T^{1/2} \leq M \leq T$	PCS + $A_{4,1}$
8	$T^2 M^3 = N$	$1 \leq M \leq T^{1/2}$	PCS + $A_{4,1}$
16	$T^3 M^2 = N$	$T^{1/2} \leq M \leq T$	PCS + $A_8^4$
16	$T^3 M^2 = N$	$T^{1/4} \leq M \leq T^{1/2}$	PCS + $A_{7,1}$
16	$T^2 M^6 = N$	$1 \leq M \leq T^{1/4}$	PCS + $A_{7,1}$
32	$T^4 M^2 = N$	$T^{1/2} \leq M \leq T$	PCS + $A_{16}^4$
32	$T^3 M^4 = N$	$T^{1/11} \leq M \leq T^{1/2}$	PCS + $A_{16,1}$
32	$T^2 M^{15} = N$	$1 \leq M \leq T^{1/11}$	PCS + $A_{16,1}$
6	$T^2 M^2 = N$	$1 \leq M \leq T^{1/2}$	PCS + $A_{3,1}$
7	$T^2 M^2 = N$	$T^{1/4} \leq M \leq T^{1/2}$	CTP + $A_{7,1}$
14	$T^3 M^2 = N$	$T^{1/4} \leq M \leq T^{1/2}$	PCS + $A_{7,1}$
14	$T^2 M^6 = N$	$1 \leq M \leq T^{1/4}$	PCS + $A_{7,1}$

For a parameter  $K$ , we construct a GBP algorithm assuming we have a list sum algorithm  $A$  (which can be a basic or layered algorithm) with  $S = 1$  for a parameter  $K'$  (whose value will be either  $K' = K$  or  $K' = K/2$ ). We assume that the time-memory tradeoff curve of  $A$  for  $K'$  is  $T^\beta M^\gamma = N$  for parameters

$\beta, \gamma$ . Our analysis also uses a parameter  $\delta$ , which specifies the lower range limit for the tradeoff algorithm of  $A$  as  $M \geq T^{1/\delta}$ . For example, we established the tradeoff  $TM^3 = N$  for  $A_{7,1}$  in the range  $T^{1/4} \leq M \leq T^{1/2}$ , hence we have  $\beta = 1, \gamma = 3, \delta = 4$ . We will derive a basic tradeoff for  $M \geq T^{1/\delta}$  and then extend it to  $M < T^{1/\delta}$ . Furthermore, the tradeoffs depend on the input range size  $L = 2^\ell$  since the complexity of the preparation phase algorithm varies according to whether or not  $\ell$  is below some value. For example, when applying PCS with a small value of  $\ell$ , we have to apply it to an expanding function and adapt the complexity as specified on Section 3.6.

Altogether, a GBP tradeoff formula depends on a triplet of parameters (preparation phase algorithm, memory range, input size range) and there are  $2^3 = 8$  such possible triplets. However, we only derive and use 6 of these in this paper, as summarized in Table 5. Due to lack of space, these 6 algorithms and their analysis are described in Appendix D. Below, we explicitly derive the first 4 tradeoffs for the specific case of  $K = 14$  with the PCS preparation phase.

**Table 5.** Generic GBP Time-Memory Tradeoffs Formulas

Tradeoff	Time-Memory Tradeoff	$K'$	Range ( $M$ vs. $T$ )	Range ( $L$ )	Building Blocks
1	$T^{\beta+2}M^{\gamma-1} = N$	$K/2$	$M \geq T^{1/\delta}$ (same as $A$ )	$\ell \geq \frac{2n-2m\gamma-m\beta}{\beta+2}$	PCS + $A$
2	$T^2M^{\delta\beta+\gamma-1} = N$	$K/2$	$M \leq T^{1/\delta}$	$\ell \geq n - m(\delta\beta + \gamma)$	PCS + $A$
3	$T^{\beta+1}M^{\gamma-1/2}L^{1/2} = N$	$K/2$	$M \geq T^{1/\delta}$ (same as $A$ )	$\ell \leq \frac{2n-2m\gamma-m\beta}{\beta+2}$	PCS + $A$
4	$TM^{\delta\beta+\gamma-1/2}L^{1/2} = N$	$K/2$	$M \leq T^{1/\delta}$	$\ell \leq n - m(\delta\beta + \gamma)$	PCS + $A$
5	$T^{\beta+1}M^{\gamma-1} = N$	$K$	$M \geq T^{1/\delta}$ (same as $A$ )	$\ell \geq \frac{n-m\gamma+m}{\beta+1}$	CTP + $A$
6	$T^\beta M^{\gamma-1}L = N$	$K$	$M \geq T^{1/\delta}$ (same as $A$ )	$\ell \leq \frac{n-m\gamma+m}{\beta+1}$	CTP + $A$

### 6.1 Tradeoff Algorithm for $K = 14$

For  $K = 14$  with the PCS preparation phase, we use an algorithm  $A$  for  $K' = K/2 = 7$ , namely  $A_{7,1}$ . The tradeoff formula for  $A_{7,1}$  is  $TM^3 = N$  (i.e., its time complexity is  $T = 2^{n-3m}$ ) in the range  $T^{1/4} \leq M \leq T^{1/2}$ . The combination algorithm uses the truncated function  $H_{|r,r}$  (as defined in Section 2) for a parameter  $r \geq m$ , set below to optimize the algorithm.

1. Run PCS on the function  $H_{|r,r}$  and look for  $2^m$  collisions. For each collision  $H(x)[1-r] = H(x')[1-r]$ , compute  $y = H(x) + H(x')$  and store all these words in 7 lists  $\{L_i\}_{i=1}^7$  of size about  $2^m$  (along with the corresponding  $x$  values).
2. Run  $A$  on  $\{L_i\}_{i=1}^7$  (nullifying bits  $[r+1-n]$ ). Obtain 7 words  $y_i \in L_i$  such that  $\sum_{i=1}^7 y_i = 0$  and use them (based on the first step) to construct a

solution to GBP by recovering the  $K$  words  $x_i$  such that  $\sum_{i=1}^{14} H(x_i) = \sum_{i=1}^7 y_i = 0$  as required.

In the first step, we execute PCS with parameter  $r$  in time  $2^{(r+m)/2}$  (according to Section 3.6). In the second step we nullify the remaining  $n' = n - r$  bits by using  $A_{7,1}$  in time complexity  $2^{n'-3m} = 2^{n-r-3m}$ . Then, to balance the two steps we require  $(r+m)/2 = n - r - 3m$  or  $r = (2n - 7m)/3$ , giving time complexity of  $T = 2^{(n-2m)/3}$  and a tradeoff of

$$T^3 M^2 = N.$$

This matches Tradeoff 1 for  $K = 14$  in Table 5 (recall that for  $A_{7,1}$ ,  $\beta = 1, \gamma = 3, \delta = 4$ ). This tradeoff is valid for  $T^{1/4} \leq M \leq T^{1/2}$  (as  $A_{7,1}$ ). The algorithm for parameters  $T = N^{1/4}, M = N^{1/8}$  (which improves upon the K-tree algorithm) is sketched in Figure 3.

When  $M < T^{1/4}$ , we can extend the tradeoff by applying  $A_{7,1}$  to nullify less bits (i.e., with a smaller value of  $n'$ ), implying that PCS will nullify more bits and dominate the complexity of the algorithm which becomes  $T = 2^{(r+m)/2} = 2^{(n-n'+m)/2}$ . In order to calculate  $n'$ , we use the tradeoff curve  $\hat{T}M^3 = N'$  of  $A_{7,1}$  at its lower range  $M = \hat{T}^{1/4}$  or  $\hat{T} = M^4$  (here,  $\hat{T}$  denotes the time complexity of  $A_{7,1}$ ) and obtain  $N' = M^7$ , namely  $n' = 7m$ . Therefore,  $T = 2^{(n-n'+m)/2} = (n - 6m)/2$ , giving the tradeoff

$$T^2 M^6 = N.$$

This matches Tradeoff 2 in Table 5.

**Restricted Domain** Recall from the first tradeoff that  $r = (2n - 7m)/3$ . In case  $\ell < r = (2n - 7m)/3$  (the domain size of  $H$  is  $2^\ell < 2^r$ ) we are forced to use  $H_{|\ell,r}$  which is an expanding function. The time complexity of PCS for the expanding function  $H_{|\ell,r}$  is  $2^{r+(m-\ell)/2}$  (as specified in Section 3.6), while the time complexity of  $A_{7,1}$  remains  $T = 2^{n-r-3m}$ . Balancing the steps in this case gives  $r + (m - \ell)/2 = n - r - 3m$  or  $r = n/2 - 7m/4 + \ell/4$  and time complexity of  $T = r + (m - \ell)/2 = n/2 - 5m/4 - \ell/4$ . This gives the formula


$$T^2 M^{5/2} L^{1/2} = N,$$

matching Tradeoff 3 in Table 5.

When  $M < T^{1/4}$ , the steps cannot be balanced as above and the time complexity becomes  $2^{r+(m-\ell)/2}$  (dominated by PCS). Here,  $r = n - n' = n - 7m$  ( $n' = 7m$  as in the case where the domain is not restricted). We obtain  $T = 2^{n-13m/2-\ell/2}$ , giving the formula

$$TM^{13/2} L^{1/2} = N$$

and matching Tradeoff 4 in Table 5.



$a_1$  (along with  $a_2$ ) varies while  $c$  is fixed. PCS colliding values ( $x_i$ 's) are arbitrary.

**Fig. 3.** GBP Algorithm for  $K = 14$  with  $M = 2^{n/8}, T = 2^{n/4}$

## 6.2 Tradeoff Formulas for $K = 2^k$ (and $K \geq 8$ )

We now derive improved GBP tradeoffs for  $K = 2^k$  assuming that  $K \geq 8$ . These tradeoffs are obtained by combining PCS with multiple layers of the 4-way list sum algorithm  $A_{K/2}^4$  (described in Section 5) as the generic algorithm  $A$ . The formula is calculated according to Tradeoff 1 in Table 5.

We recall the formula of  $A_{K/2}^4$  from Table 2, which is  $T^{\lfloor (\log K - 1)/2 \rfloor} M^{\lceil (\log K - 1)/2 \rceil + 1} = N$ ,<sup>8</sup> namely  $\beta = \lfloor (\log K - 1)/2 \rfloor = \lceil (\log K)/2 \rceil - 1$  and  $\gamma = \lceil (\log K - 1)/2 \rceil + 1 = \lfloor (\log K)/2 \rfloor + 1$ . Adding 2 to  $\beta$  and reducing  $\gamma$  by 1 (as in Tradeoff 1 in Table 5), we obtain

$$T^{\lceil (\log K)/2 \rceil + 1} M^{\lfloor (\log K)/2 \rfloor} = N,$$

applicable for  $T^{1/2} \leq M \leq T$ .

**Extending the Tradeoffs to  $M < T^{1/2}$**  In case  $M < T^{1/2}$ , PCS dominates the algorithm's time complexity and the formula is given in Tradeoff 2 in Table 5

<sup>8</sup> Note that the evaluation is performed at  $K/2$  rather than  $K$

as  $T^2 M^{\delta\beta+\gamma-1}$ , where  $\delta = 2$ . We obtain  $T^2 M^{2\lceil(\log K)/2\rceil-2+\lfloor(\log K)/2\rfloor} = N$ , or

$$T^2 M^{3\lceil(\log K)/2\rceil-2-(\log K) \bmod 2} = N.$$

The tradeoff is applicable for  $M \leq T^{1/2}$ .

**Tradeoff Formulas for  $K = 16$ ,  $K = 32$  and Beyond** The tradeoff curve for  $T^{1/2} \leq M \leq T$  above is the best we can obtain for  $K = 2^k$ . On the other hand, the curve for  $M < T^{1/2}$  is only optimal for  $K = 8$  as for larger  $K$  values it is possible to apply more complex list sum algorithms as described in Section 5. In fact, as described in Section 5.3 (and specifically in Table 3), for large values of  $K = 2^k$  and  $T^{1/4} \leq M \leq T^{1/2.7}$ , the most efficient algorithm will combine PCS with  $A_{K/2}^7$  (layers of 7-way list sum algorithm).

While we cannot obtain generic optimal formulas that are applicable to all values of  $K = 2^k$  and  $M < T^{1/2}$ , we further extend the tradeoffs for  $K = 16$  and  $K = 32$  in Table 4. The results were obtained using the formulas of the combination algorithms (Tradeoffs 1,2 in Table 5) after plugging in the parameters of the relevant list sum algorithms (specified as building blocks in Table 4). The methods to obtain tradeoffs for  $K = 64$  and beyond are similar.

### 6.3 Tradeoff Formulas for $K \in \{6, 7, 14, 15\}$

As for values of  $K = 2^k$  analyzed above, the results for  $K \in \{6, 7, 14, 15\}$  in Table 4 were obtained using the formulas of the combination algorithms with the list sum algorithms specified as building blocks in the table.

**Restricted Domains** Using combination algorithms for restricted domains  $L = 2^\ell < N$ , we derive additional tradeoffs in Table 6.<sup>9</sup> These tradeoffs are applicable to the concrete GBP instances analyzed in the next section.

**Table 6.** Some GBP Algorithms for Restricted Domains

$K$	Time-Memory Tradeoff	Range ( $M$ vs. $T$ )	Domain Range	Building Blocks
6	$TM^{5/2}L^{1/2} = N$	$1 \leq M \leq T^{1/2}$	$L \leq NM^{-3}$	PCS + $A_{3,1}$
7	$TM^2L = N$	$T^{1/4} \leq M \leq T^{1/2}$	$L \leq N^{1/2}M^{-1}$	CTP + $A_{7,1}$
14, 15	$T^2M^{5/2}L^{1/2} = N$	$T^{1/4} \leq M \leq T^{1/2}$	$L \leq N^{2/3}M^{-7/3}$	PCS + $A_{7,1}$

<sup>9</sup> These algorithms are not optimal for a very small domain size close to  $2^{n/K}$ , which is the minimal value required for a solution to exist with high probability. In such cases it is more efficient to apply a final layer of random-walk collision search (as done in [5, 10]). However, the practical relevance of these algorithms is relatively limited and they are beyond the scope of this paper (as we focus on practical tradeoffs for GBP instances with limited domain sizes).

## 7 Applications to Concrete Generalized Birthday Problem Instances

We apply our algorithms to concrete GBP instances, recently analyzed by Both and May [8]. These instances were generated by the parity check problem in which (using different notation than [8]) we are given an irreducible polynomial  $P(x)$  of degree  $n$  over  $GF(2)$  and the goal is to find a multiple  $Q(x)$  of  $P(x)$  of weight (number of non-zero coefficients) at most  $K \ll n$  and degree smaller than  $L \gg n$ . As shown in Appendix E the parity check problem has a simple reduction to GBP with parameters  $K, n$  and domain size  $L = 2^\ell$ .

The main application of the parity check problem is in fast correlation attacks on stream ciphers [9, 14]. As noted in [8], in fast correlation attacks it is important to have a flexible choice of  $K$  (which is not necessarily a power of 2) and a low degree  $L$ , and the GBP instances in [8] were chosen accordingly.

**Table 7.** Complexities for Concrete GBP Instances

$K$	$n$	$\ell$	Time/Memory [15] (Extended K-tree)	Time/Memory [8] (Both and May)	Our Time/Memory	Our Tradeoff
6	120	37	$T = M = 2^{48}$	$T = M = 2^{39}$	$T = 2^{48}/M = 2^{25}$	$TM^{5/2}L^{1/2} = N$
6	120	32	$T = M = 2^{58}$	$T = M = 2^{47}$	$T = 2^{49}/M = 2^{24}$	$TM^{5/2}L^{1/2} = N$
7	120	36	$T = M = 2^{50}$	$T = M = 2^{38}$	$T = 2^{45}/M = 2^{24}$	$TM^2L = N$
7	120	28	$T = M = 2^{66}$	$T = M = 2^{49}$	$T = 2^{49}/M = 2^{26}$	$TM^2L = N$
15	120	14	$T = M = 2^{67}$	$T = M = 2^{38}$	$T = 2^{38}/M = 2^{20}$	$T^2M^{5/2}L^{1/2} = N$

**Analysis of Concrete Instances** In general, the best known algorithm for concrete GBP instances is the extended K-tree algorithm [15], which can be directly applied to values of  $K = 2^k$  for any  $N^{1/K} \leq L \leq N^{1/(\log K + 1)}$ . Both and May show that for the parity check problem it is possible to improve the extended K-tree algorithm for some values of  $K$  that are not powers of two, using *approximate matching*. Here, we use our GBP tradeoffs derived in Section 6.3 (specified in Table 6) and compare the results for some instances analyzed in [8] to our results in Table 7. For fair comparison, we multiply the time and memory complexities obtained by our general formulas above by  $K$ . For example, for  $K = 6, n = 120, \ell = 37$  the relevant curve in Table 6 is  $TM^{5/2}L^{1/2} = N$  for  $M \leq T^{1/2}$ . To optimize the time complexity we set  $M = T^{1/2}$ , giving  $T = N^{4/9}L^{-2/9} \approx 2^{45}$ . After multiplication by  $K = 6$ , we obtain  $M \approx 2^{25}, T \approx 2^{48}$ .

Note that for all instances specified in Table 6 we obtain strict improvements over the extended K-tree algorithm (which is the best known generic algorithm for GBP) in both time and memory complexities (except for  $K = 6, \ell = 37$  for which the time complexities are the same).

In comparison with [8], for 3 instances ( $(K = 6, \ell = 37)$ ,  $(K = 6, \ell = 32)$  and  $(K = 7, \ell = 36)$ ) we obtain sub-linear time-memory tradeoffs. For  $K = 6, \ell = 32$

we reduce the memory complexity by  $2^{13} > 8000$  while increasing the time complexity by a small factor of 4, which seems very favorable. For the remaining two instances ( $K = 7, \ell = 28$  and  $K = 15, \ell = 14$ )<sup>10</sup> we significantly improve the memory complexity while the time complexity remains the same.

For some parameter values (such as  $K = 4, n = 120, \ell = 40$ ), our time-memory tradeoffs are super-linear and seem to be of less interest. On the other hand, for many parameter values (such as  $n = 120, K = 7$  and  $\ell < 28$ ) we obtain an advantage in both time and memory complexities over [8]. For example, for  $K = 7, \ell = 26$ , Both and May's algorithm gives  $T = M \approx 2^{54}$ . Using the tradeoff  $TM^2L = N$  for  $M = T^{1/2}$ , we obtain  $M \approx 2^{26.5}$  and  $T \approx 2^{50}$ , namely, we reduce the memory complexity by  $2^{27.5}$  and the time complexity by a factor of  $2^4$ . Smaller  $\ell$  values further increase the gap in time and memory complexities.

Generally, our tradeoffs give better results for values of  $K$  that are far away from their nearest smaller power of 2. However, we remark that our algorithms also gives favorable tradeoffs for some concrete instances with values of  $K$  that are powers of 2. For example, for  $K = 16, n = 120, \ell = 15$ , the extended K-tree algorithm gives  $T = M = 2^{34}$  (as  $K$  is power of 2, it cannot be improved by [8]). Assume we want to keep the memory close to  $2^{15}$ , then we can directly apply the 16-way list sum algorithm  $A_{16}^4$  of Section 5 (with the tradeoff of  $T^2M^3 = N$ ) and obtain (after multiplication with  $K = 16$ ),  $M = 2^{19}$  and  $T \approx 2^{41.5}$ . Hence we reduce the memory complexity by a factor of  $2^{15}$  and increase the time complexity by  $2^{7.5}$ , which may be preferable in practical settings.

## 8 Conclusions

In this paper we developed a framework that allows to construct efficient algorithms for the generalized birthday problem from basic building blocks of preparation phase and list sum algorithms. We then used this framework to devise improved GBP algorithms in various settings. In the future it would be interesting to extend our framework and apply it to solve related problems such as LPN and LWE and to adapt it to the quantum computation model.

## References

1. M. R. Albrecht, C. Cid, J. Faugère, R. Fitzpatrick, and L. Perret. On the complexity of the BKW algorithm on LWE. *Des. Codes Cryptography*, 74(2):325–354, 2015.
2. A. Becker, J. Coron, and A. Joux. Improved Generic Algorithms for Hard Knapsacks. In K. G. Paterson, editor, *Advances in Cryptology - EUROCRYPT 2011 - 30th Annual International Conference on the Theory and Applications of Cryptographic Techniques, Tallinn, Estonia, May 15-19, 2011. Proceedings*, volume 6632 of *Lecture Notes in Computer Science*, pages 364–385. Springer, 2011.

<sup>10</sup> For  $K = 15, \ell = 14$  we use our tradeoff for  $K = 14$  and exploit the idea of Both and May to slightly reduce the time and memory complexities further by a factor of 2.

3. A. Becker, A. Joux, A. May, and A. Meurer. Decoding Random Binary Linear Codes in  $2^{n/20}$ : How  $1 + 1 = 0$  Improves Information Set Decoding. In D. Pointcheval and T. Johansson, editors, *Advances in Cryptology - EUROCRYPT 2012 - 31st Annual International Conference on the Theory and Applications of Cryptographic Techniques, Cambridge, UK, April 15-19, 2012. Proceedings*, volume 7237 of *Lecture Notes in Computer Science*, pages 520–536. Springer, 2012.
4. D. J. Bernstein. Better price-performance ratios for generalized birthday attacks. SHARCS07: Special-purpose Hardware for Attacking Cryptographic Systems, 2007.
5. D. J. Bernstein, T. Lange, R. Niederhagen, C. Peters, and P. Schwabe. FSBday. In B. K. Roy and N. Sendrier, editors, *Progress in Cryptology - INDOCRYPT 2009, 10th International Conference on Cryptology in India, New Delhi, India, December 13-16, 2009. Proceedings*, volume 5922 of *Lecture Notes in Computer Science*, pages 18–38. Springer, 2009.
6. A. Biryukov and D. Khovratovich. Equihash: Asymmetric Proof-of-Work Based on the Generalized Birthday Problem. In *23rd Annual Network and Distributed System Security Symposium, NDSS 2016, San Diego, California, USA, February 21-24, 2016*. The Internet Society, 2016.
7. A. Blum, A. Kalai, and H. Wasserman. Noise-tolerant learning, the parity problem, and the statistical query model. *J. ACM*, 50(4):506–519, 2003.
8. L. Both and A. May. The Approximate k-List Problem. *IACR Trans. Symmetric Cryptol.*, 2017(1):380–397, 2017.
9. A. Canteaut and M. Trabbia. Improved Fast Correlation Attacks Using Parity-Check Equations of Weight 4 and 5. In B. Preneel, editor, *Advances in Cryptology - EUROCRYPT 2000, International Conference on the Theory and Application of Cryptographic Techniques, Bruges, Belgium, May 14-18, 2000, Proceeding*, volume 1807 of *Lecture Notes in Computer Science*, pages 573–588. Springer, 2000.
10. I. Dinur, O. Dunkelman, N. Keller, and A. Shamir. Efficient Dissection of Composite Problems, with Applications to Cryptanalysis, Knapsacks, and Combinatorial Search Problems. In R. Safavi-Naini and R. Canetti, editors, *Advances in Cryptology - CRYPTO 2012 - 32nd Annual Cryptology Conference, Santa Barbara, CA, USA, August 19-23, 2012. Proceedings*, volume 7417 of *Lecture Notes in Computer Science*, pages 719–740. Springer, 2012.
11. A. Esser, R. Kübler, and A. May. LPN Decoded. In J. Katz and H. Shacham, editors, *Advances in Cryptology - CRYPTO 2017 - 37th Annual International Cryptology Conference, Santa Barbara, CA, USA, August 20-24, 2017, Proceedings, Part II*, volume 10402 of *Lecture Notes in Computer Science*, pages 486–514. Springer, 2017.
12. L. K. Grover. A Fast Quantum Mechanical Algorithm for Database Search. In G. L. Miller, editor, *Proceedings of the Twenty-Eighth Annual ACM Symposium on the Theory of Computing, Philadelphia, Pennsylvania, USA, May 22-24, 1996*, pages 212–219. ACM, 1996.
13. N. Howgrave-Graham and A. Joux. New Generic Algorithms for Hard Knapsacks. In H. Gilbert, editor, *Advances in Cryptology - EUROCRYPT 2010, 29th Annual International Conference on the Theory and Applications of Cryptographic Techniques, French Riviera, May 30 - June 3, 2010. Proceedings*, volume 6110 of *Lecture Notes in Computer Science*, pages 235–256. Springer, 2010.
14. W. Meier and O. Staffelbach. Fast Correlation Attacks on Certain Stream Ciphers. *J. Cryptology*, 1(3):159–176, 1989.
15. L. Minder and A. Sinclair. The Extended k-tree Algorithm. *J. Cryptology*, 25(2):349–382, 2012.

16. I. Nikolic and Y. Sasaki. Refinements of the k-tree Algorithm for the Generalized Birthday Problem. In T. Iwata and J. H. Cheon, editors, *Advances in Cryptology - ASIACRYPT 2015 - 21st International Conference on the Theory and Application of Cryptology and Information Security, Auckland, New Zealand, November 29 - December 3, 2015, Proceedings, Part II*, volume 9453 of *Lecture Notes in Computer Science*, pages 683–703. Springer, 2015.
17. R. Schroepfel and A. Shamir. A  $T=O(2^{n/2})$ ,  $S=O(2^{n/4})$  Algorithm for Certain NP-Complete Problems. *SIAM J. Comput.*, 10(3):456–464, 1981.
18. P. C. van Oorschot and M. J. Wiener. Parallel Collision Search with Cryptanalytic Applications. *J. Cryptology*, 12(1):1–28, 1999.
19. D. A. Wagner. A Generalized Birthday Problem. In M. Yung, editor, *Advances in Cryptology - CRYPTO 2002, 22nd Annual International Cryptology Conference, Santa Barbara, California, USA, August 18-22, 2002, Proceedings*, volume 2442 of *Lecture Notes in Computer Science*, pages 288–303. Springer, 2002.

## A Details of General Dissection [10]

In this section we describe the recursive construction of dissection algorithms.

Assume that we have a  $A_{K'}$  algorithm that given  $M = 2^m$  memory runs in time complexity  $T' = 2^{\tau_{K'}m} < 2^n$  (for an integer  $\tau_{K'} \geq 1$ ). Moreover, the algorithm can be applied in streaming mode (as all list sum algorithms described in this paper). Namely, given a target of  $n' = m(K' - \tau_{K'})$  bits with arbitrary value, it finds all the  $2^{n-m(K' - \tau_{K'})}$  expected solutions in time  $T' = 2^{\tau_{K'}m}$  (assuming that  $n - m(K' - \tau_{K'}) \leq \tau_{K'}m$  or  $m \geq n/K'$ ). Then, we can construct a  $A_K$  algorithm for  $K = 2K' - \tau_{K'} + 1$  with time complexity  $T = 2^{K'm}$  ( $\tau_K = K'$ ) and memory complexity  $M = 2^m$  as follows.

1. For each  $m(K' - \tau_{K'})$ -bit value  $c$ :
  - (a) Apply a  $A_{K' - \tau_{K'} + 1}$  algorithm to  $\{L_i\}_{i=1}^{K' - \tau_{K'} + 1}$ , with  $c$  as the target, and store the expected number of  $2^{m(K' - \tau_{K'} + 1 - (K' - \tau_{K'}))} = 2^m$  outputs (whose  $m(K' - \tau_{K'})$  LSBs equal to  $c$ ) in a new sorted list  $L'$ . Each word is stored along with the corresponding  $(K' - \tau_{K'} + 1)$ -tuple of indexes in  $\{L_i\}_{i=1}^{K' - \tau_{K'} + 1}$ .
  - (b) Apply the given  $A_{K'}$  algorithm to  $\{L_i\}_{i=K' - \tau_{K'} + 2}^{2K' - \tau_{K'} + 1}$  (the remaining  $K'$  lists) with  $c$  as the target. For each obtained  $K'$ -tuple, search for a match in  $L'$  on the remaining  $n - m(K' - \tau_{K'})$  bits and output the corresponding  $K$ -tuples.

The memory complexity of the algorithm is indeed  $M = 2^m$ . In terms of time complexity, Since  $\tau_{K'} \geq 1$ , then the  $A_{K'}$  algorithm dominates the  $A_{K' - \tau_{K'} + 1}$  algorithm in the inner loop (it is applied to a problem of size at least as large). Overall, the time complexity is  $T = 2^{m(K' - \tau_{K'}) + \tau_{K'}m} = 2^{K'm}$  as claimed.

The algorithm can be applied in streaming mode and therefore it can be applied recursively, giving a sequence of dissection algorithms. The dissection sequence starts with  $K_0 = 1$  and  $\tau_{K_0} = \tau_1 = 1$  (which is a trivial 1-way list sum

algorithm). Next, we obtain  $K_1 = 2K_0 - \tau_{K_0} + 1 = 2$  and  $\tau_{K_1} = \tau_2 = K_0 = 1$ ,  $K_2 = 2K_1 - \tau_{K_1} + 1 = 4$  and  $\tau_{K_2} = \tau_4 = K_1 = 2$ . In general, it is easy to verify that  $K_i = 1 + i(i + 1)/2$  and  $\tau_{K_i} = 1 + i(i - 1)/2$ . In particular, after  $K_3 = 7$ , we have  $K_4 = 11$  and  $\tau_{11} = 7$ , i.e. the  $A_{11}$  dissection algorithm has time complexity  $2^{7m}$ . As mentioned in Section 3.3, observe that  $A_{K_i}$  recursively splits the problem of size  $K_i = 1 + i(i + 1)/2$  into  $i$  subproblems of respective sizes  $i, i - 1, i - 2, \dots, 3, 2, 2$ .

## B Details of Parallel Collision Search [18]

Parallel collision search (PCS) is a memory-efficient algorithm for finding collisions in an  $r$ -bit function  $F : \{0, 1\}^r \rightarrow \{0, 1\}^r$ . Given  $2^m \leq 2^r$  words of memory, the algorithm builds a chain structure containing  $2^m$  chains, where a chain starts at an arbitrary point and computed by iteratively applying  $F$ . Each chain is terminated after about  $2^{(r-m)/2}$  evaluations, hence the structure contains a total of about  $2^m \cdot 2^{(r-m)/2} = 2^{(r+m)/2}$  distinct points. The fact that the chains are of length  $2^{(r-m)/2}$  ensures that each chain collides with a different chain in the structure with high probability according to the birthday paradox, as the number of relevant pairs of points is  $2^{(r-m)/2} \cdot 2^{(r+m)/2} = 2^r$ . Therefore, the structure contains about  $2^m$  collisions.

The collisions can be recovered efficiently by defining a set of  $2^{(r+m)/2}$  distinguished points according to an easily verifiable condition (e.g., the  $(r - m)/2$  LSBs of the  $r$ -bit word are 0). Each chain in the structure is terminated at a distinguished point (and hence its expected length is  $2^r / 2^{(r+m)/2} = 2^{(r-m)/2}$  as required). The PCS algorithm stores the distinguished points sorted in memory and collisions between chains are detected at their distinguished points. The actual collisions are obtained by recomputing the colliding chains.

In total, PCS finds  $2^m$  collisions in an  $r$ -bit function in time complexity

$$T = 2^{(r+m)/2}.$$

**Parallel Collision Search in Expanding Functions** Assume that our goal is to find  $2^m$  collisions in the expanding function  $F : \{0, 1\}^\ell \rightarrow \{0, 1\}^r$ , where  $(r + m)/2 \leq \ell \leq r$  (ensuring that  $2^m$  collisions indeed exist in  $F$ ).

We apply PCS to the truncated function  $F|_{\ell, \ell}$  to find  $2^m$  collisions on  $\ell$  bits of  $F$  in  $2^{(\ell+m)/2}$  time. Each such collision extends to a full  $r$ -bit collision with probability  $2^{\ell-r}$ . In other words, the PCS execution gives an expected number of  $2^{m+\ell-r}$  full collisions in  $F$ . To find the required  $2^m$  collisions, we repeat the process  $2^{r-\ell}$  times, giving time complexity of

$$T = 2^{r-\ell} \cdot 2^{(\ell+m)/2} = 2^{r+(m-\ell)/2}.$$

We note that in order to make the different PCS executions essentially independent, we have to use a different *flavor* of  $F|_{\ell, \ell}$  in each execution (as done in [18]). For example, we can define the  $i$ 'th flavor as  $F|_{\ell, \ell}^i(x) = F|_{\ell, \ell}(x) + i$ .

## C Details of Previous GBP Tradeoff Algorithm for $K = 2^k$ [6, 16]

We describe the best known time-memory tradeoff algorithm for GBP with  $K = 2^k$  and  $M = 2^m$  words of memory, such that  $m \leq n/(k+1)$ .

Given an integer parameter  $r \geq m$  to be determined later, the algorithm uses the truncated function  $H_{|r,r}$  (as defined in Section 2).

1. Run PCS on the function  $H_{|r,r}$  and look for  $2^m$  collisions. For each collision  $H(x)[1-r] = H(x')[1-r]$ , compute  $y = H(x) + H(x')$  and store all these words in  $K/2$  lists  $\{L_i\}_{i=1}^{K/2}$  of size about  $2^m$  (along with the corresponding  $x$  values).
2. Apply the K-tree algorithm to the  $K/2$  lists (nullifying bits  $[r+1-n]$ ). Obtain  $K/2$  words  $y_i \in L_i$  such that  $\sum_{i=1}^{K/2} y_i = 0$  and use them (based on the first step) to construct a solution to GBP by recovering the  $K$  words  $x_i$  such that  $\sum_{i=1}^K H(x_i) = \sum_{i=1}^{K/2} y_i = 0$  as required.

We now calculate the value of  $r$  that ensures that the algorithm succeeds to find a solution (with high probability). The K-tree algorithm is run using  $2^{k'} = 2^{k-1}$  lists, each of size  $2^m$ , and it has to zero the remaining  $n' = n - r$  bits after the PCS is executed. Therefore, according to the analysis of the K-tree algorithm in Section 3.5 we require  $m = n'/(k'+1) = (n-r)/k$ . This gives  $r = n - mk$ .

The time complexity of the PCS algorithm is  $2^{(r+m)/2} = 2^{(n-m(k-1))/2}$ , while the time complexity of the K-tree algorithm is  $2^m \leq 2^{(r+m)/2}$  (and can be neglected).

Therefore, the total time complexity is  $T = 2^{(n-m(\log K-1))/2}$ . This gives a time-memory tradeoff of

$$T^2 M^{\log K-1} = N,$$

assuming that  $M \leq N^{1/(\log K+1)}$ . Note that when  $M = N^{1/(\log K+1)}$ , the PCS is similar to the first layer of the K-tree algorithm, as the function  $H_{|r,r}$  is iterated only once.

As already noted in Section 3.7, the two steps of the algorithm are not balanced since the time complexity of PCS is larger than the time complexity of the K-tree algorithm.

## D Details of the New Tradeoff Algorithms for the Generalized Birthday Problem

Recall from Section 6 that for a parameter  $K$ , our goal is to we construct a GBP algorithm given a list sum algorithm  $A$  with  $S = 1$  for a parameter  $K'$  (either  $K' = K$  or  $K' = K/2$ ). The time-memory tradeoff curve of  $A$  for  $K'$  is  $T^\beta M^\gamma = N$  for parameters  $\beta, \gamma$ . We also use a parameter  $\delta$ , which specifies the lower range limit for the tradeoff algorithm of  $A$  as  $M \geq T^{1/\delta}$ .

### D.1 Combining Parallel Collision Search with a $K/2$ -Way List Sum Algorithm

We combine PCS with a  $K/2$ -way list sum algorithm  $A$  in order to solve GBP with an even parameter  $K$ . The algorithm is identical to the one by [6, 16] (described in Appendix C), with the exception that it invokes a  $K/2$ -way list sum algorithm in the second step to balance the time complexities of the two steps (instead on the K-tree algorithm).

The GBP algorithm uses the truncated function  $H_{|r,r}$  (as defined in Section 2) for a parameter  $r \geq m$ , set below to optimize the algorithm.

1. Run PCS on the function  $H_{|r,r}$  and look for  $2^m$  collisions. For each collision  $H(x)[1-r] = H(x')[1-r]$ , compute  $y = H(x) + H(x')$  and store all these words in  $K/2$  lists  $\{L_i\}_{i=1}^{K/2}$  of size about  $2^m$  (along with the corresponding  $x$  values).
2. Run  $A$  on  $\{L_i\}_{i=1}^{K/2}$  (nullifying bits  $[r + 1-n]$ ). Obtain  $K/2$  words  $y_i \in L_i$  such that  $\sum_{i=1}^{K/2} y_i = 0$  and use them (based on the first step) to construct a solution to GBP by recovering the  $K$  words  $x_i$  such that  $\sum_{i=1}^K H(x_i) = \sum_{i=1}^{K/2} y_i = 0$  as required.

In the first step, we execute PCS with parameter  $r$  in time  $2^{(r+m)/2}$  (according to Section 3.6). In the second step we nullify the remaining  $n' = n - r$  bits by using  $A$ . Denote the time complexity of  $A$  by  $2^{t'}$ . Then, to balance the two steps, we require  $(r + m)/2 = t'$ .

According to the given tradeoff curve of  $A$ , we have  $t' = (n' - m\gamma)/\beta = (n - r - m\gamma)/\beta$ . The condition  $(r + m)/2 = t'$  reduces to  $(n - r - m\gamma)/\beta = (r + m)/2$ , giving

$$r = (2n - 2m\gamma - m\beta)/(\beta + 2). \quad (9)$$

Plugging this value into the time complexity, we obtain  $T = 2^{(n-m(\gamma-1))/(\beta+2)}$ , giving the tradeoff

$$T^{\beta+2} M^{\gamma-1} = N. \quad (10)$$

In other words, compared to  $A$ , the combination algorithm (which solves GBP for  $K$ ) increases the exponent of  $T$  by 2 and reduces the exponent of  $M$  by 1.

The tradeoff is applicable for the same parameter (memory and time) ranges as the ones for  $A$ .

*Beyond the basic tradeoff of  $A$ .* When  $M$  is larger than the maximal memory for which the tradeoff for  $A$  is applicable, we can simply use less memory, or if possible, apply a more efficient tradeoff that can exploit more memory.

When  $M$  is smaller than the minimal memory for which the tradeoff for  $A$  is applicable,<sup>11</sup> we can reduce the parameter  $n'$  used for  $A$  to match its lower range

<sup>11</sup> For example, we do not have (efficient) 4-way list sum algorithms for the range  $M < T^{1/2}$ , but would still like to obtain a GBP algorithm for this range.

limit on  $M$ , implying that  $A$  will nullify less bits. Consequently, we have to spend more time on PCS to nullify the remaining  $r = n - n'$  bits and balancing the time complexities of the two steps is no longer possible. In this case, PCS dominates the algorithm's time complexity which is  $T = 2^{(r+m)/2} = 2^{(n-n'+m)/2}$ .

In order to calculate  $n'$ , we use the parameter  $\delta$  which specifies the lower range limit of the tradeoff algorithm  $A$  as  $\hat{T} = M^\delta$  (where  $\hat{T}$  denotes the time complexity of the  $A$  algorithm, rather than the time complexity of the full algorithm which is higher). Plugging the value of  $\hat{T}$  into the  $A$ 's tradeoff  $\hat{T}^\beta M^\gamma = N'$ , we obtain  $M^{\delta\beta+\gamma} = N'$  or  $n' = m(\delta\beta + \gamma)$ . Therefore,

$$r = n - n' = n - m(\delta\beta + \gamma). \quad (11)$$

Since the time complexity of the GBP algorithm is  $T = 2^{(n-n'+m)/2}$ , this gives

$$T^2 M^{\delta\beta+\gamma-1} = N. \quad (12)$$

The tradeoff is applicable all the way to  $M = 1$  (constant memory), for which the algorithm reduces to simple memoryless collision search in time complexity  $T = N^{1/2}$ .

**Algorithms for Restricted Domain** In some concrete GBP instances the function  $H$  has a limited domain size  $2^\ell$  for  $\ell < n$ . The algorithm above uses the truncated function  $H_{|r,r}$  in the PCS step, for a value of  $r$  (given by (9) or (11)). However, in case  $\ell < r$  (the domain size of  $H$  is  $2^\ell < 2^r$ ) we are forced to use  $H_{|\ell,r}$  which is an expanding function. The time complexity of PCS for the expanding function  $H_{|\ell,r}$  is  $2^{r+(m-\ell)/2}$  (as specified in Section 3.6).

Consequently, assuming we can balance the two algorithm steps, we require  $t' = r + (m - \ell)/2$ , where  $2^{t'}$  denotes the time complexity of  $A$ . Otherwise, the time complexity is  $2^{r+(m-\ell)/2}$ , dominated by PCS.

We first analyze the case of  $t' = r + (m - \ell)/2$ . Writing the tradeoff curve for  $A$  parametrically as above, we obtain  $t' = (n - r - m\gamma)/\beta$ , giving the equality  $r + (m - \ell)/2 = (n - r - m\gamma)/\beta$  or  $r = (2n - 2m\gamma - m\beta + \ell\beta)/(2\beta + 2)$ . Therefore, we obtain  $T = 2^{(n-m\gamma+m/2-\ell/2)/(\beta+1)}$ , giving the tradeoff

$$T^{\beta+1} M^{\gamma-1/2} L^{1/2} = N, \quad (13)$$

where  $L = 2^\ell$ . The tradeoff is applicable in the same range as the  $A$  algorithm, and it must be applied whenever  $\ell < (2n - 2m\gamma - m\beta)/(\beta + 2)$  implying we cannot use  $H_{|r,r}$  for the  $r$  value specified in (9).

In case we cannot balance the algorithm and the domain size is restricted to  $\ell < n - m(\delta\beta + \gamma)$  (we cannot use  $H_{|r,r}$  for the  $r$  value specified in (11)), the time complexity is  $T = 2^{r+(m-\ell)/2}$  for  $r = n - n' = n - m(\delta\beta + \gamma)$ , or  $T = 2^{n-m(\delta\beta+\gamma)+(m-\ell)/2}$ . This gives the tradeoff

$$T M^{\delta\beta+\gamma-1/2} L^{1/2} = N. \quad (14)$$

## D.2 Combining Clamping through Precomputation with a $K$ -Way List Sum Algorithm

In general, PCS is a more efficient preparation phase algorithm than clamping through precomputation (CTP), essentially because (partial) collision search is more efficient than (partial) preimage search. However, in some cases where  $K$  is odd it is more efficient to apply CTP, as PCS searches for partial collisions on pairs and forces us to run the GBP algorithm for  $K - 1$  (which is even) rather than for  $K$ . Therefore, we describe and analyze the combination of CTP with a  $K$ -way list sum algorithm  $A$ . The algorithm uses a parameter  $r$ , optimized below.

1. Run CTP on  $H(x)$  and look for  $2^m$  values  $x$  such that  $H(x)[1-r] = 0$ . Store all these images of  $H$  in  $K$  lists  $\{L_i\}_{i=1}^K$  of size about  $2^m$  (along with the corresponding  $x$  values).
2. Run  $A$  on  $\{L_i\}_{i=1}^K$  (zeroing bits  $[r+1-n]$ ). Obtain  $K$  words  $y_i \in L_i$  such that  $\sum_{i=1}^K y_i = 0$ , which give  $K$  words  $x_i$  such that  $\sum_{i=1}^K H(x_i) = 0$ .

In the first step, we execute CTP with parameter  $r$  in time  $2^{r+m}$  (according to the analysis of Section 3.6). In the second step we nullify the remaining  $n' = n - r$  bits using  $A$ . Denoting the time complexity of  $A$  by  $2^{t'}$ , we balance the two steps by requiring  $r + m = t'$ .

The tradeoff curve for  $A$  gives  $t' = (n - r - m\gamma)/\beta$  and the condition  $r + m = t'$  reduces to  $(n - r - m\gamma)/\beta = r + m$ , implying  $r = (n - m\gamma - m\beta)/(\beta + 1)$ . Therefore, we obtain  $T = 2^{(n - m(\gamma - 1))/(\beta + 1)}$ , giving the tradeoff

$$T^{\beta+1} M^{\gamma-1} = N, \quad (15)$$

applicable for the same parameter (memory and time) ranges as  $A$ .

Finally, as specified in Section 3.6, CTP requires a domain size of

$$\ell \geq r + m = (n - m\gamma + m)/(\beta + 1). \quad (16)$$

**Algorithms for Restricted Domain** In case  $\ell < r + m$ , CTP can only nullify  $r = \ell - m$  bits in time complexity  $2^\ell$  (assuming  $m \leq \ell$ ). This leaves  $n' = n - \ell + m$  bits to be nullified by  $A$  and its time complexity dominates the algorithm. The tradeoff curve obtained in this case is  $T^\beta M^\gamma = N'$  for  $N' = NM/L$ , namely

$$T^\beta M^\gamma L = N.$$

## E Reduction from the Parity Check Problem to the Generalized Birthday Problem


Recall from Section 7 that the input to the parity check problem is an irreducible polynomial  $P(x)$  of degree  $n$  over  $GF(2)$  and the goal is to find a multiple  $Q(x)$

of  $P(x)$  of weight at most  $K \ll n$  and degree smaller than  $L \gg n$ . We describe the reduction from the parity check problem to GBP.

The function  $H(a) : \{0, 1\}^\ell \rightarrow \{0, 1\}^n$  for GBP maps the  $\ell$ -bit string  $a$  to an  $n$ -bit string by reducing the polynomial  $x^a$  (of degree smaller than  $L = 2^\ell$ ) modulo  $P(x)$  (of degree  $n$ ), namely  $H(a) = x^a \bmod P(x)$ . Any polynomial of degree less than  $n$  over  $GF(2)$  can be represented by an  $n$ -bit word that specifies the values of its  $n$  coefficients. In this representation  $H(a) \in \{0, 1\}^n$  as required. Next, assume we solve GBP with parameter  $K$  on the defined instance, namely, we find a  $K$ -tuple  $\{a_i\}_{i=1}^K$ , such that  $\sum_{i=1}^K H(a_i) = 0$ . Then, define  $Q(x) = \sum_{i=1}^K x^{a_i}$ . We show that  $Q(x)$  is a solution to the parity check problem. First,  $Q(x) \bmod P(x) = \sum_{i=1}^K x^{a_i} \bmod P(x) = \sum_{i=1}^K (x^{a_i} \bmod P(x)) = \sum_{i=1}^K H(a_i) = 0$ , where the third equality follows since the addition of polynomials is performed by adding their corresponding coefficients over  $GF(2)$ . Moreover, the polynomial  $Q(x)$  is of degree smaller than  $L$  since all of its monomials  $x^{a_i}$  are of degrees smaller than  $L$ . Finally, the number of non-zero coefficients of  $Q(x)$  is  $K$  as required.

## F Tradeoff Curves for the Generalized Birthday Problem

We plot our GBP tradeoff curves for  $K \in \{8, 16, 32\}$  in Figure 4 and our GBP tradeoff curves for  $K \in \{8, 16, 32\}$  in Figure 5, while comparing them to the best known ones [6, 16]. The time-memory tradeoff curve for an algorithm should be interpreted as follows: if the point  $(m', t') = (m/n, t/n)$  is on the curve, then given  $2^{m'n} = 2^m$  memory the algorithm solves GBP in time  $2^{t'n} = 2^t$ . Consider for example  $K = 8$ , where the point  $(1/7, 2/7)$  is on the curve of our algorithm. This implies that it solves GBP in memory and time complexities of  $M = 2^{n/7} = N^{1/7}$  and  $T = 2^{2n/7} = N^{2/7}$ , respectively.



**Fig. 4.** GBP Time-Memory Tradeoff Curves for  $K \in \{8, 16, 32\}$





Fig. 5. GBP Time-Memory Tradeoff Curves for  $K \in \{6, 14\}$