

Classical Verification of Quantum Computations with Efficient Verifier

Nai-Hui Chia^{1,2}, Kai-Min Chung³, and Takashi Yamakawa^{*4}

¹Joint Center for Quantum Information and Computer Science, University of Maryland,
nchia@umd.edu

²Department of Computer Science, University of Texas at Austin

³Institute of Information Science, Academia Sinica, kmchung@iis.sinica.edu.tw

⁴NTT Secure Platform Laboratories, takashi.yamakawa.ga@hco.ntt.co.jp

Abstract

In this paper, we extend the protocol of classical verification of quantum computations (CVQC) recently proposed by Mahadev to make the verification efficient. Our result is obtained in the following three steps:

- We show that parallel repetition of Mahadev’s protocol has negligible soundness error. This gives the first constant round CVQC protocol with negligible soundness error. In this part, we only assume the quantum hardness of the learning with error (LWE) problem similar to Mahadev’s work.
- We construct a two-round CVQC protocol in the quantum random oracle model (QROM) where a cryptographic hash function is idealized to be a random function. This is obtained by applying the Fiat-Shamir transform to the parallel repetition version of Mahadev’s protocol.
- We construct a two-round CVQC protocol with an efficient verifier in the CRS+QRO model where both prover and verifier can access a (classical) common reference string generated by a trusted third party in addition to quantum access to QRO. Specifically, the verifier can verify a $\text{QTIME}(T)$ computation in time $\text{poly}(n, \log T)$ where n is the security parameter. For proving soundness, we assume that a standard model instantiation of our two-round protocol with a concrete hash function (say, SHA-3) is sound and the existence of post-quantum indistinguishability obfuscation and post-quantum fully homomorphic encryption in addition to the quantum hardness of the LWE problem.

1 Introduction

Quantum computers that outperform classical supercomputers have been realized recently [AAB⁺19] and may play a role similar to the super clusters in the foreseeable future. Indeed, this is happening now—IBM has provided an online platform for public users to run their computational tasks on IBM’s quantum computing server [IBM]. Since quantum computers would be accessed by clients with only classical devices, verifying quantum computation by a classical computer has become a major issue in this setting. To address this problem, there are several works toward reducing the verifier’s quantum resource for verifying quantum computation [BFK09, FK17, ABOEM17, MF18]. However, it was unknown if the verifier could be purely classical until Mahadev [Mah18] finally gave

^{*}This work was done in part while the author was visiting Academia Sinica.

an affirmative solution. Specifically, she constructed an interactive protocol between an efficient classical verifier (a BPP machine) and an efficient quantum prover (a BQP machine) where the verifier can verify the result of the BQP computation. (In the following, we call such a protocol a CVQC protocol.¹) Soundness of her protocol relies on a computational assumption that the learning with error (LWE) problem [Reg09] is hard for an efficient quantum algorithm, which has been widely used in the field of cryptography. We refer to the extensive survey by Peikert [Pei16] for details about LWE and its cryptographic applications.

Although the verifier in Mahadev’s protocol is purely classical, it is not “efficient”. In the classical cryptographic literature of delegating (classical) computation, efficient verifier that can verify a delegated time T computation in $o(T)$ time is a necessary requirement (as otherwise, the verifier performs the computation on its own). Indeed, many previous works suggested that the verifier’s runtime can be $\text{poly log}(T)$ in the classical setting [Kil92, Mic00, KRR13, KRR14, GKR15, RRR16, BHK17, BKK⁺18, HR18, CCH⁺19, KPY19]. In contrast, in the literature of delegating quantum computation, the focus is mainly on reducing the required quantum power for the verifier, and all existing protocols with a single prover (e.g., in blind quantum computation [BFK09] and Mahadev’s protocol [Mah18]) inherently requires the verifier to run in $\text{poly}(T)$ time to verify the delegated computation, even for verifiers with weak quantum power.

Therefore, whether a CVQC protocol with an efficient verifier (i.e., with runtime $o(T)$) exists is a natural and fundamental theoretical question. Also, from a technical perspective, classical efficient verifier protocols are closely related to PCP proofs, where many protocols are constructed based on PCP proofs, and a partial converse result is proven by Rothblum and Vadhan [RV10]. On the other hand, whether a quantum version of the PCP theorem holds is still an open question in quantum complexity theory [AAV13]. Thus, the challenge of constructing a protocol with an efficient verifier is potentially related to the challenge of constructing quantum PCP proofs. While our construction relies on several strong and non-standard assumptions, our protocol provides the first feasibility result (in any reasonable models) that answers this question of efficient verifier CVQC protocol affirmatively.

1.1 Our Results

In this paper, our main result is a CVQC protocol with an efficient verifier, and we have also reached two milestones on the path to the final result. We summarize them as follows:

Parallel repetition of Mahadev’s protocol We first show that parallel repetition version of Mahadev’s protocol has negligible soundness error. Note that Mahadev’s protocol has soundness error $3/4$, which means that a cheating prover may convince the verifier even if it does not correctly computes the BQP computation with probability at most $3/4$. Though we can exponentially reduce the soundness error by sequential repetition, we need super-constant rounds to reduce the soundness error to be negligible. If parallel repetition works to reduce the soundness error, then we need not increase the number of round. However, parallel repetition may not reduce soundness error for computationally sound protocols in general [BIN97, PW07]. Thus, it was open to construct constant round protocol with negligible soundness error. We manage to answer this question by giving the first constant round CVQC protocol with negligible soundness error.

Two-round CVQC protocol Based on the parallel repetition version of Mahadev’s protocol with negligible soundness, we then construct a two-round CVQC protocol in the quantum random

¹“CVQC” stands for “Classical Verification of Quantum Computations”

oracle model (QROM) [BDF⁺11] where a cryptographic hash function is idealized to be a random function that is only accessible as a quantum oracle. This is obtained by applying the Fiat-Shamir transform [FS87, LZ19, DFMS19] to the parallel repetition version of Mahadev’s protocol.

CVQC protocol with an efficient verifier Finally, we construct a two-round CVQC protocol with logarithmic-time verifier in the CRS+QRO model where both prover and verifier can access to a (classical) common reference string generated by a trusted third party in addition to quantum access to QRO. For proving soundness, we assume that a standard model instantiation of our two-round protocol with a concrete hash function (say, SHA-3) is sound and the existence of post-quantum indistinguishability obfuscation [BGI⁺12, GGH⁺16] and (post-quantum) fully homomorphic encryption (FHE) [Gen09] in addition to the quantum hardness of the LWE problem.

1.2 Technical Overview

Overview of Mahadev’s protocol. First, we recall the high-level structure of Mahadev’s 4-round CVQC protocol.² On input a common input x , a quantum prover and classical verifier proceeds as below to prove and verify that x belongs to a BQP language L .

First Message: The verifier generates a pair of “key” k and a “trapdoor” td , sends k to the prover, and keeps td as its internal state.

Second Message: The prover is given the key k , generates a classical “commitment” y along with a quantum state $|st_P\rangle$, sends y to the verifier, and keeps $|st_P\rangle$ as its internal state.

Third Message: The verifier randomly picks a “challenge” $c \xleftarrow{\$} \{0, 1\}$ and sends c to the prover. Following the terminology in [Mah18], we call the case of $c = 0$ the “test round” and the case of $c = 1$ the “Hadamard round”.

Fourth Message: The prover is given a challenge c , generates a classical “answer” a by using the state $|st_P\rangle$, and sends a to the verifier.

Final Verification: Finally, the verifier returns \top indicating acceptance or \perp indicating rejection. In case $c = 0$, the verification can be done publicly, that is, the final verification algorithm need not use td .

Mahadev showed that the protocol achieves negligible completeness error and constant soundness error against computationally bounded cheating provers. More precisely, she showed that if $x \in L$, then the verifier accepts with probability $1 - \text{negl}(n)$ where n is the security parameter, and if $x \notin L$, then any quantum polynomial time cheating prover can let the verifier accept with probability at most $3/4$. For proving this, she first showed the following lemma:³

Lemma 1.1 (informal). *For any $x \notin L$, if a quantum polynomial time cheating prover passes the test round with probability $1 - \text{negl}(n)$, then it passes the Hadamard with probability $\text{negl}(n)$ assuming the quantum hardness of the LWE problem.*

²See Sec. 3.1 for more details.

³Strictly speaking, she just proved a similar property for what is called a “measurement protocol” instead of CVQC protocol. But this easily implies a similar statement for CVQC protocol since CVQC protocol can be obtained by combining a measurement protocol and the (amplified version of) Morimae-Fitzsimons protocol [MF18] without affecting the soundness error as is done in [Mah18, Section 8].

Given the above lemma, it is easy to prove the soundness of the protocol. Roughly speaking, we consider a decomposition of the Hilbert space \mathcal{H}_P for the prover’s internal state $|\psi_P\rangle$ into two subspaces S_0 and S_1 so that S_0 (resp. S_1) consists of quantum states that lead to rejection (resp. acceptance) in the test round. That is, we define these subspaces so that if the cheating prover’s internal state after sending the second message is $|s_0\rangle \in S_0$ (resp. $|s_1\rangle \in S_1$), then the verifier returns rejection (acceptance) in the test round (i.e., the case of $c = 0$). Here, we note that the decomposition is well-defined since we can assume that a cheating prover just applies a fixed unitary on its internal space and measures some registers for generating the fourth message in the test round without loss of generality. Let Π_b be the projection onto S_b and $|\psi_b\rangle := \Pi_b |\psi_P\rangle$ for $b \in \{0, 1\}$. Then $|\psi_0\rangle$ leads to rejection in the test round (with probability 1), so if the verifier uniformly chooses $c \stackrel{\$}{\leftarrow} \{0, 1\}$, then $|\psi_0\rangle$ leads to acceptance with probability at most $1/2$. On the other hand, since $|\psi_1\rangle$ leads to the acceptance in the test round (with probability 1), by Lemma 1.1, $|\psi_1\rangle$ leads to the acceptance in the Hadamard round with only negligible probability. Therefore, the verifier uniformly chooses $c \stackrel{\$}{\leftarrow} \{0, 1\}$, then $|\psi_1\rangle$ leads to acceptance with probability at most $1/2 + \text{negl}(n)$. Therefore, intuitively speaking, $|\psi_P\rangle = |\psi_0\rangle + |\psi_1\rangle$ leads to acceptance with probability at most $1/2 + \text{negl}(n)$, which completes the proof of soundness. We remark that here is a small gap since measurements are not linear and thus we cannot simply conclude that $|\psi_P\rangle$ leads to acceptance with probability at most $1/2 + \text{negl}(n)$ even though the same property holds for both $|\psi_0\rangle$ and $|\psi_1\rangle$. Indeed, Mahadev just showed that the soundness error is at most $3/4$ instead of $1/2 + \text{negl}(n)$ to deal with this issue. A concurrent work by Alagic et al. [ACGH20] proved that the Mahadev’s protocol actually achieves soundness error $1/2 + \text{negl}(n)$ with more careful analysis.

Parallel repetition. Now, we turn our attention to parallel repetition version of Mahadev’s protocol. Our goal is to prove that the probability that the verifier accepts on $x \notin L$ is negligible if the verifier and prover run the Mahadev’s protocol m -times parallelly for sufficiently large m and the verifier accepts if and only if it accepts on the all coordinates.

Our first step is to consider a decomposition of the prover’s space \mathcal{H}_P into two subspaces $S_{i,0}$ and $S_{i,1}$ for each $i \in [m]$ similarly to the stand-alone case. Specifically, we want to define these subspaces so that $S_{i,0}$ (resp. $S_{i,1}$) consists of quantum states that lead to rejection (resp. acceptance) in the test round on the i -th coordinate. However, such subspaces are not well-defined since a cheating prover’s behavior in the fourth round depends on challenges $c = c_1 \dots c_m \in \{0, 1\}^m$ on all coordinates. Thus, even if we focus on the test round on the i -th coordinate, all other challenges $c_{-i} = c_1 \dots c_{i-1} c_{i+1} \dots c_m$ still have flexibility, and a different choice of c_{-i} leads to a different prover’s behavior. In other words, the prover’s strategy should be described as a unitary over $\mathcal{H}_C \otimes \mathcal{H}_P$ where \mathcal{H}_C is a Hilbert space to store a challenge. Therefore $S_{i,0}$ and $S_{i,1}$ cannot be well-defined as a decomposition of \mathcal{H}_P if we define them as above.

Therefore, we need to define these subspaces in a little different way. Specifically, our idea is to define them as subspaces that “know” and “do not know” an answer for the test round on i -th coordinate. More precisely, for any fixed noticeable “threshold” $\gamma = 1/\text{poly}(n)$, we ideally require the followings:

1. ($S_{i,0}$ “**does not know**” an answer.) If the fourth message generation algorithm of the cheating prover runs with an internal state $|\psi_{i,0}\rangle \in S_{i,0}$, then it passes the test round on i -th coordinate with probability at most γ when the challenge c is uniformly chosen from $\{0, 1\}^m$ such that $c_i = 0$.
2. ($S_{i,1}$ “**knows**” an answer.) There is an efficient algorithm that is given any $|\psi_{i,1}\rangle \in S_{i,1}$ as input and outputs an accepting answer for the test round on i -th coordinate with overwhelm-

ing probability.

3. (**Efficient projection.**) A measurement described by $\{\Pi_{S_{i,0}}, \Pi_{S_{i,1}}\}$ can be performed efficiently where $\Pi_{S_{i,0}}$ and $\Pi_{S_{i,1}}$ denote projections to $S_{i,0}$ and $S_{i,1}$, respectively.

Unfortunately, we do not know how to achieve these requirements in the above clean form. Nonetheless, we can show that a “noisy” version of the above requirements can be achieved by using the techniques taken from works on an amplification theorem for QMA [MW05, NWZ09]. We will explain this in more detail in the next paragraph since this is the technical core of our proof. In the rest of this paragraph, we explain how to prove the soundness of the parallel repetition version of Mahadev’s protocol assuming that the above requirements are satisfied in the clean form as above for simplicity. Here, we observe that for any $i \in [m]$ and $b \in \{0, 1\}$, any efficiently generated $|\psi_{i,b}\rangle \in S_{i,b}$ leads to acceptance in the verification on i -th coordinate for any fixed c such that $c_i = b$ with probability at most $2^{m-1}\gamma + \text{negl}(n)$. This can be seen by a similar argument to the stand-alone case: The case of $b = 0$ follows from the above requirement 1 considering that the number of $c \in \{0, 1\}^m$ such that $c_i = 0$ is 2^{m-1} . The case of $b = 1$ follows from the above requirement 2 combined with Lemma 1.1 assuming the quantum hardness of LWE.

Our next step is to sequentially apply projections onto $S_{i,0}$ and $S_{i,1}$ for $i = 1, \dots, m$ to further decompose the prover’s state $|\psi_P\rangle$. More precisely, for any fixed $c = c_1 \dots c_m \in \{0, 1\}^m$, we define

$$|\psi_0\rangle := \Pi_{S_{1,0}} |\psi_P\rangle, \quad |\psi_1\rangle := \Pi_{S_{1,1}} |\psi_P\rangle$$

and

$$|\psi_{\bar{c}_1, \dots, \bar{c}_{i-1}, 0}\rangle := \Pi_{S_{i,0}} |\psi_{\bar{c}_1, \dots, \bar{c}_{i-1}}\rangle, \quad |\psi_{\bar{c}_1, \dots, \bar{c}_{i-1}, 1}\rangle := \Pi_{S_{i,1}} |\psi_{\bar{c}_1, \dots, \bar{c}_{i-1}}\rangle$$

for $i = 2, \dots, m$ where \bar{c}_i denotes $1 - c_i$. Then we have

$$|\psi\rangle = |\psi_{c_1}\rangle + |\psi_{\bar{c}_1, c_2}\rangle + \dots + |\psi_{\bar{c}_1, \dots, \bar{c}_{m-1}, c_m}\rangle + |\psi_{\bar{c}_1, \dots, \bar{c}_m}\rangle.$$

Here, for each $i \in [m]$, we have $|\psi_{\bar{c}_1, \dots, \bar{c}_{i-1}, c_i}\rangle \in S_{i, c_i}$ by definition. Therefore, $|\psi_{\bar{c}_1, \dots, \bar{c}_{i-1}, c_i}\rangle$ leads to acceptance on the verification on i -th coordinate with probability at most $2^{m-1}\gamma + \text{negl}(n)$ when the challenge is c . Moreover, if we consider the above decomposition for a randomly chosen c , then we have $E_{c \leftarrow \{0, 1\}^m} [\|\psi_{\bar{c}_1, \dots, \bar{c}_m}\rangle\|] \leq 2^{-m}$ since an expected norm is halved whenever we apply either of projections onto $S_{i,0}$ or $S_{i,1}$ randomly. Therefore, we can conclude that the verifier accepts on the all coordinates with probability at most $2^{m-1}\gamma + 2^{-m} + \text{negl}(n)$. This is not negligible since we need to assume that γ is noticeable due to a technical reason. However, we can make $2^{m-1}\gamma + 2^{-m} + \text{negl}(n)$ as small as any noticeable function by appropriately setting $m = O(\log n)$ and $\gamma = 1/\text{poly}(n)$. This implies that a cheating adversary’s winning probability is $\text{negl}(n)$ if we set $m = \omega(\log n)$.

How to define $S_{i,0}$ and $S_{i,1}$. In this paragraph, we explain how to define subspaces $S_{i,0}$ and $S_{i,1}$ and achieve a noisy version of the requirements in the previous paragraph. For defining these subspaces, we borrow a lemma from [NWZ09], which was originally used for proving an amplification theorem for QMA. Since their lemma is a little complicated to state in a general form, we only explain what is ensured by their lemma in our context. In our context, their lemma ensures that there is an efficient operator Q over $\mathcal{H}_C \times \mathcal{H}_P$ where \mathcal{H}_C is a register for storing a challenge $c \in \{0, 1\}^m$ such that

1. (Eigenvectors span \mathcal{H}_P .) there is a orthonormal basis $\{|\hat{\alpha}_j\rangle\}_j$ of \mathcal{H}_P such that $|0^m\rangle_C |\hat{\alpha}_j\rangle_P$ is an eigenvector of Q with eigenvalue $e^{i\theta_j}$ for some θ_j ,

2. (Eigenvalue corresponds to success probability.) if the fourth message generation algorithm of the cheating prover runs with an internal state $|\hat{\alpha}_j\rangle$, then it passes the test round on i -th coordinate with probability $p_j := \cos^2(\theta_j/2)$ when the challenge c is uniformly chosen from $\{0, 1\}^m$ such that $c_i = 0$, and
3. (Extractable) there is an extraction algorithm that is given a state $|\hat{\alpha}_j\rangle$ and outputs an accepting answer for the test round on i -th coordinate with overwhelming probability in time $\text{poly}(n, p_j^{-1})$.

Given this lemma, our rough idea is to define $S_{i,0}$ (resp. $S_{i,1}$) as a subspace spanned by $|\hat{\alpha}_j\rangle$ such that $p_j \leq \gamma$ (resp. $p_j > \gamma$). Then, it is easy to see that $S_{i,0}$ and $S_{i,1}$ satisfy the requirements 1 and 2 (i.e., $S_{i,0}$ “does not know” an answer and $S_{i,1}$ “knows” an answer). However, we do not know how to efficiently perform a projection onto $S_{i,0}$ or $S_{i,1}$ since there is no known efficient algorithm for phase estimation without an approximation error. On the other hand, we can efficiently approximate a phase with an approximation error $1/\text{poly}(n)$ [NWZ09]. Then, our next idea is to introduce an inverse polynomial gap between thresholds for $S_{i,0}$ and $S_{i,1}$, i.e., we define $S_{i,0}$ (resp. $S_{i,1}$) as a subspace spanned by $|\hat{\alpha}_j\rangle$ such that $p_j \leq \gamma$ (resp. $p_j \geq \gamma + 1/\text{poly}(n)$). Then, we can efficiently perform a projection to $S_{i,0}$ or $S_{i,1}$ by using the phase estimation algorithm with an approximation error $1/\text{poly}(n)$ if the original state does not have a “grey area”, which is a space spanned by $|\hat{\alpha}_j\rangle$ such that $p_j \in (\gamma, \gamma + 1/\text{poly}(n))$. However, it may be the case that the original state is dominated by the grey area. To resolve this issue, we randomly set the threshold γ from T possible choices so that we can upper bound the expected norm of the grey area component by $O(1/T)$. In the main body, we formalize this “noisy” version of the decomposition and show that this suffices for proving the soundness of parallel repetition version of Mahadev’s protocol.

Remark 1. *We remark that parallel repetition of Mahadev’s protocol is also analyzed in a concurrent work of Alagic et al. [ACGH20], who gave an elegant analysis. Their analysis starts from the same observation (Lemma 1.1) but is interestingly different from ours (see Section 1.3 for further discussion). An advantage of our analysis is that it is more constructive. Namely, we show that the (“noisy” version of) projection to $S_{i,0}$ and $S_{i,1}$ can be constructed efficiently. This is a useful feature that has found application in the work of [CLLW20], who constructed CVQC protocols for quantum sampling problems. They used the technique developed here to analyze parallel repetition of their protocol (while the analysis of [ACGH20] does not seem to generalize).*

Two-round protocol via Fiat-Shamir transform. Here, we explain how to convert the parallel repetition version of Mahadev’s protocol to a two-round protocol in the QROM. First, we observe that the third message of the Mahadev’s protocol is public-coin, and thus the parallel repetition version also satisfies this property. Then by using the Fiat-Shamir transform [FS87], we can replace the third message with hash value of the transcript up to the second round. Though the Fiat-Shamir transform was originally proven sound only in the classical ROM, recent works [LZ19, DFMS19] showed that it is also sound in the QROM. This enables us to apply the Fiat-Shamir transform to the parallel repetition version of Mahadev’s protocol to obtain a two-round protocol in the QROM.

Making verification efficient. Finally, we explain how to make the verification efficient. Our idea is to delegate the verification procedure itself to the prover by using delegation algorithm for classical computation. Since the verification is classical, this seems to work at first glance. However, there are the following two problems:

1. There is not a succinct description of the verification procedure since the verification procedure is specified by the whole transcript whose size is $\text{poly}(T)$ when verifying a language in $\text{QTIME}(T)$. Then the verifier cannot specify the verification procedure to delegate within time $O(\log(T))$.
2. Since the CVQC protocol is not publicly verifiable (i.e., verification requires a secret information that is not given to the prover), the prover cannot know the description of the verification procedure, which is supposed to be delegated to the prover.

We solve the first problem by using a succinct randomized encoding, which enables one to generate a succinct encoding of a Turing machine M and an input x so that the encoding only reveals the information about $M(x)$ and not M or x . Then our idea is that instead of sending the original first message, the verifier just sends a succinct encoding of (V_1, s) where V_1 denotes the Turing machine that takes s as input and works as the first-message-generation algorithm of the CVQC protocol with randomness $PRG(s)$ where PRG is a pseudorandom number generator. This enables us to make the transcript of the protocol succinct (i.e., the description size is logarithmic in T) so that the verifier can specify the verification procedure succinctly. To be more precise, we have to use a strong output-compressing randomized encoding [BFK⁺19], where the encoding size is independent of the output length of the Turing machine. They construct a strong output-compressing randomized encoding based on iO and other mild assumptions in the common reference string. Therefore our CVQC protocol also needs the common reference string.

We solve the second problem by using FHE. Namely, the verifier sends an encryption of the trapdoor td by FHE, and the prover performs the verification procedure over the ciphertext and provides a proof that it honestly applied the homomorphic evaluation by SNARK. Then the verifier decrypts the resulting FHE ciphertext and accepts if the decryption result is “accept” and the SNARK proof is valid.

In the following, we describe (a simplified version of) our construction. Suppose that we have a 2-round CVQC that works as follows:

First message: Given an instance x , the verifier generates a pair (k, td) of a “key” and “trapdoor”, sends k to P , and keeps td as its internal state.

Second message: Given x and k , the prover generates a response e and sends it to the verifier.

Verification: Given x, k, td, e , the verifier returns \top indicating acceptance or \perp indicating rejection.

Then we construct a CVQC protocol with efficient verification as follows.

Setup: It generates a CRS for a strong output-compressing randomized encoding.

First Message: Given a CRS and an instance x , the verifier picks a seed s for PRG and a public and secret keys $(\text{pk}_{\text{fhe}}, \text{sk}_{\text{fhe}})$ of FHE, computes $\text{ct} \stackrel{s}{\leftarrow} \text{FHE.Enc}(\text{pk}_{\text{fhe}}, s)$ and generates a succinct encoding \widehat{M}_{inp} of $M(s)$ where M is a classical Turing machine that works as follows:

$M(s)$: Given a seed s for PRG, it generates (k, td) as in the building block CVQC protocol by using a randomness $PRG(s)$ and outputs k .

Then the verifier sends $(\widehat{M}_{\text{inp}}, \text{pk}_{\text{fhe}}, \text{ct})$ to the prover and keeps sk_{fhe} as its internal state.

Second Message: The prover obtains k by decoding \widehat{M}_{inp} , computes e as in the building block CVQC protocol, and homomorphically evaluates a classical circuit $C[x, e]$ on ct to generate ct' where $C[x, e]$ is a circuit that works as follows:

$C[x, e](s)$: Given a seed s for PRG, it generates (k, td) as in the building block CVQC protocol by using a randomness $PRG(s)$ and returns 1 if and only if e is an accepting answer in the building block CVQC w.r.t. x and (k, td) .

Then the prover generates a SNARK proof π_{snark} that proves that there exists e' such that ct' is a result of a homomorphic evaluation of the circuit $C[x, e]$ on ct . Then it sends $(\text{ct}', \pi_{\text{snark}})$ to the verifier

Verification: The verifier accepts if the decryption result of ct' is 1 and π_{snark} passes the verification of SNARK.

Intuitively, the soundness of the above protocol can be proven by considering the following hybrids. In the first hybrid, the verifier extracts the witness e' from π_{snark} by using the extractability of SNARK and runs the original verification of the building block CVQC on the second message e' instead of checking if the decryption result of ct' is 1. This decreases the cheating prover's success probability by a factor of $\text{poly}(n)$ since the extraction succeeds with probability $1/\text{poly}(n)$ and if the extraction succeeds, the verifier's output should be the same. In the next hybrid, we change ct to an encryption of $0^{|s|}$ instead of s . Since the verifier no longer uses sk_{fhe} , this hybrid is indistinguishable from the previous one by the CPA security of FHE. In the next hybrid, we generate \widehat{M}_{inp} by a simulation algorithm of the strong output-compressing randomized encoding from $M(s) = k$. This hybrid is indistinguishable from the previous one by the security of the strong output-compressing randomized encoding. In the next hybrid, we replace k that is used as an input of the simulation algorithm of the strong output-compressing randomized encoding with a one generated with a true randomness instead of $PRG(s)$. This hybrid is indistinguishable from the previous one by the security of PRG noting that s is no longer used for generating ct . In this final hybrid, a cheating prover is essentially only given k and has no information about td , and it wins if and only if the extraction algorithm of SNARK extracts an accepting second message e' of the building block CVQC. Thus, the winning probability in the final hybrid is negligible due to the soundness of the building block CVQC. Therefore the above efficient verification version is also sound.

Though the above proof sketch can be made rigorous if we assume adaptive extractability for SNARK, we want to instantiate SNARK in the QROM [CMS19], which is only proven to have non-adaptive extractability. Specifically, it only ensures the extractability in the setting where the statement is chosen before making any query to the random oracle. To deal with this issue, we first expand the protocol to the four-round protocol where the verifier randomly sends a “salt” z , which is a random string of a certain length, in the third round and the prover uses the “salted” random oracle $H(z, \cdot)$ for generating the SNARK proof. Since the statement to be proven by SNARK is determined up to the second round, and the salting essentially makes the random oracle “fresh”, we can argue the soundness of the CVQC protocol even with the non-adaptive extractability of the SNARK. At this point, we obtain four-round CVQC protocol with efficient verification. Here, we observe that the third message is just a salt z , which is public-coin. Therefore we can just apply the Fiat-Shamir transform again to make the protocol two-round.

1.3 Related Works

Verification of Quantum Computation. There is a long line of researches on verification of quantum computation. Except for solutions relying on computational assumptions, there are two type of settings where verification of quantum computation is known to be possible. In the first setting, instead of considering purely classical verifier, we assume that a verifier can perform a certain kind of weak quantum computations [BFK09, FK17, ABOEM17, MF18]. In the second setting, we assume that a prover is splitted into two remote servers that share entanglement but do not communicate [RUV13]. Though these works do not give a CVQC protocol in our sense, the advantage is that we need not assume any computational assumption for the proof of soundness, and thus they are incomparable to Mahadev’s result and ours.

Subsequent to Mahadev’s breakthrough result, Gheorghiu and Vidick [GV19] gave a CVQC protocol that also satisfies blindness, which ensures that a prover cannot learn what computation is delegated. We note that their protocol requires polynomial number of rounds.

Post-Quantum Indistinguishability Obfuscation. There are several candidates of post-quantum indistinguishability obfuscation [Agr19, AP20, BDGM20, WW20, GP20]. Especially, the recent works by Brakerski et al. [BDGM20] and Gay and Pass [GP20] gave constructions of indistinguishability obfuscation based on the LWE assumption and a certain type of circular security of LWE-based encryption schemes against subexponential time adversaries.

Concurrent Work. In a concurrent and independent work, Alagic et al. [ACGH20] also shows similar results to our first and second results, parallel repetition theorem for the Mahadev’s protocol and a two-round CVQC protocol by the Fiat-Shamir transform. We note that our third result, a two-round CVQC protocol with efficient verification, is unique in this paper. On the other hand, they also give a construction of non-interactive zero-knowledge arguments for QMA, which is not given in this paper.

We mention that we have learned the problem of parallel repetition for Mahadev’s protocol from the authors of [ACGH20] on March 2019, but investigated the problem independently later as a stepping stone toward making the verifier efficient. Interestingly, the analyses of parallel repetition in the two works are quite different. Briefly, the analysis in [ACGH20] relies on the observation that for any two different challenges $c_1 \neq c_2 \in \{0, 1\}^m$, the projections of an efficient-generated prover’s state on the accepting subspaces corresponding to c_1 and c_2 are almost orthogonal, which leads to an elegant proof of the parallel repetition theorem.

As mentioned, we additionally show that the projections can be approximated “efficiently” by constructing an efficient quantum procedure (Lemma 3.4). This is the main technical step in our proof, where we combine several tools such as Jordan’s lemma, phase estimation, and random thresholding to construct the efficient projector. We then use this efficient projector iteratively to bound the success probability of the prover. Our construction of the efficient projection has found applications in a related context in [CLLW20].

2 Preliminaries

Notations. For a bit $b \in \{0, 1\}$, \bar{b} denotes $1 - b$. For a finite set \mathcal{X} , $x \stackrel{\$}{\leftarrow} \mathcal{X}$ means that x is uniformly chosen from \mathcal{X} . For finite sets \mathcal{X} and \mathcal{Y} , $\text{Func}(\mathcal{X}, \mathcal{Y})$ denotes the set of all functions with domain \mathcal{X} and range \mathcal{Y} . A function $f : \mathbb{N} \rightarrow [0, 1]$ is said to be negligible if for all polynomial p and sufficiently large $n \in \mathbb{N}$, we have $f(n) < 1/p(n)$, said to be overwhelming if $1 - f$ is negligible, and said to be noticeable if there is a polynomial p such that $f(n) \geq 1/p(n)$ for all sufficiently large n .

We denote by **poly** an unspecified polynomial and by **negl** an unspecified negligible function. We say that a classical (resp. quantum) algorithm is efficient if it runs in probabilistic polynomial-time (resp. quantum polynomial time). For a quantum or randomized algorithm \mathcal{A} , $y \stackrel{s}{\leftarrow} \mathcal{A}(x)$ means that \mathcal{A} is run on input x and outputs y and $y := \mathcal{A}(x; r)$ means that \mathcal{A} is run on input x and randomness r and outputs y . For an interactive protocol between a “prover” P and “verifier” V , $y \stackrel{s}{\leftarrow} \langle P(x_P), V(x_V) \rangle(x)$ means an interaction between them with prover’s private input x_P verifier’s private input x_V , and common input x outputs y . For a quantum state $|\psi\rangle$, $M_{\mathbf{X}} \circ |\psi\rangle$ means a measurement in the computational basis on the register \mathbf{X} of $|\psi\rangle$. We denote by $\text{QTIME}(T)$ a class of languages decided by a quantum algorithm whose running time is at most T . We use n to denote the security parameter throughout the paper.

2.1 Learning with Error Problem

Roughly speaking, the learning with error (LWE) is a problem to solve system of noisy linear equations. Regev [Reg09] proved that the hardness of LWE can be reduced to hardness of certain worst-case lattice problems via quantum reductions. We do not give a definition of LWE in this paper since we use the hardness of LWE only for ensuring the soundness of the Mahadev’s protocol (Lemma 3.1), which is used as a black-box manner in the rest of the paper. Therefore, we use exactly the same assumption as that used in [Mah18], to which we refer for detailed definitions and parameter settings for LWE.

2.2 Quantum Random Oracle Model

The quantum random oracle model (QROM) [BDF⁺11] is an idealized model where a real-world hash function is modeled as a quantum oracle that computes a random function. More precisely, in the QROM, a random function $H : \mathcal{X} \rightarrow \mathcal{Y}$ of a certain domain \mathcal{X} and range \mathcal{Y} is uniformly chosen from $\text{Func}(\mathcal{X}, \mathcal{Y})$ at the beginning, and every party (including an adversary) can access to a quantum oracle O_H that maps $|x\rangle|y\rangle$ to $|x\rangle|y \oplus H(x)\rangle$. We often abuse notation to denote \mathcal{A}^H to mean a quantum algorithm \mathcal{A} is given oracle O_H .

2.3 Cryptographic Primitives

Here, we give definitions of cryptographic primitives that are used in this paper. We note that they are only used in Sec 5 where we construct an efficient verifier variant.

2.3.1 Pseudorandom Generator

A post-quantum pseudorandom generator (PRG) is an efficient deterministic classical algorithm $\text{PRG} : \{0, 1\}^\ell \rightarrow \{0, 1\}^m$ such that for any efficient quantum algorithm \mathcal{A} , we have

$$\left| \Pr_{s \stackrel{s}{\leftarrow} \{0, 1\}^\ell} [\mathcal{A}(\text{PRG}(s))] - \Pr_{y \stackrel{s}{\leftarrow} \{0, 1\}^m} [\mathcal{A}(y)] \right| \leq \text{negl}(n).$$

It is known that there exists a post-quantum PRG for any $\ell = \Omega(n)$ and $m = \text{poly}(n)$ assuming post-quantum one-way function [HILL99, Zha12]. Especially, a post-quantum PRG exists assuming the quantum hardness of LWE.

2.3.2 Fully Homomorphic Encryption

A post-quantum fully homomorphic encryption consists of four efficient classical algorithm $\Pi_{\text{FHE}} = (\text{FHE.KeyGen}, \text{FHE.Enc}, \text{FHE.Eval}, \text{FHE.Dec})$.

$\text{FHE.KeyGen}(1^n)$: The key generation algorithm takes the security parameter 1^n as input and outputs a public key pk and a secret key sk .

$\text{FHE.Enc}(\text{pk}, m)$: The encryption algorithm takes a public key pk and a message m as input, and outputs a ciphertext ct .

$\text{FHE.Eval}(\text{pk}, C, \text{ct})$: The evaluation algorithm takes a public key pk , a classical circuit C , and a ciphertext ct , and outputs a evaluated ciphertext ct' .

$\text{FHE.Dec}(\text{sk}, \text{ct})$: The decryption algorithm takes secret key sk and a ciphertext ct as input and outputs a message m or \perp .

Correctness. For all $n \in \mathbb{N}$, $(\text{pk}, \text{sk}) \xleftarrow{\$} \text{FHE.KeyGen}(1^n)$, m and C , we have

$$\Pr[\text{FHE.Dec}(\text{sk}, \text{FHE.Enc}(\text{pk}, m)) = m] = 1$$

and

$$\Pr[\text{FHE.Dec}(\text{sk}, \text{FHE.Eval}(\text{pk}, C, \text{FHE.Enc}(\text{pk}, m))) = C(m)] = 1.$$

Post-Quantum CPA-Security. For any efficient quantum adversary $\mathcal{A} = (\mathcal{A}_1, \mathcal{A}_2)$, we have

$$\begin{aligned} & |\Pr[1 \xleftarrow{\$} \mathcal{A}_2(|\text{st}_{\mathcal{A}}\rangle, \text{ct}) : (\text{pk}, \text{sk}) \xleftarrow{\$} \text{FHE.KeyGen}(1^n), (m_0, m_1, |\text{st}_{\mathcal{A}}\rangle) \xleftarrow{\$} \mathcal{A}_1(\text{pk}), \text{ct} \xleftarrow{\$} \text{FHE.Enc}(\text{pk}, m_0)] \\ & - \Pr[1 \xleftarrow{\$} \mathcal{A}_2(|\text{st}_{\mathcal{A}}\rangle, \text{ct}) : (\text{pk}, \text{sk}) \xleftarrow{\$} \text{FHE.KeyGen}(1^n), (m_0, m_1, |\text{st}_{\mathcal{A}}\rangle) \xleftarrow{\$} \mathcal{A}_1(\text{pk}), \text{ct} \xleftarrow{\$} \text{FHE.Enc}(\text{pk}, m_1)]| \\ & \leq \text{negl}(n). \end{aligned}$$

FHE is usually constructed by first constructing *leveled* FHE, where we have to upper bound the depth of a circuit to evaluate at the setup, and then converting it to FHE by the technique called bootstrapping [Gen09]. There have been many constructions of leveled FHE whose (post-quantum) security can be reduced to the (quantum) hardness of LWE [BV11, BGV12, Bra12, GSW13]. FHE can be obtained assuming that any of these schemes is *circular secure* [CL01] so that it can be upgraded into FHE via bootstrapping. We note that Canetti et al. [CLTV15] gave an alternative transformation from leveled FHE to FHE based on subexponentially secure iO.

2.3.3 Strong Output-Compressing Randomized Encoding

A strong output-compressing randomized encoding [BFK⁺19] consists of three efficient classical algorithms (RE.Setup, RE.Enc, RE.Dec).

$\text{RE.Setup}(1^n, 1^\ell, \text{crs})$: It takes the security parameter 1^n , output-bound ℓ , and a common reference string $\text{crs} \in \{0, 1\}^\ell$ and outputs a encoding key ek .

$\text{RE.Enc}(\text{ek}, M, \text{inp}, T)$: It takes an encoding key ek , Turing machine M , an input $\text{inp} \in \{0, 1\}^*$, and a time-bound $T \leq 2^n$ (in binary) as input and outputs an encoding \widehat{M}_{inp} .

$\text{RE.Dec}(\text{crs}, \widehat{M}_{\text{inp}})$: It takes a common reference string crs and an encoding \widehat{M}_{inp} as input and outputs $\text{out} \in \{0, 1\}^* \cup \{\perp\}$.

Correctness. For any $n \in \mathbb{N}$, $\ell, T \in \mathbb{N}$, $\text{crs} \in \{0, 1\}^\ell$, Turing machine M and input $\text{inp} \in \{0, 1\}^*$ such that $M(\text{inp})$ halts in at most T steps and returns a string whose length is at most ℓ , we have

$$\Pr \left[\text{RE.Dec}(\widehat{M}_{\text{inp}}, \text{crs}) = M(\text{inp}) : \text{ek} \stackrel{\$}{\leftarrow} \text{RE.Setup}(1^n, 1^\ell, \text{crs}), \widehat{M}_{\text{inp}} \stackrel{\$}{\leftarrow} \text{RE.Enc}(\text{ek}, M, \text{inp}, T) \right] = 1.$$

Efficiency. There exists polynomials p_1, p_2, p_3 such that for all $n \in \mathbb{N}$, $\ell \in \mathbb{N}$, $\text{crs} \stackrel{\$}{\leftarrow} \{0, 1\}^\ell$:

- If $\text{ek} \stackrel{\$}{\leftarrow} \text{RE.Setup}(1^n, 1^\ell, \text{crs})$, $|\text{ek}| \leq p_1(n, \log \ell)$.
- For every Turing machine M , time bound T , input $\text{inp} \in \{0, 1\}^*$, if $\widehat{M}_{\text{inp}} \stackrel{\$}{\leftarrow} \text{RE.Enc}(\text{ek}, M, \text{inp}, T)$, then $|\widehat{M}_{\text{inp}}| \leq p_2(|M|, |\text{inp}|, \log T, \log \ell, n)$,
- The running time of $\text{RE.Dec}(\text{crs}, \widehat{M}_{\text{inp}})$ is at most $\min(T, \text{Time}(M, x)) \cdot p_3(n, \log T)$

Post-Quantum Security. There exists a simulator \mathcal{S} such that for any M and inp such that $M(\text{inp})$ halts in $T^* \leq T$ steps and $|M(\text{inp})| \leq \ell$ and efficient quantum adversary \mathcal{A} ,

$$\begin{aligned} & \left| \Pr[1 \stackrel{\$}{\leftarrow} \mathcal{A}(\text{crs}, \text{ek}, \widehat{M}_{\text{inp}}) : \text{crs} \stackrel{\$}{\leftarrow} \{0, 1\}^\ell, \text{ek} \stackrel{\$}{\leftarrow} \text{RE.Setup}(1^n, 1^\ell, \text{crs}), \widehat{M}_{\text{inp}} \stackrel{\$}{\leftarrow} \text{RE.Enc}(\text{ek}, M, \text{inp}, T)] \right. \\ & \left. - \Pr[1 \stackrel{\$}{\leftarrow} \mathcal{A}(\text{crs}, \text{ek}, \widehat{M}_{\text{inp}}) : (\text{crs}, \widehat{M}_{\text{inp}}) \stackrel{\$}{\leftarrow} \mathcal{S}(1^n, 1^{|\text{inp}|}, 1^{|\text{inp}|}, M(\text{inp}), T^*), \text{ek} \stackrel{\$}{\leftarrow} \text{RE.Setup}(1^n, 1^\ell, \text{crs})] \right| \leq \text{negl}(n). \end{aligned}$$

Badrinarayanan et al. [BFK⁺19] gave a construction of strong output-compressing randomized encoding based on iO and the LWE assumption.

2.3.4 SNARK in the QROM

Let $H : \{0, 1\}^{2n} \rightarrow \{0, 1\}^n$ be a quantum random oracle. A SNARK for an NP language L associated with a relation \mathcal{R} in the QROM consists of two efficient oracle-aided classical algorithms P_{snark}^H and V_{snark}^H .

P_{snark}^H : It is an instance x and a witness w as input and outputs a proof π .

V_{snark}^H : It is an instance x and a proof π as input and outputs \top indicating acceptance or \perp indicating rejection.

We require SNARK to satisfy the following properties:

Completeness. For any $(x, w) \in \mathcal{R}$, we have

$$\Pr_H[V_{\text{snark}}^H(x, \pi) = \top : \pi \stackrel{\$}{\leftarrow} P_{\text{snark}}^H(x, w)] = 1.$$

Extractability. There exists an efficient quantum extractor Ext such that for any x and a malicious quantum prover $\tilde{P}_{\text{snark}}^H$ making at most $q = \text{poly}(n)$ queries, if

$$\Pr_H[V_{\text{snark}}^H(x, \pi) : \pi \stackrel{\$}{\leftarrow} \tilde{P}_{\text{snark}}^H(x)]$$

is non-negligible in n , then

$$\Pr_H[(x, w) \in \mathcal{R} : w \stackrel{\$}{\leftarrow} \text{Ext}^{\tilde{P}_{\text{snark}}^H}(x, 1^q, 1^n)]$$

is non-negligible in n .

Efficient Verification. If we can verify that $(x, w) \in \mathcal{R}$ in classical time T , then for any $\pi \stackrel{\$}{\leftarrow} \tilde{P}_{\text{snark}}^H(x)$, $V_{\text{snark}}^H(x, \pi)$ runs in classical time $\text{poly}(n, |x|, \log T)$.

Chiesa et al. [CMS19] showed that there exists SNARK in the QROM that satisfies the above properties.

2.4 Lemma

Here, we give a simple lemma, which is used in the proof of soundness of parallel repetition version of the Mahadev’s protocol in Sec. 3.3.

Lemma 2.1. *Let $|\psi\rangle = \sum_{i=1}^m |\psi_i\rangle$ be a quantum state and M be a projective measurement. Then we have*

$$\Pr[M \circ |\psi\rangle = 1] \leq m \sum_{i=1}^m \|\psi_i\|^2 \Pr\left[M \circ \frac{|\psi_i\rangle}{\|\psi_i\|} = 1\right]$$

Proof. Since M is a projective measurement, there exists a projection Π such that

$$\Pr[M \circ |\psi\rangle = 1] = \langle \psi | \Pi | \psi \rangle.$$

Then we have

$$\begin{aligned} \langle \psi | \Pi | \psi \rangle &= \left\| \sum_{i=1}^m \Pi |\psi_i\rangle \right\|^2 \\ &\leq m \sum_{i=1}^m \|\Pi |\psi_i\rangle\|^2 \\ &= m \sum_{i=1}^m \langle \psi_i | \Pi | \psi_i \rangle \\ &= m \sum_{i=1}^m \|\psi_i\|^2 \Pr\left[M \circ \frac{|\psi_i\rangle}{\|\psi_i\|} = 1\right] \end{aligned}$$

where we used the Cauchy-Schwarz inequality from the second to third lines. □

3 Parallel Repetition of Mahadev’s Protocol

3.1 Overview of Mahadev’s Protocol

Here, we recall Mahadev’s protocol [Mah18]. We only give a high-level description of the protocol and properties of it and omit the details since they are not needed to show our result.

The protocol is run between a quantum prover P and a classical verifier V on a common input x . The aim of the protocol is to enable a verifier to classically verify $x \in L$ for a BQP language L with the help of interactions with a quantum prover. The protocol is a 4-round protocol where the first message is sent from V to P . We denote the i -th message generation algorithm by V_i for $i \in \{1, 3\}$ or P_i for $i \in \{2, 4\}$ and denote the verifier’s final decision algorithm by V_{out} . Then a high-level description of the protocol is given below.

V_1 : On input the security parameter 1^n and x , it generates a pair (k, td) of a “key” and “trapdoor”, sends k to P , and keeps td as its internal state.

P_2 : On input x and k , it generates a classical “commitment” y along with a quantum state $|\text{st}_P\rangle$, sends y to P , and keeps $|\text{st}_P\rangle$ as its internal state.

V_3 : It randomly picks a “challenge” $c \xleftarrow{\$} \{0, 1\}$ and sends c to P .⁴ Following the terminology in [Mah18], we call the case of $c = 0$ the “test round” and the case of $c = 1$ the “Hadamard round”.

⁴The third message is just a public-coin, and does not depend on the transcript so far or x .

P_4 : On input $|\text{st}_P\rangle$ and c , it generates a classical “answer” a and sends a to P .

V_{out} : On input k, td, y, c , and a , it returns \top indicating acceptance or \perp indicating rejection. In case $c = 0$, the verification can be done publicly, that is, V_{out} need not take td as input.

For the protocol, we have the following properties:

Completeness: For all $x \in L$, we have $\Pr[\langle P, V \rangle(x) = \perp] = \text{negl}(n)$.

Soundness: If the LWE problem is hard for quantum polynomial-time algorithms, then for any $x \notin L$ and a quantum polynomial-time cheating prover P^* , we have $\Pr[\langle P^*, V \rangle(x) = \perp] \leq 3/4$.

We need a slightly different form of soundness implicitly shown in [Mah18], which roughly says that if a cheating prover can pass the “test round” (i.e., the case of $c = 0$) with probability close to 1, then it can pass the “Hadamard round” (i.e., the case of $c = 1$) only with a probability close to 0.

Lemma 3.1 (implicit in [Mah18]). *If the LWE problem is hard for quantum polynomial-time algorithms, then for any $x \notin L$ and a quantum polynomial-time cheating prover P^* such that $\Pr[\langle P^*, V \rangle(x) = \perp \mid c = 0] \leq \epsilon$, we have $\Pr[\langle P^*, V \rangle(x) = \top \mid c = 1] \leq \sqrt{\epsilon} + \text{negl}(n)$.*

We will also use the following simple fact:

Fact 1. *There exists an efficient prover that passes the test round with probability 1 (but passes the Hadamard round with probability 0) even if $x \notin L$.*

3.2 Parallel Repetition

Here, we prove that the parallel repetition of Mahadev’s protocol decrease the soundness bound to be negligible. Let P^m and V^m be m -parallel repetitions of the honest prover P and verifier V in Mahadev’s protocol. Then we have the following:

Theorem 3.2 (Completeness). *For all $m = \Omega(\log^2(n))$, for all $x \in L$, we have $\Pr[\langle P^m, V^m \rangle(x) = \perp] = \text{negl}(n)$.*

Theorem 3.3 (Soundness). *For all $m = \Omega(\log^2(n))$, if the LWE problem is hard for quantum polynomial-time algorithms, then for any $x \notin L$ and a quantum polynomial-time cheating prover P^* , we have $\Pr[\langle P^*, V^m \rangle(x) = \top] \leq \text{negl}(n)$.*

The completeness (Theorem 3.2) easily follows from the completeness of Mahadev’s protocol. In the next subsection, we prove the soundness (Theorem 3.3).

3.3 Proof of Soundness

First, we remark that it suffices to show that for any $\mu = 1/\text{poly}(n)$, there exists $m = O(\log(n))$ such that the success probability of the cheating prover is at most μ . This is because we are considering $\omega(\log(n))$ -parallel repetition, in which case the number of repetitions is larger than any $m = O(\log(n))$ for sufficiently large n , and thus we can just focus on the first m coordinates ignoring the rest of the coordinates. Thus, we prove the above claim in this section.

Characterization of cheating prover. Any cheating prover can be characterized by a tuple (U_0, U) of unitaries over Hilbert space $\mathcal{H}_C \otimes \mathcal{H}_X \otimes \mathcal{H}_Z \otimes \mathcal{H}_Y \otimes \mathcal{H}_K$.⁵ A prover characterized by (U_0, U) works as follows.⁶

⁵ $\mathcal{H}_X \otimes \mathcal{H}_Z$ corresponds to \mathcal{H}_P in Section 1.2.

⁶Here, we hardwire into the cheating prover the instance $x \notin L$ on which it will cheat instead of giving it as an input.

Second Message: Upon receiving $k = (k_1, \dots, k_m)$, it applies U_0 to the state $|0\rangle_{\mathbf{X}} \otimes |0\rangle_{\mathbf{Z}} \otimes |0\rangle_{\mathbf{Y}} \otimes |k\rangle_{\mathbf{K}}$, and then measures the Y register to obtain $y = (y_1, \dots, y_m)$. Then it sends \mathbf{y} to V and keeps the resulting state $|\psi(k, y)\rangle_{\mathbf{X}, \mathbf{Z}}$ over $\mathcal{H}_{\mathbf{X}, \mathbf{Z}}$.

Fourth Message: Upon receiving $c \in \{0, 1\}^m$, it applies U to $|c\rangle_{\mathbf{C}} |\psi(k, y)\rangle_{\mathbf{X}, \mathbf{Z}}$ and then measures the \mathbf{X} register in computational basis to obtain $a = (a_1, \dots, a_m)$. We denote the designated register for a_i by \mathbf{X}_i .

For each $i \in [m]$, we denote by Acc_{k_i, y_i} the set of a_i such that the verifier accepts a_i in the test round on the i -th coordinate when the first and second messages are k_i and y_i , respectively. Note that one can efficiently check if $a_i \in \text{Acc}_{k_i, y_i}$ without knowing the trapdoor behind k_i since verification in the test round can be done publicly as explained in Sec. 3.1.

We first give ideas about Lemma 3.4 that is the main lemma for this section. For each coordinate $i \in [m]$, we would like to decompose the space $\mathcal{H}_{\mathbf{X}, \mathbf{Z}}$ into a subspace $S_{i,0}$ that “does not know” $a_i \in \text{Acc}_{k_i, y_i}$ and a subspace $S_{i,1}$ that “knows” $a_i \in \text{Acc}_{k_i, y_i}$. Ideally, we want to prove the following statement: For any $i \in [m]$ and $|\psi\rangle \in \mathcal{H}_{\mathbf{X}, \mathbf{Z}}$, if we decompose it as

$$|\psi\rangle = |\psi_0\rangle + |\psi_1\rangle$$

where $|\psi_0\rangle \in S_{i,0}$ and $|\psi_1\rangle \in S_{i,1}$, then we have the followings:⁷

1. ($|\psi_0\rangle$ “does not know” $a_i \in \text{Acc}_{k_i, y_i}$.) If we apply U to $|c\rangle_{\mathbf{C}} |\psi_0\rangle_{\mathbf{X}, \mathbf{Z}}$ for $c \stackrel{\$}{\leftarrow} \{0, 1\}^m$ such that $c_i = 0$ and measures the \mathbf{X}_i register in computational basis to obtain a_i , then $a_i \in \text{Acc}_{k_i, y_i}$ with “small” probability.⁸
2. ($|\psi_1\rangle$ “knows” $a_i \in \text{Acc}_{k_i, y_i}$.) There is an efficient algorithm that is given $|\psi_1\rangle$ as input and outputs $a_i \in \text{Acc}_{k_i, y_i}$ with overwhelming probability.
3. (**Efficient projection.**) A measurement described by $\{\Pi_{S_{i,0}}, \Pi_{S_{i,1}}\}$ can be performed efficiently where $\Pi_{S_{i,0}}$ and $\Pi_{S_{i,1}}$ denote projections to $S_{i,0}$ and $S_{i,1}$, respectively.

If this is true, then the rest of the proof would be easy following the outline described in Section 1.2. However, we do not know how to prove it in the above clean form. Therefore we prove a noisy version of the above claim where

1. the way of decomposition is randomized,
2. there is an error term, i.e., we decompose $|\psi\rangle$ as

$$|\psi\rangle = |\psi_0\rangle + |\psi_1\rangle + |\psi_{err}\rangle$$

by using a state $|\psi_{err}\rangle$ whose norm is “small” on average, and

3. we have $\| |\psi_0\rangle \|^2 + \| |\psi_1\rangle \|^2 \leq \| |\psi\rangle \|^2$. We note that this condition automatically follows if $|\psi_0\rangle$ and $|\psi_1\rangle$ are orthogonal as in the above clean version, but they may not be orthogonal in our case.

Specifically, our lemma is stated as follows:

⁷ $|\psi_0\rangle$ and $|\psi_1\rangle$ correspond to $|\psi_{i,0}\rangle$ and $|\psi_{i,1}\rangle$ in Section 1.2, respectively.

⁸The threshold for “small” can be set to be any noticeable function.

Lemma 3.4. *Let (U_0, U) be any prover's strategy. Let $m = O(\log n)$, $i \in [m]$, $\gamma_0 \in [0, 1]$, and $T \in \mathbb{N}$ such that $\frac{\gamma_0}{T} = 1/\text{poly}(n)$. Let γ be sampled uniformly randomly from $[\frac{\gamma_0}{T}, \frac{2\gamma_0}{T}, \dots, \frac{T\gamma_0}{T}]$. Then, there exists an efficient quantum procedure $G_{i,\gamma}$ such that for any (possibly sub-normalized) quantum state $|\psi\rangle_{\mathbf{X},\mathbf{Z}}$,*

$$G_{i,\gamma} |0^m\rangle_{\mathbf{C}} |\psi\rangle_{\mathbf{X},\mathbf{Z}} |0^t\rangle_{ph} |0\rangle_{th} |0\rangle_{in} = z_0 |0^m\rangle_{\mathbf{C}} |\psi_0\rangle_{\mathbf{X},\mathbf{Z}} |0^t 01\rangle_{ph,th,in} + z_1 |0^m\rangle_{\mathbf{C}} |\psi_1\rangle_{\mathbf{X},\mathbf{Z}} |0^t 11\rangle_{ph,th,in} + |\psi'_{err}\rangle$$

where t is the number of qubits in the register ph , $z_0, z_1 \in \mathbb{C}$ such that $|z_0| = |z_1| = 1$, and $z_0, z_1, |\psi_0\rangle_{\mathbf{X},\mathbf{Z}}$, $|\psi_1\rangle_{\mathbf{X},\mathbf{Z}}$, and $|\psi'_{err}\rangle$ may depend on γ .

Furthermore, the following properties are satisfied.

1. (**Error is Small.**) *If we define $|\psi_{err}\rangle_{\mathbf{X},\mathbf{Z}} := |\psi\rangle_{\mathbf{X},\mathbf{Z}} - |\psi_0\rangle_{\mathbf{X},\mathbf{Z}} - |\psi_1\rangle_{\mathbf{X},\mathbf{Z}}$, then we have $E_\gamma[\| |\psi_{err}\rangle_{\mathbf{X},\mathbf{Z}} \|^2] \leq \frac{6}{T} + \text{negl}(n)$.*
2. (**Efficient projection.**) *For any fixed γ , $\Pr[M_{ph,th,in} \circ |\psi'_{err}\rangle \in \{0^t 01, 0^t 11\}] = 0$. This implies that if we apply the measurement $M_{ph,th,in}$ on $\frac{G_{i,\gamma} |0^m\rangle_{\mathbf{C}} |\psi\rangle_{\mathbf{X},\mathbf{Z}} |0^t\rangle_{ph} |0\rangle_{th} |0\rangle_{in}}{\| |\psi\rangle_{\mathbf{X},\mathbf{Z}} \|}$, then the outcome is $0^t b1$ with probability $\| |\psi_b\rangle_{\mathbf{X},\mathbf{Z}} \|^2$ and the resulting state in the register (\mathbf{X}, \mathbf{Z}) is $\frac{|\psi_b\rangle_{\mathbf{X},\mathbf{Z}}}{\| |\psi_b\rangle_{\mathbf{X},\mathbf{Z}} \|}$ ignoring a global phase factor.*
3. (**Projection halves the squared norm.**) *For any fixed γ , $E_{b \in \{0,1\}}[\| |\psi_b\rangle_{\mathbf{X},\mathbf{Z}} \|^2] \leq \frac{1}{2} \| |\psi\rangle_{\mathbf{X},\mathbf{Z}} \|^2$.*
4. ($|\psi_0\rangle$ “**does not know**” $a_i \in \text{Acc}_{k_i, y_i}$.) *For any fixed γ and $c \in \{0, 1\}^m$ such that $c_i = 0$, we have*

$$\Pr \left[M_{\mathbf{X}_i} \circ U \frac{|c\rangle_{\mathbf{C}} |\psi_0\rangle_{\mathbf{X},\mathbf{Z}}}{\| |\psi_0\rangle_{\mathbf{X},\mathbf{Z}} \|} \in \text{Acc}_{k_i, y_i} \right] \leq 2^{m-1} \gamma + \text{negl}(n).$$

5. ($|\psi_1\rangle$ “**knows**” $a_i \in \text{Acc}_{k_i, y_i}$.) *For any fixed γ and noticeable $\epsilon = \epsilon(n)$, there exists an efficient quantum algorithm $\text{Ext}_{i,\epsilon}$ such that⁹*

$$\Pr \left[\text{Ext}_{i,\epsilon} \left(\frac{|0^m\rangle_{\mathbf{C}} |\psi_1\rangle_{\mathbf{X},\mathbf{Z}}}{\| |\psi_1\rangle_{\mathbf{X},\mathbf{Z}} \|} \right) \in \text{Acc}_{k_i, y_i} \right] = 1 - \epsilon.$$

For proving Lemma 3.4, we prepare a lemma and some notations. First, we introduce a general lemma about two projectors that was shown by Nagaj, Wocjan, and Zhang [NWZ09] by using the Jordan's lemma.¹⁰

Lemma 3.5 ([NWZ09, Appendix A]). *Let Π_0 and Π_1 be projectors on an N -dimensional Hilbert space \mathcal{H} and let $R_0 := 2\Pi_0 - I$, $R_1 := 2\Pi_1 - I$, and $Q := R_1 R_0$. \mathcal{H} can be decomposed into two-dimensional subspaces S_j for $j \in [\ell]$ and $N - 2\ell$ one-dimensional subspaces $T_j^{(bc)}$ for $b, c \in \{0, 1\}$ that satisfies the following properties:*

⁹In the earlier versions of this paper, we claimed that there is a fixed extractor Ext_i that outputs an element of Acc_{k_i, y_i} with probability $1 - \text{negl}(n)$. However, there was a subtle flaw in its proof. (See Footnote 11.) To fix the issue, we allow the extractor to depend on the error parameter ϵ . We remark that this is sufficient for our purpose.

¹⁰This lemma is introduced only for proving Lemma 3.4. Readers who want to know how to use Lemma 3.4 to complete the proof of soundness may directly go to Lemma 3.6.

1. For each two-dimensional subspace S_j , there exist two orthonormal bases $(|\alpha_j\rangle, |\alpha_j^\perp\rangle)$ and $(|\beta_j\rangle, |\beta_j^\perp\rangle)$ of S_j such that $\langle\alpha_j|\beta_j\rangle$ is a positive real and for all $|s\rangle \in S_j$, $\Pi_0|s\rangle = \langle\alpha_j|s\rangle|\alpha_j\rangle$ and $\Pi_1|s\rangle = \langle\beta_j|s\rangle|\beta_j\rangle$. Moreover, Q is a rotation with eigenvalues $e^{\pm i\theta_j}$ in S_j corresponding to eigenvectors $|\phi_j^+\rangle = \frac{1}{\sqrt{2}}(|\alpha_j\rangle + i|\alpha_j^\perp\rangle)$ and $|\phi_j^-\rangle = \frac{1}{\sqrt{2}}(|\alpha_j\rangle - i|\alpha_j^\perp\rangle)$ where $\theta_j = 2 \arccos \langle\alpha_j|\beta_j\rangle = 2 \arccos \sqrt{\langle\alpha_j|\Pi_1|\alpha_j\rangle}$.
2. Each one-dimensional subspace $T_j^{(bc)}$ is spanned by a vector $|\alpha_j^{(bc)}\rangle$ such that $\Pi_0|\alpha_j^{(bc)}\rangle = b|\alpha_j^{(bc)}\rangle$ and $\Pi_1|\alpha_j^{(bc)}\rangle = c|\alpha_j^{(bc)}\rangle$.

For $i \in [m]$, we consider two projectors

$$\begin{aligned}\Pi_{in} &:= |0^m\rangle\langle 0^m|_{\mathbf{C}} \otimes I_{\mathbf{X}, \mathbf{Z}} \\ \Pi_{i,out} &:= (UH_{\mathbf{C}_{-i}})^\dagger \left(\sum_{\alpha_i \in \text{Acc}_{k_i, y_i}} |\alpha_i\rangle\langle \alpha_i|_{\mathbf{X}_i} \otimes I_{\mathbf{C}, \mathbf{X}_{-i}, \mathbf{Z}} \right) (UH_{\mathbf{C}_{-i}}),\end{aligned}$$

where $\mathbf{X}_{-i} := \mathbf{X}_1, \dots, \mathbf{X}_{i-1}, \mathbf{X}_{i+1}, \dots, \mathbf{X}_m$ and $H_{\mathbf{C}_{-i}}$ means applying Hadamard operators to registers $\mathbf{C}_1, \dots, \mathbf{C}_{i-1}, \mathbf{C}_{i+1}, \dots, \mathbf{C}_m$ to produce uniformly random challenges. We apply Lemma 3.5 for $\Pi_0 = \Pi_{in}$ and $\Pi_1 = \Pi_{i,out}$ to decompose the space $\mathcal{H}_{\mathbf{C}, \mathbf{X}, \mathbf{Z}}$ into the two-dimensional subspaces $\{S_j\}_j$ and one-dimensional subspaces $\{T_j^{(bc)}\}_{j,b,c}$. In the following, we use notations defined in Lemma 3.5 for this particular application. We can write $|\alpha_j\rangle_{\mathbf{C}, \mathbf{X}, \mathbf{Z}} = |0\rangle \otimes |\hat{\alpha}_j\rangle_{\mathbf{X}, \mathbf{Z}}$ since $\Pi_{in}|\alpha_j\rangle = \langle\alpha_j|\alpha_j\rangle|\alpha_j\rangle = |\alpha_j\rangle$. Similarly, we can write $|\alpha_j^{(10)}\rangle_{\mathbf{C}, \mathbf{X}, \mathbf{Z}} = |0\rangle \otimes |\hat{\alpha}_j^{(10)}\rangle_{\mathbf{X}, \mathbf{Z}}$ and $|\alpha_j^{(11)}\rangle_{\mathbf{C}, \mathbf{X}, \mathbf{Z}} = |0\rangle \otimes |\hat{\alpha}_j^{(11)}\rangle_{\mathbf{X}, \mathbf{Z}}$. Then $\{|\hat{\alpha}_j\rangle\}_j$ and $\{|\hat{\alpha}_j^{(1c)}\rangle\}_{j,c}$ span $\mathcal{H}_{\mathbf{X}, \mathbf{Z}}$.

A proof of Lemma 3.4 is given below.

Proof of Lemma 3.4. Procedure 1 defines an efficient process $G_{i,\gamma}$, which decomposes $|\psi\rangle_{\mathbf{X}, \mathbf{Z}}$ into $|\psi_0\rangle_{\mathbf{X}, \mathbf{Z}}$, $|\psi_1\rangle_{\mathbf{X}, \mathbf{Z}}$, and $|\psi_{err}\rangle_{\mathbf{X}, \mathbf{Z}}$ described in Lemma 3.4. Here, $G_{i,\gamma} := U_{in}U_{est}^\dagger U_{th}U_{est}$ operates on register \mathbf{C} , \mathbf{X} , \mathbf{Z} , and additional registers ph , th , and in , and we let $\delta := \frac{\gamma_0}{3T}$.

Procedure 1 $G_{i,\gamma}$

1. Do quantum phase estimation U_{est} on $Q = (2\Pi_{in} - I)(2\Pi_{i,out} - I)$ with input state $|0^m\rangle_{\mathbf{C}}|\psi\rangle_{\mathbf{X}, \mathbf{Z}}$ and τ -bit precision and failure probability 2^{-n} where the parameter τ will be specified later, i.e.,

$$U_{est}|u\rangle_{\mathbf{C}, \mathbf{X}, \mathbf{Z}}|0^t\rangle_{ph} \rightarrow \sum_{\theta \in (-\pi, \pi]} \alpha_\theta |u\rangle_{\mathbf{C}, \mathbf{X}, \mathbf{Z}}|\theta\rangle_{ph}.$$

such that $\sum_{\theta \notin \bar{\theta} \pm 2^{-\tau}} |\alpha_\theta|^2 \leq 2^{-n}$ for any eigenvector $|u\rangle_{\mathbf{C}, \mathbf{X}, \mathbf{Z}}$ of Q with eigenvalue $e^{i\bar{\theta}}$.

2. Apply $U_{th} : |u\rangle_{\mathbf{C}, \mathbf{X}, \mathbf{Z}}|\theta\rangle_{ph}|0\rangle_{th} \xrightarrow{U_{th}} |u\rangle_{\mathbf{C}, \mathbf{X}, \mathbf{Z}}|\theta\rangle_{ph}|b\rangle_{th}$, where $b = 1$ if $\cos^2(\theta/2) \geq \gamma - \delta$.
 3. Apply U_{est}^\dagger .
 4. Apply $U_{in} : |c\rangle_{\mathbf{C}}|0\rangle_{in} \xrightarrow{U_{in}} |c\rangle_{\mathbf{C}}|b'\rangle_{in}$, where $b' = 1$ if $c = 0^m$.
-

In the procedure, we choose τ so that for any θ and θ' such that $|\theta' - \theta| \leq 2^{-\tau}$, we have $|\cos^2(\theta'/2) - \cos^2(\theta/2)| \leq \delta/2$. Since we can upper and lower bound $\cos^2(\theta'/2) - \cos^2(\theta/2)$ by

polynomials in $\theta' - \theta$ by considering the Taylor series, we can set $\tau = O(-\log(\delta))$ for satisfying this property. Since phase estimation with τ -bit precision and failure probability 2^{-n} can be done in time $\text{poly}(n, 2^\tau)$ [NWZ09] and $\delta = \frac{\gamma_0}{3T} = 1/\text{poly}(n)$ by the assumption, the procedure runs in time $\text{poly}(n)$.

For each $j \in [\ell]$, we define $p_j := \cos^2(\theta_j/2) = \langle \alpha_j | \Pi_{i,out} | \alpha_j \rangle$. We define the following projections on $\mathcal{H}_{\mathbf{X},\mathbf{Z}}$:

$$\begin{aligned}\Pi_{in,\leq\gamma-2\delta} &:= \sum_{j:p_j\leq\gamma-2\delta} |\hat{\alpha}_j\rangle\langle\hat{\alpha}_j|_{\mathbf{X},\mathbf{Z}} + \sum_j |\hat{\alpha}_j^{(10)}\rangle\langle\hat{\alpha}_j^{(10)}|_{\mathbf{X},\mathbf{Z}}, \\ \Pi_{in,\geq\gamma} &:= \sum_{j:p_j\geq\gamma} |\hat{\alpha}_j\rangle\langle\hat{\alpha}_j|_{\mathbf{X},\mathbf{Z}} + \sum_j |\hat{\alpha}_j^{(11)}\rangle\langle\hat{\alpha}_j^{(11)}|_{\mathbf{X},\mathbf{Z}}, \\ \Pi_{in,mid} &:= \sum_{j:p_j\in(\gamma-2\delta,\gamma)} |\hat{\alpha}_j\rangle\langle\hat{\alpha}_j|_{\mathbf{X},\mathbf{Z}}.\end{aligned}$$

We let $|\psi_{\leq\gamma-2\delta}\rangle_{\mathbf{X},\mathbf{Z}} := \Pi_{in,\leq\gamma-2\delta} |\psi\rangle_{\mathbf{X},\mathbf{Z}}$, $|\psi_{\geq\gamma}\rangle_{\mathbf{X},\mathbf{Z}} := \Pi_{in,\geq\gamma} |\psi\rangle_{\mathbf{X},\mathbf{Z}}$, and $|\psi_{mid}\rangle_{\mathbf{X},\mathbf{Z}} := \Pi_{in,mid} |\psi\rangle_{\mathbf{X},\mathbf{Z}}$. Then we have

$$|\psi\rangle_{\mathbf{X},\mathbf{Z}} = |\psi_{\leq\gamma-2\delta}\rangle_{\mathbf{X},\mathbf{Z}} + |\psi_{\geq\gamma}\rangle_{\mathbf{X},\mathbf{Z}} + |\psi_{mid}\rangle_{\mathbf{X},\mathbf{Z}}. \quad (1)$$

Roughly speaking, $|\psi_{\leq\gamma-2\delta}\rangle_{\mathbf{X},\mathbf{Z}}$, $|\psi_{\geq\gamma}\rangle_{\mathbf{X},\mathbf{Z}}$, and $|\psi_{mid}\rangle_{\mathbf{X},\mathbf{Z}}$ will correspond to $|\psi_0\rangle$, $|\psi_1\rangle$, and $|\psi_{err}\rangle$, respectively, with some error terms as explained in the following.

It is easy to see that $E_\gamma[\| |\psi_{mid}\rangle \|^2] \leq \frac{1}{T}$ since $\Pi_{in,mid}$ with different choice of γ are disjoint. In the following, we analyze how the first two terms of Eq. 1 develops by $G_{i,\gamma}$.

$|\psi_{\leq\gamma-2\delta}\rangle_{\mathbf{X},\mathbf{Z}}$ is a superposition of states $\{|\hat{\alpha}_j\rangle_{\mathbf{X},\mathbf{Z}}\}_{j:p_j\leq\gamma-2\delta}$ and $\{|\hat{\alpha}_j^{(10)}\rangle_{\mathbf{X},\mathbf{Z}}\}_j$. By Lemma 3.5, $|\alpha_j\rangle_{\mathbf{C},\mathbf{X},\mathbf{Z}} = |0^m\rangle_{\mathbf{C}} \otimes |\hat{\alpha}_j\rangle_{\mathbf{X},\mathbf{Z}}$ can be written as $|\alpha_j\rangle_{\mathbf{C},\mathbf{X},\mathbf{Z}} = \frac{1}{\sqrt{2}}(|\phi_j^+\rangle_{\mathbf{C},\mathbf{X},\mathbf{Z}} + |\phi_j^-\rangle_{\mathbf{C},\mathbf{X},\mathbf{Z}})$ where $|\phi_j^\pm\rangle_{\mathbf{C},\mathbf{X},\mathbf{Z}}$ is an eigenvector of Q with eigenvalue $e^{\pm i\theta_j}$ where $\theta_j = 2 \arccos(\sqrt{p_j}) \geq 2 \arccos(\sqrt{\gamma - 2\delta})$. Moreover, $|\alpha_j^{(10)}\rangle_{\mathbf{C},\mathbf{X},\mathbf{Z}} = |0^m\rangle_{\mathbf{C}} \otimes |\hat{\alpha}_j^{(10)}\rangle_{\mathbf{X},\mathbf{Z}}$ is an eigenvector of Q with eigenvalue $-1 = e^{i\pi}$. Here, we remark that $\pi \geq 2 \arccos x$ for any $0 \leq x \leq 1$. Thus, after applying U_{est} to $|\psi_{\leq\gamma-2\delta}\rangle_{\mathbf{X},\mathbf{Z}}$, $(1 - 2^{-n})$ -fraction of the state contains θ in the register ph such that $|\theta| \geq 2 \arccos(\sqrt{\gamma - 2\delta}) - 2^{-\tau}$, which implies $\cos^2(\theta/2) \leq \gamma - \frac{3}{2}\delta < \gamma - \delta$ by our choice of τ . For this fraction of the state, U_{th} does nothing. Thus, we have

$$\text{TD}(U_{est} |0^m\rangle_{\mathbf{C}} |\psi_{\leq\gamma-2\delta}\rangle_{\mathbf{X},\mathbf{Z}} |0^t00\rangle_{ph,th,in}, U_{th} U_{est} |0^m\rangle_{\mathbf{C}} |\psi_{\leq\gamma-2\delta}\rangle_{\mathbf{X},\mathbf{Z}} |0^t00\rangle_{ph,th,in}) \leq 2^{-n}$$

and thus

$$\text{TD}(|0^m\rangle_{\mathbf{C}} |\psi_{\leq\gamma-2\delta}\rangle_{\mathbf{X},\mathbf{Z}} |0^t00\rangle_{ph,th,in}, U_{est}^\dagger U_{th} U_{est} |0^m\rangle_{\mathbf{C}} |\psi_{\leq\gamma-2\delta}\rangle_{\mathbf{X},\mathbf{Z}} |0^t00\rangle_{ph,th,in}) \leq 2^{-n}$$

where TD denotes the trace distance.

Therefore we can write

$$G_{i,\gamma} |0^m\rangle_{\mathbf{C}} |\psi_{\leq\gamma-2\delta}\rangle_{\mathbf{X},\mathbf{Z}} |0^t00\rangle_{ph,th,in} = z_{\leq\gamma-2\delta} |0^m\rangle_{\mathbf{C}} |\psi_{\leq\gamma-2\delta}\rangle_{\mathbf{X},\mathbf{Z}} |0^t01\rangle_{ph,th,in} + |\psi'_{err,\leq\gamma-2\delta}\rangle \quad (2)$$

by using $z_{\leq\gamma-2\delta}$ such that $|z_{\leq\gamma-2\delta}|^2 \geq 1 - 2^{-n}$ and a state $|\psi'_{err,\leq\gamma-2\delta}\rangle$ that is orthogonal to $|0^m\rangle_{\mathbf{C}} |\psi_{\leq\gamma-2\delta}\rangle_{\mathbf{X},\mathbf{Z}} |0^t01\rangle_{ph,th,in}$ such that $\| |\psi'_{err,\leq\gamma-2\delta}\rangle \|^2 \leq 2^{-n}$.

By a similar analysis, we can write

$$G_{i,\gamma} |0^m\rangle_{\mathbf{C}} |\psi_{\geq\gamma}\rangle_{\mathbf{X},\mathbf{Z}} |0^t00\rangle_{ph,th,in} = z_{\geq\gamma} |0^m\rangle_{\mathbf{C}} |\psi_{\geq\gamma}\rangle_{\mathbf{X},\mathbf{Z}} |0^t11\rangle_{ph,th,in} + |\psi'_{err,\geq\gamma}\rangle \quad (3)$$

by using $z_{\geq\gamma}$ such that $|z_{\geq\gamma}|^2 \geq 1-2^{-n}$ and a state $|\psi'_{err,\geq\gamma}\rangle$ that is orthogonal to $|0^m\rangle_{\mathbf{C}} |\psi_{\geq\gamma}\rangle_{\mathbf{X,Z}} |0^t01\rangle_{ph,th,in}$ such that $\|\psi'_{err,\geq\gamma}\|^2 \leq 2^{-n}$.

Combining Eq. 1, 2, and 3, we have

$$\begin{aligned} & G_{i,\gamma} |0^m\rangle_{\mathbf{C}} |\psi\rangle_{\mathbf{X,Z}} |0^t00\rangle_{ph,th,in} \\ &= |0^m\rangle_{\mathbf{C}} (z_{\geq\gamma} |\psi_{\geq\gamma}\rangle_{\mathbf{X,Z}} + |\eta_{mid,0}\rangle_{\mathbf{X,Z}} + |\eta_{other,0}\rangle_{\mathbf{X,Z}}) |0^t01\rangle_{ph,th,in} \\ &+ |0^m\rangle_{\mathbf{C}} (z_{\leq\gamma-2\delta} |\psi_{\leq\gamma-2\delta}\rangle_{\mathbf{X,Z}} + |\eta_{mid,1}\rangle_{\mathbf{X,Z}} + |\eta_{other,1}\rangle_{\mathbf{X,Z}}) |0^t11\rangle_{ph,th,in} \\ &+ |\psi'_{err}\rangle. \end{aligned} \quad (4)$$

where $|\eta_{mid,0}\rangle_{\mathbf{X,Z}}$, $|\eta_{other,0}\rangle_{\mathbf{X,Z}}$, $|\eta_{mid,1}\rangle_{\mathbf{X,Z}}$, and $|\eta_{other,1}\rangle_{\mathbf{X,Z}}$ are defined so that

$$I_{\mathbf{C},\mathbf{X,Z}} \otimes |0^t01\rangle\langle 0^t01|_{ph,th,in} G_{i,\gamma} |0^m\rangle_{\mathbf{C}} |\psi_{mid}\rangle_{\mathbf{X,Z}} |0^t00\rangle_{ph,th,in} = |0^m\rangle_{\mathbf{C}} |\eta_{mid,0}\rangle_{\mathbf{X,Z}} |0^t01\rangle_{ph,th,in}, \quad (5)$$

$$I_{\mathbf{C},\mathbf{X,Z}} \otimes |0^t11\rangle\langle 0^t11|_{ph,th,in} G_{i,\gamma} |0^m\rangle_{\mathbf{C}} |\psi_{mid}\rangle_{\mathbf{X,Z}} |0^t00\rangle_{ph,th,in} = |0^m\rangle_{\mathbf{C}} |\eta_{mid,1}\rangle_{\mathbf{X,Z}} |0^t11\rangle_{ph,th,in}, \quad (6)$$

$$I_{\mathbf{C},\mathbf{X,Z}} \otimes |0^t01\rangle\langle 0^t01|_{ph,th,in} (|\psi'_{err,\leq\gamma-2\delta}\rangle + |\psi'_{err,\geq\gamma}\rangle) = |0^m\rangle_{\mathbf{C}} |\eta_{other,0}\rangle_{\mathbf{X,Z}} |0^t01\rangle_{ph,th,in}, \quad (7)$$

$$I_{\mathbf{C},\mathbf{X,Z}} \otimes |0^t11\rangle\langle 0^t11|_{ph,th,in} (|\psi'_{err,\leq\gamma-2\delta}\rangle + |\psi'_{err,\geq\gamma}\rangle) = |0^m\rangle_{\mathbf{C}} |\eta_{other,1}\rangle_{\mathbf{X,Z}} |0^t11\rangle_{ph,th,in}. \quad (8)$$

and $|\psi'_{err}\rangle$ is defined by

$$|\psi'_{err}\rangle := \sum_{s \notin \{0^t01, 0^t11\}} I_{\mathbf{C},\mathbf{X,Z}} \otimes |s\rangle\langle s|_{ph,th,in} (G_{i,\gamma} |0^m\rangle_{\mathbf{C}} |\psi_{mid}\rangle_{\mathbf{X,Z}} |0^t00\rangle_{ph,th,in} + |\psi'_{err,\leq\gamma-2\delta}\rangle + |\psi'_{err,\geq\gamma}\rangle). \quad (9)$$

We remark that $|\eta_{mid,0}\rangle_{\mathbf{X,Z}}$, $|\eta_{other,0}\rangle_{\mathbf{X,Z}}$, $|\eta_{mid,1}\rangle_{\mathbf{X,Z}}$, and $|\eta_{other,1}\rangle_{\mathbf{X,Z}}$ are well-defined since after applying $G_{i,\gamma}$, the value in the register in is 1 if and only if the value in the register \mathbf{C} is 0^m .

We let $z_0 := \frac{z_{\leq\gamma-2\delta}}{|z_{\leq\gamma-2\delta}|}$, $z_1 := \frac{z_{\geq\gamma}}{|z_{\geq\gamma}|}$, and

$$|\psi_0\rangle_{\mathbf{X,Z}} := |z_{\leq\gamma-2\delta}| |\psi_{\leq\gamma-2\delta}\rangle_{\mathbf{X,Z}} + \bar{z}_0 (|\eta_{mid,0}\rangle_{\mathbf{X,Z}} + |\eta_{other,0}\rangle_{\mathbf{X,Z}}), \quad (10)$$

$$|\psi_1\rangle_{\mathbf{X,Z}} := |z_{\geq\gamma}| |\psi_{\geq\gamma}\rangle_{\mathbf{X,Z}} + \bar{z}_1 (|\eta_{mid,1}\rangle_{\mathbf{X,Z}} + |\eta_{other,1}\rangle_{\mathbf{X,Z}}), \quad (11)$$

where \bar{z}_0 and \bar{z}_1 denotes complex conjugates of z_0 and z_1 . By Eq 4, 10, and 11, we have

$$G_{i,\gamma} |0^m\rangle_{\mathbf{C}} |\psi\rangle_{\mathbf{X,Z}} |0^t\rangle_{ph} |0\rangle_{th} |0\rangle_{in} = z_0 |0^m\rangle_{\mathbf{C}} |\psi_0\rangle_{\mathbf{X,Z}} |0^t01\rangle_{ph,th,in} + z_1 |0^m\rangle_{\mathbf{C}} |\psi_1\rangle_{\mathbf{X,Z}} |0^t11\rangle_{ph,th,in} + |\psi'_{err}\rangle.$$

Now, we are ready to prove the five claims in Lemma 3.4.

Proof of the first claim. By Eq. 1, 10, and 11, we have

$$\begin{aligned} |\psi_{err}\rangle_{\mathbf{X,Z}} &= |\psi\rangle_{\mathbf{X,Z}} - |\psi_0\rangle_{\mathbf{X,Z}} - |\psi_1\rangle_{\mathbf{X,Z}} \\ &= (1 - |z_{\leq\gamma-2\delta}|) |\psi_{\leq\gamma-2\delta}\rangle_{\mathbf{X,Z}} + (1 - |z_{\geq\gamma}|) |\psi_{\geq\gamma}\rangle_{\mathbf{X,Z}} + |\psi_{mid}\rangle_{\mathbf{X,Z}} \\ &\quad - \bar{z}_0 (|\eta_{mid,0}\rangle_{\mathbf{X,Z}} + |\eta_{other,0}\rangle_{\mathbf{X,Z}}) - \bar{z}_1 (|\eta_{mid,1}\rangle_{\mathbf{X,Z}} + |\eta_{other,1}\rangle_{\mathbf{X,Z}}), \end{aligned}$$

Since $|z_{\leq\gamma-2\delta}|$ and $|z_{\geq\gamma}|$ are $1 - \text{negl}(n)$, the norms of the first two terms are negligible. By Eq. 7 and 8, we have $\|\eta_{other,0}\rangle_{\mathbf{X,Z}}\|^2 + \|\eta_{other,1}\rangle_{\mathbf{X,Z}}\|^2 \leq \|\psi'_{err,\leq\gamma-2\delta}\rangle + \|\psi'_{err,\geq\gamma}\rangle\|^2 \leq \text{negl}(n)$. Therefore we have

$$\begin{aligned} \|\psi_{err}\rangle_{\mathbf{X,Z}}\|^2 &\leq \|\psi_{mid}\rangle_{\mathbf{X,Z}} - \bar{z}_0 |\eta_{mid,0}\rangle_{\mathbf{X,Z}} - \bar{z}_1 |\eta_{mid,1}\rangle_{\mathbf{X,Z}}\|^2 + \text{negl}(n) \\ &\leq 3(\|\psi_{mid}\rangle_{\mathbf{X,Z}}\|^2 + \|\eta_{mid,0}\rangle_{\mathbf{X,Z}}\|^2 + \|\eta_{mid,1}\rangle_{\mathbf{X,Z}}\|^2) + \text{negl}(n) \end{aligned}$$

where the latter inequality follows from the Cauchy-Schwarz inequality. As already noted, we have $E_\gamma[\|\psi_{mid}\rangle_{\mathbf{X},\mathbf{Z}}\|^2] \leq \frac{1}{T}$. By Eq. 5 and 6, we have $E_\gamma[\|\eta_{mid,0}\rangle_{\mathbf{X},\mathbf{Z}}\|^2 + \|\eta_{mid,1}\rangle_{\mathbf{X},\mathbf{Z}}\|^2] \leq E_\gamma[\|\psi_{mid}\rangle_{\mathbf{X},\mathbf{Z}}\|^2] \leq \frac{1}{T}$. Therefore, we have $E_\gamma[\|\psi_{err}\rangle_{\mathbf{X},\mathbf{Z}}\|^2] \leq \frac{6}{T} + \text{negl}(n)$ and the first claim is proven.

Proof of the second claim. By Eq 9, we can see that

$$I_{\mathbf{C},\mathbf{X},\mathbf{Z}} \otimes (|001\rangle\langle 001|_{ph,th,in} + |011\rangle\langle 011|_{ph,th,in}) |\psi'_{err}\rangle = 0.$$

This immediately implies the second claim.

Proof of the third claim. By the second claim, $|0^m\rangle_{\mathbf{C}} |\psi_0\rangle_{\mathbf{X},\mathbf{Z}} |0^t 01\rangle_{ph,th,in}$, $|0^m\rangle_{\mathbf{C}} |\psi_1\rangle_{\mathbf{X},\mathbf{Z}} |0^t 11\rangle_{ph,th,in}$, and $|\psi'_{err}\rangle$ are orthogonal with one another. Therefore we have

$$\begin{aligned} & \|G_{i,\gamma} |0^m\rangle_{\mathbf{C}} |\psi\rangle_{\mathbf{X},\mathbf{Z}} |0^t 00\rangle_{ph,th,in}\|^2 \\ &= \|z_0 |0^m\rangle_{\mathbf{C}} |\psi_0\rangle_{\mathbf{X},\mathbf{Z}} |0^t 01\rangle_{ph,th,in}\|^2 + \|z_1 |0^m\rangle_{\mathbf{C}} |\psi_1\rangle_{\mathbf{X},\mathbf{Z}} |0^t 11\rangle_{ph,th,in}\|^2 + \|\psi'_{err}\|^2. \end{aligned}$$

Since we have $\|G_{i,\gamma} |0^m\rangle_{\mathbf{C}} |\psi\rangle_{\mathbf{X},\mathbf{Z}} |0^t 00\rangle_{ph,th,in}\|^2 = \|\psi\rangle_{\mathbf{X},\mathbf{Z}}\|^2$ and $\|z_b |0^m\rangle_{\mathbf{C}} |\psi_b\rangle_{\mathbf{X},\mathbf{Z}} |0^t b1\rangle_{ph,th,in}\|^2 = \|\psi_b\rangle_{\mathbf{X},\mathbf{Z}}\|^2$, the above implies $\|\psi_0\rangle_{\mathbf{X},\mathbf{Z}}\|^2 + \|\psi_1\rangle_{\mathbf{X},\mathbf{Z}}\|^2 \leq \|\psi\rangle_{\mathbf{X},\mathbf{Z}}\|^2$, which implies the third claim.

Proof of the fourth claim. Roughly speaking, we first show that $|0^m\rangle_{\mathbf{C}} |\psi_0\rangle_{\mathbf{X},\mathbf{Z}}$ can be written as a superposition of states $\{|\alpha_j\rangle\}_{j:p_j \leq \gamma}$ and $\{|\alpha_j^{(10)}\rangle\}_j$ except for a term with a negligible norm. Since each of the above states has eigenvalues at most γ w.r.t. $\Pi_{i,out}$, we can show that $\|\Pi_{i,out} |0^m\rangle_{\mathbf{C}} |\psi_0\rangle_{\mathbf{X},\mathbf{Z}}\|^2$ is at most $\gamma + \text{negl}(n)$. This means that $|\psi_0\rangle_{\mathbf{X},\mathbf{Z}}$ leads to acceptance in the test round on the i -th coordinate with probability at most $\gamma + \text{negl}(n)$ if $c_{-i} \in \{0,1\}^{m-1}$ is chosen randomly. Since the number of possible choices of c is 2^{m-1} , the probability is at most $2^{m-1}\gamma + \text{negl}(n)$ for any fixed c , which implies the fourth claim. The detail follows.

We analyze each term of Eq. 10 separately. First, since we have $|\psi_{\leq \gamma - 2\delta}\rangle_{\mathbf{X},\mathbf{Z}} = \Pi_{in, \leq \gamma - 2\delta} |\psi\rangle_{\mathbf{X},\mathbf{Z}}$, $|\psi_{\leq \gamma - 2\delta}\rangle_{\mathbf{X},\mathbf{Z}}$ is a superposition of states $\{|\hat{\alpha}_j\rangle\}_{j:p_j \leq \gamma - 2\delta}$ and $\{|\hat{\alpha}_j^{(10)}\rangle\}_j$ by the definition of $\Pi_{in, \leq \gamma - 2\delta}$. Therefore, $|0^m\rangle_{\mathbf{C}} |\psi_{\leq \gamma - 2\delta}\rangle_{\mathbf{X},\mathbf{Z}}$ is a superposition of states $\{|\alpha_j\rangle\}_{j:p_j \leq \gamma - 2\delta}$ and $\{|\alpha_j^{(10)}\rangle\}_j$.

Second, we analyze $|\eta_{mid,0}\rangle$. By the definition of $|\psi_{mid}\rangle_{\mathbf{X},\mathbf{Z}}$, the state $|0^m\rangle_{\mathbf{C}} |\psi_{mid}\rangle_{\mathbf{X},\mathbf{Z}}$ is in the subspace S_{mid} , which is the subspace spanned by $\{S_j\}_{j:p_j \in (\gamma - 2\delta, \gamma)}$. We define $|\psi''_{mid,s}\rangle_{\mathbf{C},\mathbf{X},\mathbf{Z}}$ so that

$$G_{i,\gamma} |0^m\rangle_{\mathbf{C}} |\psi_{mid}\rangle |0^t 00\rangle_{ph,th,in} = \sum_{s \in \{0,1\}^{t+2}} |\psi''_{mid,s}\rangle_{\mathbf{C},\mathbf{X},\mathbf{Z}} |s\rangle_{ph,th,in}.$$

Since each subspace S_j is invariant under the projections Π_{in} and $\Pi_{i,out}$, each $|\psi''_{mid,s}\rangle_{\mathbf{C},\mathbf{X},\mathbf{Z}}$ is also in the subspace S_{mid} . In particular, $|0^m\rangle_{\mathbf{C}} |\eta_{mid,0}\rangle_{\mathbf{X},\mathbf{Z}} = |\psi''_{mid,0^t 01}\rangle_{\mathbf{C},\mathbf{X},\mathbf{Z}}$ is in the subspace S_{mid} . That is, $|0^m\rangle_{\mathbf{C}} |\eta_{mid,0}\rangle_{\mathbf{X},\mathbf{Z}}$ is a superposition of $\{|\alpha_j\rangle\}_{j:p_j \in (\gamma - 2\delta, \gamma)}$.

Third, we can see that $\|\eta_{other,0}\rangle_{\mathbf{X},\mathbf{Z}}\| = \text{negl}(n)$ from Eq. 7 and that $\|\psi'_{err, \leq \gamma - 2\delta}\rangle + \psi'_{err, \geq \gamma}\rangle\| = \text{negl}(n)$.

Combining the above together with Eq. 10, we can write

$$|0^m\rangle_{\mathbf{C}} |\psi_0\rangle_{\mathbf{X},\mathbf{Z}} = \sum_{j:p_j < \gamma} d_j |\alpha_j\rangle_{\mathbf{C},\mathbf{X},\mathbf{Z}} + \sum_j d_j^{(10)} |\alpha_j^{(10)}\rangle_{\mathbf{C},\mathbf{X},\mathbf{Z}} + |\psi''_{err,0}\rangle_{\mathbf{C},\mathbf{X},\mathbf{Z}} \quad (12)$$

for some $d_j, d_j^{(10)} \in \mathbb{C}$ and a state $|\psi''_{err,0}\rangle_{\mathbf{C},\mathbf{X},\mathbf{Z}} := \bar{z}_0 |0^m\rangle_{\mathbf{C}} |\eta_{other,0}\rangle_{\mathbf{X},\mathbf{Z}}$ whose norm is $\text{negl}(n)$. Here, we remark that the first term comes from both $|z_{\leq \gamma-2\delta}\rangle |0^m\rangle_{\mathbf{C}} |\psi_{\leq \gamma-2\delta}\rangle_{\mathbf{X},\mathbf{Z}}$ and $\bar{z}_0 |0^m\rangle_{\mathbf{C}} |\eta_{mid,0}\rangle$, and the second term comes from $|z_{\leq \gamma-2\delta}\rangle |0^m\rangle_{\mathbf{C}} |\psi_{\leq \gamma-2\delta}\rangle_{\mathbf{X},\mathbf{Z}}$.

By the definition of $\Pi_{i,out}$, we have

$$\Pr_{c_{-i}} \left[M_{\mathbf{X}_i} \circ U \frac{|c_1 \dots c_{i-1} 0 c_{i+1} \dots c_m\rangle_{\mathbf{C}} |\psi_0\rangle_{\mathbf{X},\mathbf{Z}}}{\|\psi_0\rangle_{\mathbf{X},\mathbf{Z}}} \in \text{Acc}_{k_i, y_i} \right] = \frac{\langle 0^m |_{\mathbf{C}} \langle \psi_0 |_{\mathbf{X},\mathbf{Z}} \Pi_{i,out} |0^m\rangle_{\mathbf{C}} |\psi_0\rangle_{\mathbf{X},\mathbf{Z}}}{\|\psi_0\rangle_{\mathbf{X},\mathbf{Z}}^2} \quad (13)$$

where c_{-i} denotes $c_1 \dots c_{i-1} c_{i+1} \dots c_m$.

By Lemma 3.5, we can see that $\langle \alpha_j | \Pi_{i,out} | \alpha_{j'} \rangle = 0$ for all $j \neq j'$ and $\Pi_{i,out} | \alpha_{j(10)} \rangle = 0$ for all j . By substituting Eq. 12 for Eq. 13, we have

$$\begin{aligned} & \Pr_{c_{-i}} \left[M_{\mathbf{X}_i} \circ U \frac{|c_1 \dots c_{i-1} 0 c_{i+1} \dots c_m\rangle_{\mathbf{C}} |\psi_0\rangle_{\mathbf{X},\mathbf{Z}}}{\|\psi_0\rangle_{\mathbf{X},\mathbf{Z}}} \in \text{Acc}_{k_i, y_i} \right] \\ &= \frac{1}{\|\psi_0\rangle_{\mathbf{X},\mathbf{Z}}^2} \left(\sum_{j: p_j < \gamma} |d_j|^2 \langle \alpha_j | \Pi_{i,out} | \alpha_j \rangle + \sum_{j: p_j < \gamma} (\bar{d}_j \langle \alpha_j | \Pi_{i,out} | \psi''_{err,0} \rangle + d_j \langle \psi''_{err,0} | \Pi_{i,out} | \alpha_j \rangle) \right) \\ &\leq \gamma + \text{negl}(n) \end{aligned}$$

where the last inequality follows from $\sum_{j: p_j < \gamma} |d_j|^2 \leq \|\psi_0\rangle_{\mathbf{X},\mathbf{Z}}^2$, $\langle \alpha_j | \Pi_{i,out} | \alpha_j \rangle = p_j$, and $\|\psi''_{err,0}\rangle_{\mathbf{C},\mathbf{X},\mathbf{Z}} = \text{negl}(n)$. This immediately implies the fourth claim considering that the number of possible c_{-i} is 2^{m-1} and $m = O(\log n)$.

Proof of the fifth claim. By a similar argument to the one in the proof of the fourth claim, we can write

$$|0^m\rangle_{\mathbf{C}} |\psi_1\rangle_{\mathbf{X},\mathbf{Z}} = \sum_{j: p_j > \gamma-2\delta} d_j |\alpha_j\rangle_{\mathbf{C},\mathbf{X},\mathbf{Z}} + \sum_j d_j^{(11)} |\alpha_j^{(11)}\rangle_{\mathbf{C},\mathbf{X},\mathbf{Z}} + |\psi''_{err,1}\rangle_{\mathbf{C},\mathbf{X},\mathbf{Z}} \quad (14)$$

where $|\psi''_{err,1}\rangle_{\mathbf{C},\mathbf{X},\mathbf{Z}}$ is a state such that $\|\psi''_{err,1}\rangle_{\mathbf{C},\mathbf{X},\mathbf{Z}} = \text{negl}(n)$.

The algorithm $\text{Ext}_{i,\epsilon}$ is described below:

$\text{Ext}_{i,\epsilon} \left(\frac{|0^m\rangle_{\mathbf{C}} |\psi_1\rangle_{\mathbf{X},\mathbf{Z}}}{\|\psi_1\rangle_{\mathbf{X},\mathbf{Z}}} \right)$: Given $\frac{|0^m\rangle_{\mathbf{C}} |\psi_1\rangle_{\mathbf{X},\mathbf{Z}}}{\|\psi_1\rangle_{\mathbf{X},\mathbf{Z}}}$ as input, $\text{Ext}_{i,\epsilon}$ works as follows:

- Repeat the following procedure $N = \text{poly}(n)$ times where N is specified later:
 1. Perform a measurement $\{\Pi_{i,out}, I_{\mathbf{C},\mathbf{X},\mathbf{Z}} - \Pi_{i,out}\}$. If the outcome is 0, i.e, $\Pi_{i,out}$ is applied, then apply $UH_{\mathbf{C}_{-i}}$ and measure the register \mathbf{X}_i in computational basis to obtain a_i , outputs a_i , and immediately halts.
 2. Perform a measurement $\{\Pi_{in}, I_{\mathbf{C},\mathbf{X},\mathbf{Z}} - \Pi_{in}\}$.
- If it does not halts within N trials in the previous step, output \perp .

By the definition of $\Pi_{i,out}$, it is clear that $\text{Ext}_{i,\epsilon}$ succeeds, (i.e., returns $a_i \in \text{Acc}_{k_i, y_i}$) if it does not output \perp . Since the algorithm $\text{Ext}_{i,\epsilon}$ just alternately applies measurements $\{\Pi_{i,out}, I_{\mathbf{C},\mathbf{X},\mathbf{Z}} - \Pi_{i,out}\}$ and $\{\Pi_{in}, I_{\mathbf{C},\mathbf{X},\mathbf{Z}} - \Pi_{in}\}$ and each subspaces S_j and $T_j^{(11)}$ are invariant under Π_{in} and $\Pi_{i,out}$, we can analyze the success probability of the algorithm separately on each subspace. Therefore, it suffices to show that $\text{Ext}_{i,\epsilon}$ succeeds with probability at least $1-\epsilon$ on any input $|\alpha_j\rangle_{\mathbf{X},\mathbf{Z}}$ such that $p_j > \gamma-2\delta$

or $|\alpha_j^{(11)}\rangle$ for any j . First, it is easy to see that on input $|\alpha_j^{(11)}\rangle$, $\text{Ext}_{i,\epsilon}$ returns $a_i \in \text{Acc}_{k_i, y_i}$ at the first trial with probability 1 since we have $\langle \alpha_j^{(11)} | \Pi_{i, \text{out}} | \alpha_j^{(11)} \rangle = 1$. What is left is to prove that $\text{Ext}_{i,\epsilon}$ succeeds with probability at least $1 - \epsilon$ on any input $|\alpha_j\rangle_{\mathbf{X}, \mathbf{Z}}$ such that $p_j > \gamma - 2\delta$.

By Lemma 3.5, it is easy to see that we have

$$\begin{aligned} |\alpha_j\rangle_{\mathbf{X}, \mathbf{Z}} &= \sqrt{p_j} |\beta_j\rangle_{\mathbf{X}, \mathbf{Z}} + \sqrt{1 - p_j} |\beta_j^\perp\rangle_{\mathbf{X}, \mathbf{Z}}, \\ |\beta_j\rangle_{\mathbf{X}, \mathbf{Z}} &= \sqrt{p_j} |\alpha_j\rangle_{\mathbf{X}, \mathbf{Z}} + \sqrt{1 - p_j} |\alpha_j^\perp\rangle_{\mathbf{X}, \mathbf{Z}}. \end{aligned}$$

Let P_k and P_k^\perp be the probability that $\text{Ext}_{i,\epsilon}$ succeeds within k trials starting from the initial state $|\alpha_j\rangle_{\mathbf{X}, \mathbf{Z}}$ and $|\alpha_j^\perp\rangle_{\mathbf{X}, \mathbf{Z}}$, respectively. Then by the above equations, it is easy to see that we have $P_0 = P_0^\perp = 0$ and

$$\begin{aligned} P_{k+1} &= p_j + (1 - p_j)^2 P_k + (1 - p_j) p_j P_k^\perp, \\ P_{k+1}^\perp &= (1 - p_j) + p_j (1 - p_j) P_k + p_j^2 P_k^\perp. \end{aligned}$$

Solving this, we have

$$P_N = 1 - (1 - 2p_j + 2p_j^2)^{N-1} (1 - p_j).$$

Since we assume $p_j > \gamma - 2\delta > \frac{\gamma_0}{3T} = 1/\text{poly}(n)$, if $1 - p_j \geq \epsilon$, then we have $1 - 2p_j + 2p_j^2 = 1 - 1/\text{poly}(n)$. Therefore if we take $N = \text{poly}(n)$ sufficiently large, then $P_N \geq 1 - \epsilon$. Moreover, when $1 - p_j \leq \epsilon$, we clearly have $P_N \geq 1 - (1 - p_j) \geq 1 - \epsilon$. Thus, we have $P_N \geq 1 - \epsilon$ in either case.¹¹ This means that $\text{Ext}_{i,\epsilon}$ succeeds within N steps with probability $1 - \epsilon$ starting from the initial state $|\alpha_j\rangle_{\mathbf{X}, \mathbf{Z}}$. This completes the proof of the fifth claim and the proof of Lemma 3.4. \square

In Lemma 3.4, we showed that by fixing any $i \in [m]$, we can partition any prover's state $|\psi\rangle_{\mathbf{X}, \mathbf{Z}}$ into $|\psi_0\rangle_{\mathbf{X}, \mathbf{Z}}$, $|\psi_1\rangle_{\mathbf{X}, \mathbf{Z}}$, and $|\psi_{\text{err}}\rangle_{\mathbf{X}, \mathbf{Z}}$ with certain properties. In the following, we sequentially apply Lemma 3.4 for each $i \in [m]$ to further decompose the prover's state.

Lemma 3.6. *Let m, γ_0, T be as in Lemma 3.4, and let $\gamma_i \stackrel{\$}{\leftarrow} [\frac{\gamma_0}{T}, \frac{2\gamma_0}{T}, \dots, \frac{T\gamma_0}{T}]$ for each $i \in [m]$. For any $c \in \{0, 1\}^m$, a state $|\psi\rangle_{\mathbf{X}, \mathbf{Z}}$ can be partitioned as follows.*

$$|\psi\rangle_{\mathbf{X}, \mathbf{Z}} = |\psi_{c_1}\rangle_{\mathbf{X}, \mathbf{Z}} + |\psi_{\bar{c}_1, c_2}\rangle_{\mathbf{X}, \mathbf{Z}} + \dots + |\psi_{\bar{c}_1, \dots, \bar{c}_{m-1}, c_m}\rangle_{\mathbf{X}, \mathbf{Z}} + |\psi_{\bar{c}_1, \dots, \bar{c}_m}\rangle_{\mathbf{X}, \mathbf{Z}} + |\psi_{\text{err}}\rangle_{\mathbf{X}, \mathbf{Z}}$$

where the way of partition may depend on the choice of $\hat{\gamma} = \gamma_1 \dots \gamma_m$. Further, the following properties are satisfied.

1. For any fixed $\hat{\gamma}$ and any $c, i \in [m]$ such that $c_i = 0$, we have

$$\Pr \left[M_{\mathbf{X}_i} \circ U \frac{|c\rangle_{\mathbf{C}} |\psi_{\bar{c}_1, \dots, \bar{c}_{i-1}, 0}\rangle_{\mathbf{X}, \mathbf{Z}}}{\|\psi_{\bar{c}_1, \dots, \bar{c}_{i-1}, 0}\rangle_{\mathbf{X}, \mathbf{Z}}\|} \in \text{Acc}_{k_i, y_i} \right] \leq 2^{m-1} \gamma_0 + \text{negl}(n).$$

2. For any fixed $\hat{\gamma}$, noticeable $\epsilon = \epsilon(n)$, and any $c, i \in [m]$ such that $c_i = 1$, there exists an efficient algorithm $\text{Ext}_{i,\epsilon}$ such that

$$\Pr \left[\text{Ext}_{i,\epsilon} \left(\frac{|0^m\rangle_{\mathbf{C}} |\psi_{\bar{c}_1, \dots, \bar{c}_{i-1}, 1}\rangle_{\mathbf{X}, \mathbf{Z}}}{\|\psi_{\bar{c}_1, \dots, \bar{c}_{i-1}, 1}\rangle_{\mathbf{X}, \mathbf{Z}}\|} \right) \in \text{Acc}_{k_i, y_i} \right] = 1 - \epsilon.$$

¹¹ In the earlier versions of this paper, we claimed that we can take $N = \text{poly}(n)$ in such a way that $P_N \geq 1 - \text{negl}(n)$. However, we found that this claim was false when p_j is very close to 1.

3. For any fixed $\hat{\gamma}$, we have $E_c[\|\ |\psi_{\bar{c}_1, \dots, \bar{c}_m}\rangle_{\mathbf{X}, \mathbf{Z}}\|^2] \leq 2^{-m}$.
4. For any fixed c , we have $E_{\hat{\gamma}}[\|\ |\psi_{err}\rangle_{\mathbf{X}, \mathbf{Z}}\|^2] \leq \frac{6m^2}{T} + \text{negl}(n)$.
5. For any fixed $\hat{\gamma}$ and c there exists an efficient quantum algorithm $H_{\hat{\gamma}, c}$ that is given $|\psi\rangle_{\mathbf{X}, \mathbf{Z}}$ as input and produces $\frac{|\psi_{\bar{c}_1, \dots, \bar{c}_{i-1}, c_i}\rangle_{\mathbf{X}, \mathbf{Z}}}{\|\ |\psi_{\bar{c}_1, \dots, \bar{c}_{i-1}, c_i}\rangle_{\mathbf{X}, \mathbf{Z}}\|}$ with probability $\|\ |\psi_{\bar{c}_1, \dots, \bar{c}_{i-1}, c_i}\rangle_{\mathbf{X}, \mathbf{Z}}\|^2$ ignoring a global phase factor.

Proof. We inductively define $|\psi_{c_1}\rangle_{\mathbf{X}, \mathbf{Z}}, \dots, |\psi_{\bar{c}_1, \dots, \bar{c}_m}\rangle_{\mathbf{X}, \mathbf{Z}}$ as follows.

First, we apply Lemma 3.4 for the state $|\psi\rangle_{\mathbf{X}, \mathbf{Z}}$ with $\gamma = \gamma_1$ to give a decomposition

$$|\psi\rangle_{\mathbf{X}, \mathbf{Z}} = |\psi_0\rangle_{\mathbf{X}, \mathbf{Z}} + |\psi_1\rangle_{\mathbf{X}, \mathbf{Z}} + |\psi_{err,1}\rangle_{\mathbf{X}, \mathbf{Z}}$$

where $|\psi_{err,1}\rangle_{\mathbf{X}, \mathbf{Z}}$ corresponds to $|\psi_{err}\rangle_{\mathbf{X}, \mathbf{Z}}$ in Lemma 3.4.

For each $i = 2, \dots, m$, we apply Lemma 3.4 for the state $|\psi_{\bar{c}_1, \dots, \bar{c}_{i-1}}\rangle_{\mathbf{X}, \mathbf{Z}}$ with $\gamma = \gamma_i$ to give a decomposition

$$|\psi_{\bar{c}_1, \dots, \bar{c}_{i-1}}\rangle_{\mathbf{X}, \mathbf{Z}} = |\psi_{\bar{c}_1, \dots, \bar{c}_{i-1}, 0}\rangle_{\mathbf{X}, \mathbf{Z}} + |\psi_{\bar{c}_1, \dots, \bar{c}_{i-1}, 1}\rangle_{\mathbf{X}, \mathbf{Z}} + |\psi_{err,i}\rangle_{\mathbf{X}, \mathbf{Z}}$$

where $|\psi_{\bar{c}_1, \dots, \bar{c}_{i-1}, 0}\rangle_{\mathbf{X}, \mathbf{Z}}$, $|\psi_{\bar{c}_1, \dots, \bar{c}_{i-1}, 1}\rangle_{\mathbf{X}, \mathbf{Z}}$, and $|\psi_{err,i}\rangle_{\mathbf{X}, \mathbf{Z}}$ corresponds to $|\psi_0\rangle_{\mathbf{X}, \mathbf{Z}}$, $|\psi_1\rangle_{\mathbf{X}, \mathbf{Z}}$, and $|\psi_{err}\rangle_{\mathbf{X}, \mathbf{Z}}$ in Lemma 3.4, respectively.

Then it is easy to see that we have

$$|\psi\rangle_{\mathbf{X}, \mathbf{Z}} = |\psi_{c_1}\rangle_{\mathbf{X}, \mathbf{Z}} + |\psi_{\bar{c}_1, c_2}\rangle_{\mathbf{X}, \mathbf{Z}} + \dots + |\psi_{\bar{c}_1, \dots, \bar{c}_{m-1}, c_m}\rangle_{\mathbf{X}, \mathbf{Z}} + |\psi_{\bar{c}_1, \dots, \bar{c}_m}\rangle_{\mathbf{X}, \mathbf{Z}} + |\psi_{err}\rangle_{\mathbf{X}, \mathbf{Z}}$$

where we define $|\psi_{err}\rangle_{\mathbf{X}, \mathbf{Z}} := \sum_{i=1}^m |\psi_{err,i}\rangle_{\mathbf{X}, \mathbf{Z}}$.

The first and second claims immediately follow from the fourth and fifth claims of Lemma 3.4 and $\gamma_i \leq \gamma_0$ for each $i \in [m]$.

By the third claim of Lemma 3.4, we have $E_{c_1 \dots c_i}[\|\ |\psi_{\bar{c}_1, \dots, \bar{c}_i}\rangle_{\mathbf{X}, \mathbf{Z}}\|] \leq \frac{1}{2} E_{c_1 \dots c_{i-1}}[\|\ |\psi_{\bar{c}_1, \dots, \bar{c}_{i-1}}\rangle_{\mathbf{X}, \mathbf{Z}}\|]$. This implies the third claim.

By the first claim of Lemma 3.4, we have $E_{\gamma_i}[\|\ |\psi_{err,i}\rangle_{\mathbf{X}, \mathbf{Z}}\|^2] \leq \frac{6}{T} + \text{negl}(n)$. The fourth claim follows from this and the Cauchy-Schwarz inequality.

Finally, for proving the fifth claim, we define the procedure $H_{\hat{\gamma}, c}$ as described in Procedure 2. We can easily see that $H_{\hat{\gamma}, c}$ satisfies the desired property by the second claim of Lemma 3.4. \square

Given Lemma 3.6, we can start proving Theorem 3.3.

Proof of Theorem 3.3. First, we recall how a cheating prover characterized by (U_0, U) works. When the first message k is given, it first applies

$$U_0 |0\rangle_{\mathbf{X}, \mathbf{Z}} |0\rangle_{\mathbf{Y}} |k\rangle_{\mathbf{K}} \xrightarrow{\text{measure } \mathbf{Y}} |\psi(k, y)\rangle_{\mathbf{X}, \mathbf{Z}} |k\rangle_{\mathbf{K}}$$

to generate the second message y and $|\psi(k, y)\rangle_{\mathbf{X}, \mathbf{Z}}$. Then after receiving the third message c , it applies U on $|c\rangle_{\mathbf{C}} |\psi(k, y)\rangle_{\mathbf{X}, \mathbf{Z}}$ and measures the register \mathbf{X} in the computational basis to obtain the fourth message a . In the following, we just write $|\psi\rangle_{\mathbf{X}, \mathbf{Z}}$ to mean $|\psi(k, y)\rangle_{\mathbf{X}, \mathbf{Z}}$ for notational simplicity. Let $M_{i, k_i, \text{td}_i, y_i, c_i}$ be the measurement that outputs the verification result of the value in the register \mathbf{X}_i w.r.t. $k_i, \text{td}_i, y_i, c_i$, and let $M_{k, \text{td}, y, c}$ be the measurement that returns \top if and only

Procedure 2 $H_{\hat{\gamma},c}$

On input $|\psi\rangle_{\mathbf{X},\mathbf{Z}}$, it works as follows:

For each $i = 1, \dots, m$, it applies

1. Prepare registers \mathbf{C} , $(ph_1, th_1, in_1), \dots, (ph_m, th_m, in_m)$ all of which are initialized to be $|0\rangle$.
 2. For each $i = 1, \dots, m$, do the following:
 - (a) Apply G_{i,γ_i} on the quantum state in the registers $(\mathbf{C}, \mathbf{X}, \mathbf{Z}, ph_i, th_i, in_i)$.
 - (b) Measure the registers (ph_i, th_i, in_i) in the computational basis.
 - (c) If the outcome is $0^t c_i 1$, then it halts and returns the state in the register (\mathbf{X}, \mathbf{Z}) . If the outcome is $0^t \bar{c}_i 1$, continue to run. Otherwise, immediately halt and abort.
-

if M_{i,k_i,td_i,y_i,c_i} returns \top for all $i \in [m]$ where $k = (k_1, \dots, k_m)$, $\mathbf{td} = (\mathbf{td}_1, \dots, \mathbf{td}_m)$, $y = (y_1, \dots, y_m)$ and $c = (c_1, \dots, c_m)$. With this notation, a cheating prover's success probability can be written as

$$\Pr_{k,\mathbf{td},y,c} [M_{k,\mathbf{td},y,c} \circ U |c\rangle_{\mathbf{C}} |\psi\rangle_{\mathbf{X},\mathbf{Z}} = \top].$$

Let γ_0 , $\hat{\gamma}$, and T be as in Lemma 3.6. According to Lemma 3.6, for any fixed $\hat{\gamma}$ and $c \in \{0, 1\}^m$, we can decompose $|\psi\rangle_{\mathbf{X},\mathbf{Z}}$ as

$$|\psi\rangle_{\mathbf{X},\mathbf{Z}} = |\psi_{c_1}\rangle_{\mathbf{X},\mathbf{Z}} + |\psi_{\bar{c}_1,c_2}\rangle_{\mathbf{X},\mathbf{Z}} + \dots + |\psi_{\bar{c}_1,\dots,\bar{c}_{m-1},c_m}\rangle_{\mathbf{X},\mathbf{Z}} + |\psi_{\bar{c}_1,\dots,\bar{c}_{m-1},\bar{c}_m}\rangle_{\mathbf{X},\mathbf{Z}} + |\psi_{err}\rangle_{\mathbf{X},\mathbf{Z}}.$$

To prove the theorem, we show the following two inequalities. First, for any fixed $\hat{\gamma}$, $i \in [m]$, $c \in \{0, 1\}^m$ such that $c_i = 0$, k_i , \mathbf{td}_i , and y_i , we have

$$\Pr \left[M_{i,k_i,\mathbf{td}_i,y_i,0} \circ U \frac{|c\rangle_{\mathbf{C}} |\psi_{\bar{c}_1,\dots,\bar{c}_{i-1},0}\rangle_{\mathbf{X},\mathbf{Z}}}{\| |\psi_{\bar{c}_1,\dots,\bar{c}_{i-1},0}\rangle_{\mathbf{X},\mathbf{Z}} \|} = \top \right] \leq 2^{m-1} \gamma_0 + \text{negl}(n). \quad (15)$$

This easily follows from the first claim of Lemma 3.6

Second, for any fixed $\hat{\gamma}$, $i \in [m]$, and $c \in \{0, 1\}^m$ such that $c_i = 1$, we have

$$E_{k,\mathbf{td},y} \left[\left\| |\psi_{\bar{c}_1,\dots,\bar{c}_{i-1},1}\rangle_{\mathbf{X},\mathbf{Z}} \right\|^2 \Pr \left[M_{i,k_i,\mathbf{td}_i,y_i,1} \circ U \frac{|c\rangle_{\mathbf{C}} |\psi_{\bar{c}_1,\dots,\bar{c}_{i-1},1}\rangle_{\mathbf{X},\mathbf{Z}}}{\| |\psi_{\bar{c}_1,\dots,\bar{c}_{i-1},1}\rangle_{\mathbf{X},\mathbf{Z}} \|} = \top \right] \right] = \text{negl}(n) \quad (16)$$

assuming the quantum hardness of LWE problem.

For proving Eq. 16, we consider a cheating prover against the original Mahadev's protocol on the i -th coordinate described below:

1. Given k_i , it picks $k_{-i} = k_1 \dots k_{i-1}, k_{i+1}, \dots, k_m$ as in the protocol and computes $U_0 |0\rangle_{\mathbf{X},\mathbf{Z}} |0\rangle_{\mathbf{Y}} |k\rangle_{\mathbf{K}}$ and measure the register \mathbf{Y} to obtain $y = (y_1, \dots, y_m)$ along with the corresponding state $|\psi\rangle_{\mathbf{X},\mathbf{Z}} = |\psi(k, y)\rangle_{\mathbf{X},\mathbf{Z}}$.
2. Apply $H_{\hat{\gamma},c}$ (which is defined in the fifth claim of Lemma 3.6) to generate the state $\frac{|\psi_{\bar{c}_1,\dots,\bar{c}_{i-1},1}\rangle_{\mathbf{X},\mathbf{Z}}}{\| |\psi_{\bar{c}_1,\dots,\bar{c}_{i-1},1}\rangle_{\mathbf{X},\mathbf{Z}} \|}$, which succeeds with probability $\| |\psi_{\bar{c}_1,\dots,\bar{c}_{i-1},1}\rangle_{\mathbf{X},\mathbf{Z}} \|^2$ (ignoring a global phase factor). We denote by Succ the event that it succeeds in generating the state. If it fails to generate the

state, then it overrides y_i by picking it in a way such that it can pass the test round with probability 1, which can be done according to Fact 1. Then it sends y_i to the verifier.

3. Given a challenge c'_i , it works as follows:

- When $c'_i = 0$ (i.e., Test round), if Succ occurred, then it runs $\text{Ext}_{i,\epsilon}$ in the second claim of Lemma 3.6 on input $\frac{|0^m\rangle_{\mathbf{C}}|\psi_{\bar{c}_1,\dots,\bar{c}_{i-1},1}\rangle_{\mathbf{X},\mathbf{Z}}}{\|\psi_{\bar{c}_1,\dots,\bar{c}_{i-1},1}\rangle_{\mathbf{X},\mathbf{Z}}\|}$ to generate a fourth message accepted with probability $1 - \text{negl}(n)$. If Succ did not occur, then it returns a fourth message accepted with probability 1, which is possible by Fact 1.
- When $c'_i = 1$ (i.e., Hadamard round), if Succ occurred, then it computes $U \frac{|c\rangle_{\mathbf{C}}|\psi_{\bar{c}_1,\dots,\bar{c}_{i-1},1}\rangle_{\mathbf{X},\mathbf{Z}}}{\|\psi_{\bar{c}_1,\dots,\bar{c}_{i-1},1}\rangle_{\mathbf{X},\mathbf{Z}}\|}$ and measure the register \mathbf{X}_i to obtain the fourth message a_i . If Succ did not occur, it just aborts.

Then we can see that this cheating adversary passes the test round with probability at least $1 - \epsilon$ and passes the Hadamard round with the probability equal to the LHS of Eq. 16. Thus, Lemma 3.1 implies that the LHS of Eq. 16 is at most $\sqrt{\epsilon} + \text{negl}(n)$ assuming the quantum hardness of LWE problem. Since it holds for any noticeable function ϵ , the probability is negligible and thus Eq. 16 follows.

Now, we are ready to prove the soundness of the parallel repetition version of Mahadev's protocol (Theorem 3.3). As remarked at the beginning of Sec. 3.3, it suffices to show that for any $\mu = 1/\text{poly}(n)$, there exists $m = O(\log(n))$ such that the success probability of the cheating prover is at most μ . Here we set $m = \log \frac{1}{\mu^2}$, $\gamma_0 = 2^{-2m}$, and $T = 2^m$. Note that this parameter setting satisfies the requirement for Lemma 3.6 since $m = \log \frac{1}{\mu^2} = \log(\text{poly}(n)) = O(\log n)$ and $\frac{\gamma_0}{T} = 2^{-3m} = \mu^6 = 1/\text{poly}(n)$. Then we have

$$\begin{aligned}
& \Pr_{k,\text{td},y,c} \left[M_{k,\text{td},y,c} \circ U |c\rangle_{\mathbf{C}} |\psi\rangle_{\mathbf{X},\mathbf{Z}} = \top \right] \\
&= \Pr_{k,\text{td},y,c,\hat{\gamma}} \left[M_{k,\text{td},y,c} \circ U |c\rangle_{\mathbf{C}} \left(\sum_{i=1}^m |\psi_{\bar{c}_1,\dots,\bar{c}_{i-1},c_i}\rangle_{\mathbf{X},\mathbf{Z}} + |\psi_{\bar{c}_1,\dots,\bar{c}_m}\rangle_{\mathbf{X},\mathbf{Z}} + |\psi_{\text{err}}\rangle_{\mathbf{X},\mathbf{Z}} \right) = \top \right] \\
&\leq (m+2) \Pr_{k,\text{td},y,c,\hat{\gamma}} \left[\sum_{i=1}^m \|\psi_{\bar{c}_1,\dots,\bar{c}_{i-1},c_i}\rangle_{\mathbf{X},\mathbf{Z}}\|^2 \Pr \left[M_{k,\text{td},y,c} \circ U \frac{|c\rangle_{\mathbf{C}} |\psi_{\bar{c}_1,\dots,\bar{c}_{i-1},c_i}\rangle_{\mathbf{X},\mathbf{Z}}}{\|\psi_{\bar{c}_1,\dots,\bar{c}_{i-1},c_i}\rangle_{\mathbf{X},\mathbf{Z}}\|} = \top \right] \right. \\
&\quad \left. + \|\psi_{\bar{c}_1,\dots,\bar{c}_m}\rangle_{\mathbf{X},\mathbf{Z}}\|^2 \Pr \left[M_{k,\text{td},y,c} \circ U \frac{|c\rangle_{\mathbf{C}} |\psi_{\bar{c}_1,\dots,\bar{c}_m}\rangle_{\mathbf{X},\mathbf{Z}}}{\|\psi_{\bar{c}_1,\dots,\bar{c}_m}\rangle_{\mathbf{X},\mathbf{Z}}\|} = \top \right] \right. \\
&\quad \left. + \|\psi_{\text{err}}\rangle_{\mathbf{X},\mathbf{Z}}\|^2 \Pr \left[M_{k,\text{td},y,c} \circ U \frac{|c\rangle_{\mathbf{C}} |\psi_{\text{err}}\rangle_{\mathbf{X},\mathbf{Z}}}{\|\psi_{\text{err}}\rangle_{\mathbf{X},\mathbf{Z}}\|} = \top \right] \right] \\
&\leq (m+2) \Pr_{k,\text{td},y,c,\hat{\gamma}} \left[\sum_{i=1}^m \|\psi_{\bar{c}_1,\dots,\bar{c}_{i-1},c_i}\rangle_{\mathbf{X},\mathbf{Z}}\|^2 \Pr \left[M_{i,k_i,\text{td}_i,y_i,c_i} \circ U \frac{|c\rangle_{\mathbf{C}} |\psi_{\bar{c}_1,\dots,\bar{c}_{i-1},c_i}\rangle_{\mathbf{X},\mathbf{Z}}}{\|\psi_{\bar{c}_1,\dots,\bar{c}_{i-1},c_i}\rangle_{\mathbf{X},\mathbf{Z}}\|} = \top \right] \right. \\
&\quad \left. + \|\psi_{\bar{c}_1,\dots,\bar{c}_m}\rangle_{\mathbf{X},\mathbf{Z}}\|^2 + \|\psi_{\text{err}}\rangle_{\mathbf{X},\mathbf{Z}}\|^2 \right] \\
&\leq (m+2)(m(2^{m-1}\gamma_0 + \text{negl}(n)) + 2^{-m} + \frac{6m^2}{T} + \text{negl}(n)) \\
&\leq \text{poly}(\log \mu^{-1})\mu^2 + \text{negl}(n).
\end{aligned}$$

The first equation follows from Lemma 3.6. The first inequality follows from Lemma 2.1. The second inequality holds since considering the verification on a particular coordinate just increases the acceptance probability and probabilities are at most 1. The third inequality follows from Eq. 15 and 16, which give an upper bound of the first term and Lemma 3.6, which gives upper bounds of the second and third terms. The last inequality follows from our choices of γ_0 , T , and m . For sufficiently large n , this can be upper bounded by μ . Since $\Pr_{k,\text{td},y,c}[M_{k,\text{td},y,c} \circ U |c\rangle_{\mathcal{C}} |\psi\rangle_{\mathbf{X},\mathbf{Z}} = \top]$ is the success probability of a cheating prover, the above inequality means that for any $\mu = 1/\text{poly}(n)$, there exists $m = O(\log(n))$ such that the success probability of the cheating prover is at most μ . As remarked at the beginning of Sec. 3.3, this suffices for proving that a cheating prover's success probability is negligible when $m = \omega(\log n)$. \square

4 Two-Round Protocol via Fiat-Shamir Transform

In this section, we show that if we apply the Fiat-Shamir transform to m -parallel version of the Mahadev's protocol, then we obtain two-round protocol in the QROM. That is, we prove the following theorem.

Theorem 4.1. *Assuming LWE assumption, there exists a two-round CVQC protocol with overwhelming completeness and negligible soundness error in the QROM.*

Proof. Let $m > n$ be a sufficiently large integer so that m -parallel version of the Mahadev's protocol has negligible soundness. For notational simplicity, we abuse the notation to simply use V_i , P_i , and V_{out} to mean the m -parallel repetitions of them. Let $H : \mathcal{Y} \rightarrow \{0, 1\}^m$ be a hash function idealized as a quantum random oracle where \mathcal{X} is the space of the second message y and $\mathcal{Y} = \{0, 1\}^m$. Our two-round protocol is described below:

First Message: The verifier runs V_1 to generate (k, td) . Then it sends k to the prover and keeps td as its state.

Second Message: The prover runs P_2 on input k to generate y along with the prover's state $|\text{st}_P\rangle$. Then set $c := H(y)$, and runs P_4 on input $|\text{st}_P\rangle$ and y to generate a . Finally, it returns (y, a) to the verifier.

Verification: The verifier computes $c = H(y)$, runs $V_{\text{out}}(k, \text{td}, y, c, a)$, and outputs as V_{out} outputs.

It is clear that the completeness is preserved given that H is a random oracle. We reduce the soundness of this protocol to the soundness of m -parallel version of the Mahadev's protocol. For proving this, we borrow the following lemma shown in [DFMS19].

Lemma 4.2 ([DFMS19, Theorem 2]). *Let \mathcal{Y} be finite non-empty sets. There exists a black-box polynomial-time two-stage quantum algorithm \mathcal{S} with the following property. Let \mathcal{A} be an arbitrary oracle quantum algorithm that makes q queries to a uniformly random $H : \mathcal{Y} \rightarrow \{0, 1\}^m$ and that outputs some $y \in \mathcal{Y}$ and output a . Then, the two-stage algorithm $\mathcal{S}^{\mathcal{A}}$ outputs $y \in \mathcal{Y}$ in the first stage and, upon a random $c \in \{0, 1\}^m$ as input to the second stage, output a so that for any $x \in \mathcal{X}$ and any predicate V :*

$$\Pr_c \left[V(y, c, a) : (y, a) \stackrel{\mathcal{S}}{\leftarrow} \langle \mathcal{S}^{\mathcal{A}}, c \rangle \right] \leq \frac{1}{O(q^2)} \Pr_H \left[V(y, H(y), a) : (y, a) \stackrel{\mathcal{S}}{\leftarrow} \mathcal{A}^H \right] - \frac{1}{2^{m+1}q},$$

where $(y, a) \stackrel{\mathcal{S}}{\leftarrow} \langle \mathcal{S}^{\mathcal{A}}, c \rangle$ means that $\mathcal{S}^{\mathcal{A}}$ outputs y and a in the first and second stages respectively on the second stage input c .

We assume that there exists an efficient adversary \mathcal{A} that breaks the soundness of the above two-round protocol. We fix $x \notin L$ on which \mathcal{A} succeeds in cheating. We fix (k, td) that is in the support of the verifier's first message. We apply Lemma 4.2 for $\mathcal{A} = \mathcal{A}(k)$ and $V = V_{\text{out}}(k, \text{td}, \cdot, \cdot, \cdot)$, to obtain an algorithm $\mathcal{S}^{\mathcal{A}(k)}$ that satisfies

$$\begin{aligned} & \Pr_c \left[V_{\text{out}}(k, \text{td}, y, c, a) : (y, a) \stackrel{\$}{\leftarrow} \langle \mathcal{S}^{\mathcal{A}(k)}, c \rangle \right] \\ & \leq \frac{1}{O(q^2)} \Pr_H \left[V_{\text{out}}(k, \text{td}, y, H(y), a) : (y, a) \stackrel{\$}{\leftarrow} \mathcal{A}^H(k) \right] - \frac{1}{2^{m+1}q}. \end{aligned}$$

Averaging over all possible (k, td) , we have

$$\begin{aligned} & \Pr_{k, \text{td}, c} \left[V_{\text{out}}(k, \text{td}, y, c, a) : (y, a) \stackrel{\$}{\leftarrow} \langle \mathcal{S}^{\mathcal{A}(k)}, c \rangle \right] \\ & \leq \frac{1}{O(q^2)} \Pr_{k, \text{td}, H} \left[V_{\text{out}}(k, \text{td}, y, H(y), a) : (y, a) \stackrel{\$}{\leftarrow} \mathcal{A}^H(k) \right] - \frac{1}{2^{m+1}q}. \end{aligned}$$

Since we assume that \mathcal{A} breaks the soundness of the above two-round protocol,

$$\Pr_{k, \text{td}, H} \left[V_{\text{out}}(k, \text{td}, y, H(y), a) : (y, a) \stackrel{\$}{\leftarrow} \mathcal{A}^H(k) \right]$$

is non-negligible in n . Therefore, as long as $q = \text{poly}(n)$,

$$\Pr_{k, \text{td}, c^*} \left[V_{\text{out}}(k, \text{td}, y, c^*, a) : (y, a) \stackrel{\$}{\leftarrow} \langle \mathcal{S}^{\mathcal{A}(k)}, c^* \rangle \right]$$

is also non-negligible in n . Then, we construct an adversary \mathcal{B} that breaks the soundness of parallel version of Mahadev's protocol as follows:

Second Message: Given the first message k , \mathcal{B} runs the first stage of $\mathcal{S}^{\mathcal{A}(k)}$ to obtain y . It sends y to the verifier.

Fourth Message: Given the third message c , \mathcal{B} gives c to $\mathcal{S}^{\mathcal{A}(k)}$ as the second stage input, and let a be the output of it. Then \mathcal{B} sends a to the verifier.

Clearly, the probability that \mathcal{B} succeeds in cheating is

$$\Pr_{k, \text{td}, c^*} \left[V_{\text{out}}(k, \text{td}, y, c^*, a) : (y, a) \stackrel{\$}{\leftarrow} \langle \mathcal{S}^{\mathcal{A}(k)}, c^* \rangle \right],$$

which is non-negligible in n . This contradicts the soundness of m -parallel version of Mahadev's protocol (Theorem 3.3). Therefore we conclude that there does not exist an adversary that succeeds in the two-round protocol with non-negligible probability assuming LWE in the QROM. \square

5 Making Verifier Efficient

In this section, we construct a CVQC protocol with efficient verification in the CRS+QRO model where a classical common reference string is available for both prover and verifier in addition to quantum access to QRO. Our main theorem in this section is stated as follows:

Theorem 5.1. *Assuming LWE assumption and existence of post-quantum iO, post-quantum FHE, and two-round CVQC protocol in the standard model, there exists a two-round CVQC protocol for QTIME(T) with verification complexity $\text{poly}(n, \log T)$ in the CRS+QRO model.*

Remark 2. One may think that the underlying two-round CVQC protocol can be in the QROM instead of in the standard model since we rely on the QROM anyway. However, this is not the case since we need to use the underlying two-round CVQC in a non-black box way, which cannot be done if that is in the QROM. Since our two-round protocol given in Sec. 4 is only proven secure in the QROM, we do not know any two-round CVQC protocol provably secure in the standard model. On the other hand, it is widely used heuristic in cryptography that a scheme proven secure in the QROM is also secure in the standard model if the QRO is instantiated by a well-designed cryptographic hash function. For example, many candidates for the NIST post-quantum standardization [NIS] give security proofs in the QROM and claim their security in the real world. Therefore, we believe that it is reasonable to assume that a standard model instantiation of the scheme in Sec. 4 with a concrete hash function is sound.

Remark 3. One may think we need not assume CRS in addition to QRO since CRS may be replaced with an output of QRO. This can be done if CRS is just a uniformly random string. However, in our construction, CRS is non-uniform and has a certain structure. Therefore we cannot implement CRS by QRO.

5.1 Preparation

First, we prepare a lemma that is used in our security proof.

Lemma 5.2. For any finite sets \mathcal{X} and \mathcal{Y} and two-stage oracle-aided quantum algorithm $\mathcal{A} = (\mathcal{A}_1, \mathcal{A}_2)$, we have

$$\Pr \left[1 \stackrel{\$}{\leftarrow} \mathcal{A}_2^H(|\text{st}_{\mathcal{A}}\rangle, z) : |\text{st}_{\mathcal{A}}\rangle \stackrel{\$}{\leftarrow} \mathcal{A}_1^H() \right] - \Pr \left[1 \stackrel{\$}{\leftarrow} \mathcal{A}_2^{H[z, G]}(|\text{st}_{\mathcal{A}}\rangle, z) : |\text{st}_{\mathcal{A}}\rangle \stackrel{\$}{\leftarrow} \mathcal{A}_1^H() \right] \leq q_1 2^{-\frac{\ell}{2}+1}$$

where $z \stackrel{\$}{\leftarrow} \{0, 1\}^\ell$, $H \stackrel{\$}{\leftarrow} \text{Func}(\{0, 1\}^\ell \times \mathcal{X}, \mathcal{Y})$, $G \stackrel{\$}{\leftarrow} \text{Func}(\mathcal{X}, \mathcal{Y})$, $H[z, G]$ is defined by

$$H[z, G](z', x) = \begin{cases} G(x) & \text{if } z' = z \\ H(z', x) & \text{else} \end{cases}.$$

where q_1 denotes the maximal number of queries by \mathcal{A}_1 .

This can be proven similarly to [SXY18, Lemma 2.2]. We give a proof in Appendix A for completeness.

5.2 Four-Round Protocol

First, we construct a four-round scheme with efficient verification, which is transformed into two-round protocol in the next subsection. Our construction is based on the following building blocks:

- A two-round CVQC protocol $\Pi = (P = P_2, V = (V_1, V_{\text{out}}))$ in the standard model, which works as follows:
 - V_1 : On input the security parameter 1^n and x , it generates a pair (k, td) of a “key” and “trapdoor”, sends k to P , and keeps td as its internal state.
 - P_2 : On input x and k , it generates a response e and sends it to V .
 - V_{out} : On input x, k, td, e , it returns \top indicating acceptance or \perp indicating rejection.
- A post-quantum PRG $\text{PRG} : \{0, 1\}^{\ell_s} \rightarrow \{0, 1\}^{\ell_r}$ where ℓ_r is the length of randomness for V_1 .

- An FHE scheme $\Pi_{\text{FHE}} = (\text{FHE.KeyGen}, \text{FHE.Enc}, \text{FHE.Eval}, \text{FHE.Dec})$ with post-quantum CPA security.
- A strong output compressing randomized encoding scheme $\Pi_{\text{RE}} = (\text{RE.Setup}, \text{RE.Enc}, \text{RE.Dec})$ with post-quantum security. We denote the simulator for Π_{RE} by \mathcal{S}_{re} .
- A SNARK $\Pi_{\text{SNARK}} = (P_{\text{snark}}, V_{\text{snark}})$ in the QROM for an NP language L_{snark} defined below:
We have $(x, \text{pk}_{\text{fhe}}, \text{ct}, \text{ct}') \in L_{\text{snark}}$ if and only if there exists e such that $\text{ct}' = \text{FHE.Eval}(\text{pk}_{\text{fhe}}, C[x, e], \text{ct})$ where $C[x, e]$ is a circuit that works as follows:

$C[x, e](s)$: Given input s , it computes $(k, \text{td}) \stackrel{\$}{\leftarrow} V_1(1^n, x; \text{PRG}(s))$, and returns 1 if and only if $V_{\text{out}}(x, k, \text{td}, e) = \top$ and 0 otherwise.

Let L be a BPP language decided by a quantum Turing machine QTM (i.e., for any $x \in \{0, 1\}^*$, $x \in L$ if and only if QTM accepts x), and for any T , L_T denotes the set consisting of $x \in L$ such that QTM accepts x in T steps. Then we construct a 4-round CVQC protocol $(\text{Setup}_{\text{eff}}, P_{\text{eff}} = (P_{\text{eff},2}, P_{\text{eff},4}), V_{\text{eff}} = (V_{\text{eff},1}, V_{\text{eff},3}, V_{\text{eff},\text{out}}))$ for L_T in the CRS+QRO model where the verifier's efficiency only logarithmically depends on T . Let $H : \{0, 1\}^{2n} \times \{0, 1\}^{2n} \rightarrow \{0, 1\}^n$ be a quantum random oracle.

$\text{Setup}_{\text{eff}}(1^n)$: The setup algorithm takes the security parameter 1^n as input, generates $\text{crs}_{\text{re}} \stackrel{\$}{\leftarrow} \{0, 1\}^\ell$ and computes $\text{ek}_{\text{re}} \stackrel{\$}{\leftarrow} \text{RE.Setup}(1^n, 1^\ell, \text{crs}_{\text{re}})$ where ℓ is a parameter specified later. Then it outputs a CRS for verifier $\text{crs}_{V_{\text{eff}}} := \text{ek}_{\text{re}}$ and a CRS for prover $\text{crs}_{P_{\text{eff}}} := \text{crs}_{\text{re}}$.¹²

$V_{\text{eff},1}^H$: Given $\text{crs}_{V_{\text{eff}}} = \text{ek}_{\text{re}}$ and x , it generates $s \stackrel{\$}{\leftarrow} \{0, 1\}^{\ell_s}$ and $(\text{pk}_{\text{fhe}}, \text{sk}_{\text{fhe}}) \stackrel{\$}{\leftarrow} \text{FHE.KeyGen}(1^n)$, computes $\text{ct} \stackrel{\$}{\leftarrow} \text{FHE.Enc}(\text{pk}_{\text{fhe}}, s)$ and $\widehat{M}_{\text{inp}} \stackrel{\$}{\leftarrow} \text{RE.Enc}(\text{ek}_{\text{re}}, M, s, T')$ where M is a Turing machine that works as follows:

$M(s)$: Given an input $s \in \{0, 1\}^{\ell_s}$, it computes $(k, \text{td}) \stackrel{\$}{\leftarrow} V_1(1^n, x; \text{PRG}(s))$ and outputs k and T' is specified later. Then it sends $(\widehat{M}_{\text{inp}}, \text{pk}_{\text{fhe}}, \text{ct})$ to P_{eff} and keeps sk_{fhe} as its internal state.

$P_{\text{eff},2}^H$: Given $\text{crs}_{P_{\text{eff}}} = \text{crs}_{\text{re}}$, x and the message $(\widehat{M}_{\text{inp}}, \text{pk}_{\text{fhe}}, \text{ct})$ from the verifier, it computes $k \leftarrow \text{RE.Dec}(\text{crs}_{\text{re}}, \widehat{M}_{\text{inp}})$, $e \stackrel{\$}{\leftarrow} P_2(x, k)$, and $\text{ct}' \leftarrow \text{FHE.Eval}(\text{pk}_{\text{fhe}}, C[x, e], \text{ct})$ where $C[x, e]$ is a classical circuit defined above. Then it sends ct' to V_{eff} and keeps $(\text{pk}_{\text{fhe}}, \text{ct}, \text{ct}', e)$ as its state.

$V_{\text{eff},3}^H$ Upon receiving ct' , it randomly picks $z \stackrel{\$}{\leftarrow} \{0, 1\}^{2n}$ and sends z to P_{eff} .

$P_{\text{eff},4}^H$ Upon receiving z , it computes $\pi_{\text{snark}} \stackrel{\$}{\leftarrow} P_{\text{snark}}^{H(z, \cdot)}((x, \text{pk}_{\text{fhe}}, \text{ct}, \text{ct}'), e)$ and sends π_{snark} to V_{eff} .

$V_{\text{eff},\text{out}}^H$: It returns \top if $V_{\text{snark}}^{H(z, \cdot)}((x, \text{pk}_{\text{fhe}}, \text{ct}, \text{ct}'), \pi_{\text{snark}}) = \top$ and $1 \leftarrow \text{FHE.Dec}(\text{sk}_{\text{fhe}}, \text{ct}')$ and \perp otherwise.

¹²We note that we divide the CRS into $\text{crs}_{V_{\text{eff}}}$ and $\text{crs}_{P_{\text{eff}}}$ just for the verifier efficiency and soundness still holds even if a cheating prover sees $\text{crs}_{V_{\text{eff}}}$.

Choice of parameters.

- We set ℓ to be an upper bound of the length of k where $(k, \text{td}) \xleftarrow{\$} V_1(1^n, x)$ for $x \in L_T$. We note that we have $\ell = \text{poly}(n, T)$.
- We set T' to be an upperbound of the running time of M on input $s \in \{0, 1\}^{\ell_s}$ when $x \in L_T$. We note that we have $T' = \text{poly}(n, T)$.

Verification Efficiency. By encoding efficiency of Π_{RE} and verification efficiency of Π_{SNARK} , V_{eff} runs in time $\text{poly}(n, |x|, \log T)$.

Remark 4. We note that the running time of the setup algorithm is $\text{poly}(T)$. This can be done by a trusted party that has a strong (classical) computational power. Alternatively, as in the classical delegating computation literature, we can consider an offline/online setting where the verifier can spend a one-time cost of $\text{poly}(T)$ to setup the CRS in the offline stage, and use it to delegate multiple quantum computation efficiently in the online stage.

Theorem 5.3 (Completeness). For any $x \in L_T$,

$$\Pr [\langle P_{\text{eff}}^H(\text{crs}_{P_{\text{eff}}}), V_{\text{eff}}^H(\text{crs}_{V_{\text{eff}}}) \rangle(x) = \perp] = \text{negl}(n)$$

where $(\text{crs}_{P_{\text{eff}}}, \text{crs}_{V_{\text{eff}}}) \xleftarrow{\$} \text{Setup}_{\text{eff}}(1^n)$.

Proof. This easily follows from completeness and correctness of the underlying primitives. \square

Theorem 5.4 (Soundness). For any $x \notin L_T$ any efficient quantum cheating prover \mathcal{A} ,

$$\Pr [\langle \mathcal{A}^H(\text{crs}_{P_{\text{eff}}}, \text{crs}_{V_{\text{eff}}}), V_{\text{eff}}^H(\text{crs}_{V_{\text{eff}}}) \rangle(x) = \top] = \text{negl}(n)$$

where $(\text{crs}_{P_{\text{eff}}}, \text{crs}_{V_{\text{eff}}}) \xleftarrow{\$} \text{Setup}_{\text{eff}}(1^n)$.

Proof. We fix T and $x \notin L_T$. Let \mathcal{A} be a cheating prover. First, we divides \mathcal{A} into the first stage \mathcal{A}_1 , which is given $(\text{crs}_{P_{\text{eff}}}, \text{crs}_{V_{\text{eff}}})$ and the first message and outputs the second message ct' and its internal state $|\text{st}_{\mathcal{A}}\rangle$, and the second stage \mathcal{A}_2 , which is given the internal state $|\text{st}_{\mathcal{A}}\rangle$ and the third message and outputs the fourth message π_{snark} . We consider the following sequence of games between an adversary $\mathcal{A} = (\mathcal{A}_1, \mathcal{A}_2)$ and a challenger. Let q_1 and q_2 be an upper bound of number of random oracle queries by \mathcal{A}_1 and \mathcal{A}_2 , respectively. We denote the event that the challenger returns 1 in Game_i by T_i .

Game₁: This is the original soundness game. Specifically, the game runs as follows:

1. The challenger generates $H \xleftarrow{\$} \text{Func}(\{0, 1\}^{2n} \times \{0, 1\}^{2n}, \{0, 1\}^n)$, $\text{crs}_{\text{re}} \xleftarrow{\$} \{0, 1\}^{\ell}$, $s \xleftarrow{\$} \{0, 1\}^{\ell_s}$, and $(\text{pk}_{\text{fhe}}, \text{sk}_{\text{fhe}}) \xleftarrow{\$} \text{FHE.KeyGen}(1^n)$, and computes $\text{ek}_{\text{re}} \xleftarrow{\$} \text{RE.Setup}(1^n, 1^{\ell}, \text{crs}_{\text{re}})$, $\text{ct} \xleftarrow{\$} \text{FHE.Enc}(\text{pk}_{\text{fhe}}, s)$, and $\widehat{M}_{\text{inp}} \xleftarrow{\$} \text{RE.Enc}(\text{ek}_{\text{re}}, M, s, T')$.
2. \mathcal{A}_1^H is given $\text{crs}_{P_{\text{eff}}} := \text{crs}_{\text{re}}$, $\text{crs}_{V_{\text{eff}}} := \text{ek}_{\text{re}}$ and the first message $(\widehat{M}_{\text{inp}}, \text{pk}_{\text{fhe}}, \text{ct})$, and outputs the second message ct' and its internal state $|\text{st}_{\mathcal{A}}\rangle$.
3. The challenger randomly picks $z \xleftarrow{\$} \{0, 1\}^{2n}$.
4. \mathcal{A}_2^H is given the state $|\text{st}_{\mathcal{A}}\rangle$ and the third message z and outputs π_{snark} .
5. The challenger returns 1 if $V_{\text{snark}}^{H(z, \cdot)}((x, \text{pk}_{\text{fhe}}, \text{ct}, \text{ct}'), \pi_{\text{snark}}) = \top$ and $1 \leftarrow \text{FHE.Dec}(\text{sk}_{\text{fhe}}, \text{ct}')$ and 0 otherwise.

Game₂: This game is identical to the previous game except that the oracles given to \mathcal{A}_2 and V_{snark} are replaced with $H[z, G]$ and G in Step 4 and 5 respectively where $G \stackrel{\$}{\leftarrow} \text{Func}(\{0, 1\}^{2n}, \{0, 1\}^n)$ and $H[z, G]$ is as defined in Lemma 5.2. We note that the oracle given to \mathcal{A}_1 in Step 2 is unchanged from H .

Game₃: This game is identical to the previous game except that Step 4 and 5 are modified as follows:

4. The challenger runs $e \stackrel{\$}{\leftarrow} \text{Ext}^{\mathcal{A}'_2[H, \text{st}_{\mathcal{A}}], z]}((x, \text{pk}_{\text{fhe}}, \text{ct}, \text{ct}'), 1^{q_2}, 1^n)$ where $\mathcal{A}'_2[H, \text{st}_{\mathcal{A}}, z]$ is an oracle-aided quantum algorithm that is given an oracle G and emulates $\mathcal{A}_2^{H[z, G]}(|\text{st}_{\mathcal{A}}\rangle, z)$.
5. The challenger returns 1 if e is a valid witness for $(x, \text{pk}_{\text{fhe}}, \text{ct}, \text{ct}') \in L_{\text{snark}}$ and $1 \leftarrow \text{FHE.Dec}(\text{sk}_{\text{fhe}}, \text{ct}')$ and 0 otherwise.

Game₄: This game is identical to the previous game except that Step 5 is modified as follows:

5. The challenger returns 1 if e is a valid witness for $(x, \text{pk}_{\text{fhe}}, \text{ct}, \text{ct}') \in L_{\text{snark}}$, and $V_{\text{out}}(x, k, \text{td}, e) = \top$ where $(k, \text{td}) \stackrel{\$}{\leftarrow} V_1(1^n, x; \text{PRG}(s))$ and 0 otherwise.

Game₅: This game is identical to the previous game except that ct is generated as $\text{ct} \stackrel{\$}{\leftarrow} \text{FHE.Enc}(\text{pk}_{\text{fhe}}, 0^{2n})$ in Step 1.

Game₆: This game is identical to the previous game except that crs_{re} , ek_{re} , and \widehat{M}_{inp} are generated in a different way. Specifically, in Step 1, the challenger computes $(k, \text{td}) \stackrel{\$}{\leftarrow} V_1(1^n, x; \text{PRG}(s))$, $(\text{crs}_{\text{re}}, \widehat{M}_{\text{inp}}) \stackrel{\$}{\leftarrow} \mathcal{S}_{\text{re}}(1^n, 1^{|\mathcal{M}|}, 1^{\ell_s}, k, T^*)$, and $\text{ek}_{\text{re}} \stackrel{\$}{\leftarrow} \text{RE.Setup}(1^n, 1^\ell, \text{crs}_{\text{re}})$ where T^* is the running time of $M(\text{inp})$. We note that the same (k, td) generated in this step is also used in Step 5.

Game₇: This game is identical to the previous game except that $\text{PRG}(s)$ used for generating (k, td) in Step 1 is replaced with a true randomness.

This completes the descriptions of games. Our goal is to prove $\Pr[\mathbb{T}_1] = \text{negl}(n)$. We prove this by the following lemmas. Since Lemmas 5.8, 5.9, and 5.10 can be proven by straightforward reductions, we only give proofs for the rest of lemmas.

Lemma 5.5. *We have $|\Pr[\mathbb{T}_2] - \Pr[\mathbb{T}_1]| \leq q_1 2^{-(n+1)}$.*

Proof. This lemma is obtained by applying Lemma 5.2 for $\mathcal{B} = (\mathcal{B}_1, \mathcal{B}_2)$ described below:

$\mathcal{B}_1^{O_1}()$: It generates $\text{crs}_{\text{re}} \stackrel{\$}{\leftarrow} \{0, 1\}^\ell$, $s \stackrel{\$}{\leftarrow} \{0, 1\}^{\ell_s}$, and $(\text{pk}_{\text{fhe}}, \text{sk}_{\text{fhe}}) \stackrel{\$}{\leftarrow} \text{FHE.KeyGen}(1^n)$, computes $\text{ek}_{\text{re}} \stackrel{\$}{\leftarrow} \text{RE.Setup}(1^n, 1^\ell, \text{crs}_{\text{re}})$, $\text{ct} \stackrel{\$}{\leftarrow} \text{FHE.Enc}(\text{pk}_{\text{fhe}}, s)$, $\widehat{M}_{\text{inp}} \stackrel{\$}{\leftarrow} \text{RE.Enc}(\text{ek}_{\text{re}}, M, s, T')$, and $\text{ct}' \stackrel{\$}{\leftarrow} \text{FHE.Enc}(\text{pk}_{\text{fhe}}, s)$, and sets $\text{crs}_{P_{\text{eff}}} = \text{crs}_{\text{re}}$ and $\text{crs}_{V_{\text{eff}}} := \text{ek}_{\text{re}}$. Then it runs $(\text{ct}', |\text{st}_{\mathcal{A}}\rangle) \stackrel{\$}{\leftarrow} \mathcal{A}_1^{O_1}(\text{crs}_{P_{\text{eff}}}, \text{crs}_{V_{\text{eff}}}, x, (\widehat{M}_{\text{inp}}, \text{pk}_{\text{fhe}}, \text{ct}'))$, and outputs $|\text{st}_{\mathcal{B}}\rangle := (|\text{st}_{\mathcal{A}}\rangle, x, \widehat{M}_{\text{inp}}, \text{ct}, \text{ct}', \text{sk}_{\text{fhe}})$.¹³

$\mathcal{B}_2^{O_2}(|\text{st}_{\mathcal{B}}\rangle, z)$: It runs $\pi_{\text{snark}} \stackrel{\$}{\leftarrow} \mathcal{A}_2^{O_2}(|\text{st}_{\mathcal{A}}\rangle)$, and outputs 1 if $V_{\text{snark}}^{O_2(z, \cdot)}((x, \text{pk}_{\text{fhe}}, \text{ct}, \text{ct}'), \pi_{\text{snark}}) = \top$ and $1 \leftarrow \text{FHE.Dec}(\text{sk}_{\text{fhe}}, \text{ct}')$ and 0 otherwise.

□

Lemma 5.6. *If Π_{SNARK} satisfies the extractability and $\Pr[\mathbb{T}_2]$ is non-negligible, then $\Pr[\mathbb{T}_3]$ is also non-negligible.*

¹³Classical strings are encoded as quantum states in a trivial manner.

Proof. Let trans_3 be the transcript of the protocol before the fourth message is sent (i.e., $\text{trans}_3 = (\text{crs}_{P_{\text{eff}}}, \text{crs}_{V_{\text{eff}}}, \widehat{M}_{\text{inp}}, \text{pk}_{\text{fhe}}, \text{ct}', z)$). We say that $(H, \text{sk}_{\text{fhe}}, \text{trans}_3, |\text{st}_{\mathcal{A}}\rangle)$ is good if we randomly choose $G \xleftarrow{\$} \text{Func}(\{0, 1\}^{2n}, \{0, 1\}^n)$ and run $\pi_{\text{snark}} \xleftarrow{\$} \mathcal{A}_2^{H[z, G]}(|\text{st}_{\mathcal{A}}\rangle)$ to complete the transcript, then the transcript is accepted (i.e., we have $V_{\text{snark}}^G((x, \text{pk}_{\text{fhe}}, \text{ct}, \text{ct}'), \pi_{\text{snark}}) = \top$ and $1 \leftarrow \text{FHE.Dec}(\text{sk}_{\text{fhe}}, \text{ct}')$) with non-negligible probability. By a standard averaging argument, if $\Pr[\text{T}_2]$ is non-negligible, then a non-negligible fraction of $(H, \text{sk}_{\text{fhe}}, \text{trans}_3, |\text{st}_{\mathcal{A}}\rangle)$ is good when they are generated as in Game_2 . We fix good $(\text{trans}_3, \text{sk}_{\text{fhe}}, |\text{st}_{\mathcal{A}}\rangle)$. Then by the extractability of Π_{SNARK} , Ext succeeds in extracting a witness for $(x, \text{pk}_{\text{fhe}}, \text{ct}, \text{ct}') \in L_{\text{snark}}$ with non-negligible probability. Moreover, since we assume $(H, \text{sk}_{\text{fhe}}, \text{trans}_3, |\text{st}_{\mathcal{A}}\rangle)$ is good, we always have $1 \leftarrow \text{FHE.Dec}(\text{sk}_{\text{fhe}}, \text{ct}')$ (since otherwise a transcript with prefix trans_3 cannot be accepted). Therefore we can conclude that $\Pr[\text{T}_3]$ is non-negligible. \square

Lemma 5.7. *We have $\Pr[\text{T}_4] = \Pr[\text{T}_3]$.*

Proof. If e is a valid witness for $(x, \text{pk}_{\text{fhe}}, \text{ct}, \text{ct}') \in L_{\text{snark}}$, then we especially have $\text{ct}' = \text{FHE.Eval}(\text{pk}_{\text{fhe}}, C[x, e], \text{ct})$. By the correctness of Π_{FHE} , we have $\text{FHE.Dec}(\text{sk}_{\text{fhe}}, \text{ct}') = C[x, e](s) = (V_{\text{out}}(x, k, \text{td}, e) \stackrel{?}{=} \top)$ where $(k, \text{td}) \xleftarrow{\$} V_1(1^n, x; \text{PRG}(s))$. Therefore, the challenger returns 1 in Game_4 if and only if it returns 1 in Game_3 . \square

Lemma 5.8. *If Π_{FHE} is CPA-secure, then we have $|\Pr[\text{T}_5] - \Pr[\text{T}_4]| \leq \text{negl}(n)$.*

Lemma 5.9. *If Π_{RE} is secure, then we have $|\Pr[\text{T}_6] - \Pr[\text{T}_5]| \leq \text{negl}(n)$.*

Lemma 5.10. *If PRG is secure, then we have $|\Pr[\text{T}_7] - \Pr[\text{T}_6]| \leq \text{negl}(n)$.*

Lemma 5.11. *If (P, V) satisfies soundness, then we have $\Pr[\text{T}_7] \leq \text{negl}(n)$.*

Proof. Suppose that $\Pr[\text{T}_7]$ is non-negligible. Then we construct an adversary \mathcal{B} against the underlying two-round protocol as follows:

$\mathcal{B}(k)$: Given the first message k , it generates $H \xleftarrow{\$} \text{Func}(\{0, 1\}^{2n} \times \{0, 1\}^{2n}, \{0, 1\}^n)$, $G \xleftarrow{\$} \text{Func}(\{0, 1\}^{2n}, \{0, 1\}^n)$, $z \xleftarrow{\$} \{0, 1\}^{2n}$, $(k, \text{td}) \xleftarrow{\$} V_1(1^n, x; \text{PRG}(s))$, $(\text{crs}_{\text{re}}, \widehat{M}_{\text{inp}}) \xleftarrow{\$} \mathcal{S}_{\text{re}}(1^n, 1^{|\mathcal{M}|}, 1^{\ell_s}, k, T^*)$, $\text{ek}_{\text{re}} \xleftarrow{\$} \text{RE.Setup}(1^n, 1^\ell, \text{crs}_{\text{re}})$, and $(\text{pk}_{\text{fhe}}, \text{sk}_{\text{fhe}}) \xleftarrow{\$} \text{FHE.KeyGen}(1^n)$, computes $\text{ct} \xleftarrow{\$} \text{FHE.Enc}(\text{pk}_{\text{fhe}}, 0^{2n})$, and sets $\text{crs}_{P_{\text{eff}}} = \text{crs}_{\text{re}}$ and $\text{crs}_{V_{\text{eff}}} := \text{ek}_{\text{re}}$. Then it runs $(\text{ct}', |\text{st}_{\mathcal{A}}\rangle) \xleftarrow{\$} \mathcal{A}_1^H(\text{crs}_{P_{\text{eff}}}, \text{crs}_{V_{\text{eff}}}, x, (\widehat{M}_{\text{inp}}, \text{pk}_{\text{fhe}}, \text{ct}))$ and $e \xleftarrow{\$} \text{Ext}^{\mathcal{A}_2^{H, |\text{st}_{\mathcal{A}}\rangle, z}}((x, \text{pk}_{\text{fhe}}, \text{ct}, \text{ct}'), 1^{q_2}, 1^n)$ and outputs e .

Then we can easily see that the probability that we have $V_{\text{out}}(x, k, \text{td}, e)$ is at least $\Pr[\text{T}_7]$. Therefore, if the underlying two-round protocol is sound, then $\Pr[\text{T}_7] = \text{negl}(n)$. \square

By combining Lemmas 5.5 to 5.10, we can see that if $\Pr[\text{T}_1]$ is non-negligible, then $\Pr[\text{T}_7]$ is also non-negligible, which contradicts Lemma 5.11. Therefore we conclude that $\Pr[\text{T}_1] = \text{negl}(n)$. \square

5.3 Reducing to Two-Round via Fiat-Shamir

Here, we show that the number of rounds can be reduced to 2 relying on another random oracle. Namely, we observe that the third message of the scheme is just a public coin, and so we can apply the Fiat-Shamir transform similarly to Sec.4. In the following, we describe the protocol for completeness.

Our two-round CVQC protocol ($\text{Setup}_{\text{eff-fs}}, P_{\text{eff-fs}}, V_{\text{eff-fs}} = (V_{\text{eff-fs},1}, V_{\text{eff-fs},\text{out}})$) for L_T in the CRS+QRO model is described as follows. Let $H : \{0, 1\}^{2n} \times \{0, 1\}^{2n} \rightarrow \{0, 1\}^n$ be a quantum random oracle and $H' : \{0, 1\}^{\ell_{\text{ct}'}} \rightarrow \{0, 1\}^{2n}$ be another quantum random oracle where $\ell_{\text{ct}'}$ is the maximal length of ct' in the four-round scheme and ℓ and T' be as defined in the previous section.

$\text{Setup}_{\text{eff-fs}}(1^n)$: The setup algorithm takes the security parameter 1^n as input, generates $\text{crs}_{\text{re}} \xleftarrow{\$} \{0, 1\}^\ell$ and computes $\text{ek}_{\text{re}} \xleftarrow{\$} \text{RE.Setup}(1^n, 1^\ell, \text{crs}_{\text{re}})$. Then it outputs a CRS for verifier $\text{crs}_{V_{\text{eff-fs}}} := \text{ek}_{\text{re}}$ and a CRS for prover $\text{crs}_{P_{\text{eff-fs}}} := \text{crs}_{\text{re}}$.

$V_{\text{eff-fs},1}^{H,H'}$: Given $\text{crs}_{V_{\text{eff-fs}}} = \text{ek}_{\text{re}}$ and x , it generates $s \xleftarrow{\$} \{0, 1\}^{\ell_s}$ and $(\text{pk}_{\text{fhe}}, \text{sk}_{\text{fhe}}) \xleftarrow{\$} \text{FHE.KeyGen}(1^n)$, computes $\text{ct} \xleftarrow{\$} \text{FHE.Enc}(\text{pk}_{\text{fhe}}, s)$ and $\widehat{M}_{\text{inp}} \xleftarrow{\$} \text{RE.Enc}(\text{ek}_{\text{re}}, M, s, T')$ where M is a Turing machine that works as follows:

$M(s)$: Given an input $s \in \{0, 1\}^{\ell_s}$, it computes $(k, \text{td}) \xleftarrow{\$} V_1(1^n, x; \text{PRG}(s))$ and outputs k .

Then it sends $(\widehat{M}_{\text{inp}}, \text{pk}_{\text{fhe}}, \text{ct})$ to $P_{\text{eff-fs}}$ and keeps sk_{fhe} as its internal state.

$P_{\text{eff-fs},2}^{H,H'}$: Given $\text{crs}_{P_{\text{eff-fs}}} = \text{crs}_{\text{re}}$, x and the message $(\widehat{M}_{\text{inp}}, \text{pk}_{\text{fhe}}, \text{ct})$ from the verifier, it computes $k \leftarrow \text{RE.Dec}(\text{crs}_{\text{re}}, \widehat{M}_{\text{inp}})$, $e \xleftarrow{\$} P_2(x, k)$, and $\text{ct}' \leftarrow \text{FHE.Eval}(\text{pk}_{\text{fhe}}, C[x, e], \text{ct})$ where $C[x, e]$ is a classical circuit defined above. Then it computes $z := H'(\text{ct}')$, computes $\pi_{\text{snark}} \xleftarrow{\$} P_{\text{snark}}^{H(z, \cdot)}((x, \text{pk}_{\text{fhe}}, \text{ct}, \text{ct}'), e)$ and sends $(\text{ct}', \pi_{\text{snark}})$ to $V_{\text{eff-fs}}$.

$V_{\text{eff-fs},\text{out}}^{H,H'}$: It computes $z := H'(\text{ct}')$ and returns \top if $V_{\text{snark}}^{H(z, \cdot)}((x, \text{pk}_{\text{fhe}}, \text{ct}, \text{ct}'), \pi_{\text{snark}}) = \top$ and $1 \leftarrow \text{FHE.Dec}(\text{sk}_{\text{fhe}}, \text{ct}')$ and \perp otherwise.

Verification Efficiency. Clearly, the verification efficiency is preserved from the protocol in Sec. 5.2

Theorem 5.12 (Completeness). *For any $x \in L_T$,*

$$\Pr \left[\langle P_{\text{eff-fs}}^{H,H'}(\text{crs}_{P_{\text{eff-fs}}}), V_{\text{eff-fs}}^{H,H'}(\text{crs}_{V_{\text{eff-fs}}}) \rangle(x) = \perp \right] = \text{negl}(n)$$

where $(\text{crs}_{P_{\text{eff-fs}}}, \text{crs}_{V_{\text{eff-fs}}}) \xleftarrow{\$} \text{Setup}_{\text{eff-fs}}(1^n)$.

Theorem 5.13 (Soundness). *For any $x \notin L_T$ any efficient quantum cheating prover \mathcal{A} ,*

$$\Pr \left[\langle \mathcal{A}^{H,H'}(\text{crs}_{P_{\text{eff-fs}}}, \text{crs}_{V_{\text{eff-fs}}}), V_{\text{eff-fs}}^{H,H'}(\text{crs}_{V_{\text{eff-fs}}}) \rangle(x) = \top \right] = \text{negl}(n)$$

where $(\text{crs}_{P_{\text{eff-fs}}}, \text{crs}_{V_{\text{eff-fs}}}) \xleftarrow{\$} \text{Setup}_{\text{eff-fs}}(1^n)$.

This can be reduced to Theorem 5.4 similarly to the proof of soundness of the protocol in Sec. 4.

Acknowledgement

Kai-Min Chung is partially supported by the Academia Sinica Career Development Award under Grant no. 23-17, and MOST QC project under Grant no. MOST 108-2627-E-002-001-.

Nai-Hui Chia were supported by Scott Aaronson's Vannevar Bush Faculty Fellowship.

References

- [AAB⁺19] Frank Arute, Kunal Arya, Ryan Babbush, Dave Bacon, Joseph C. Bardin, Rami Barends, Rupak Biswas, Sergio Boixo, Fernando G. S. L. Brandao, David A. Buell, Brian Burkett, Yu Chen, Zijun Chen, Ben Chiaro, Roberto Collins, William Courtney, Andrew Dunsworth, Edward Farhi, Brooks Foxen, Austin Fowler, Craig Gidney, Marissa Giustina, Rob Graff, Keith Guerin, Steve Habegger, Matthew P. Harrigan, Michael J. Hartmann, Alan Ho, Markus Hoffmann, Trent Huang, Travis S. Humble, Sergei V. Isakov, Evan Jeffrey, Zhang Jiang, Dvir Kafri, Kostyantyn Kechedzhi, Julian Kelly, Paul V. Klimov, Sergey Knysh, Alexander Korotkov, Fedor Kostritsa, David Landhuis, Mike Lindmark, Erik Lucero, Dmitry Lyakh, Salvatore Mandrà, Jarrod R. McClean, Matthew McEwen, Anthony Megrant, Xiao Mi, Kristel Michielsen, Masoud Mohseni, Josh Mutus, Ofer Naaman, Matthew Neeley, Charles Neill, Murphy Yuezhen Niu, Eric Ostby, Andre Petukhov, John C. Platt, Chris Quintana, Eleanor G. Rieffel, Pedram Roushan, Nicholas C. Rubin, Daniel Sank, Kevin J. Satzinger, Vadim Smelyanskiy, Kevin J. Sung, Matthew D. Trevithick, Amit Vainsencher, Benjamin Vallalonga, Theodore White, Z. Jamie Yao, Ping Yeh, Adam Zalcman, Hartmut Neven, and John M. Martinis. Quantum supremacy using a programmable superconducting processor. *Nature*, 574(7779):505–510, 2019.
- [AAV13] Dorit Aharonov, Itai Arad, and Thomas Vidick. Guest column: The quantum pcp conjecture. *SIGACT News*, 44(2):47–79, June 2013.
- [ABOEM17] Dorit Aharonov, Michael Ben-Or, Elad Eban, and Urmila Mahadev. Interactive proofs for quantum computations. *arXiv*, 1704.04487, 2017.
- [ACGH20] Gorjan Alagic, Andrew M. Childs, Alex B. Grilo, and Shih-Han Hung. Non-interactive classical verification of quantum computation. In *TCC 2020*, 2020. To appear.
- [Agr19] Shweta Agrawal. Indistinguishability obfuscation without multilinear maps: New methods for bootstrapping and instantiation. In Yuval Ishai and Vincent Rijmen, editors, *EUROCRYPT 2019, Part I*, volume 11476 of *LNCS*, pages 191–225. Springer, Heidelberg, May 2019.
- [AP20] Shweta Agrawal and Alice Pellet-Mary. Indistinguishability obfuscation without maps: Attacks and fixes for noisy linear FE. In Vincent Rijmen and Yuval Ishai, editors, *EUROCRYPT 2020, Part I*, LNCS, pages 110–140. Springer, Heidelberg, May 2020.
- [BDF⁺11] Dan Boneh, Özgür Dagdelen, Marc Fischlin, Anja Lehmann, Christian Schaffner, and Mark Zhandry. Random oracles in a quantum world. In Dong Hoon Lee and Xiaoyun Wang, editors, *ASIACRYPT 2011*, volume 7073 of *LNCS*, pages 41–69. Springer, Heidelberg, December 2011.
- [BDGM20] Zvika Brakerski, Nico Döttling, Sanjam Garg, and Giulio Malavolta. Factoring and pairings are not necessary for io: Circular-secure lwe suffices. *IACR Cryptol. ePrint Arch.*, 2020:1024, 2020.
- [BFK09] Anne Broadbent, Joseph Fitzsimons, and Elham Kashefi. Universal blind quantum computation. In *50th FOCS*, pages 517–526. IEEE Computer Society Press, October 2009.

- [BFK⁺19] Saikrishna Badrinarayanan, Rex Fernando, Venkata Koppula, Amit Sahai, and Brent Waters. Output compression, MPC, and iO for turing machines. In *ASIACRYPT 2019, Part I*, LNCS, pages 342–370. Springer, Heidelberg, December 2019.
- [BGI⁺12] Boaz Barak, Oded Goldreich, Russell Impagliazzo, Steven Rudich, Amit Sahai, Salil P. Vadhan, and Ke Yang. On the (im)possibility of obfuscating programs. *J. ACM*, 59(2):6:1–6:48, 2012.
- [BGV12] Zvika Brakerski, Craig Gentry, and Vinod Vaikuntanathan. (Leveled) fully homomorphic encryption without bootstrapping. In Shafi Goldwasser, editor, *ITCS 2012*, pages 309–325. ACM, January 2012.
- [BHK17] Zvika Brakerski, Justin Holmgren, and Yael Tauman Kalai. Non-interactive delegation and batch NP verification from standard computational assumptions. In Hamed Hatami, Pierre McKenzie, and Valerie King, editors, *49th ACM STOC*, pages 474–482. ACM Press, June 2017.
- [BIN97] Mihir Bellare, Russell Impagliazzo, and Moni Naor. Does parallel repetition lower the error in computationally sound protocols? In *38th FOCS*, pages 374–383. IEEE Computer Society Press, October 1997.
- [BKK⁺18] Saikrishna Badrinarayanan, Yael Tauman Kalai, Dakshita Khurana, Amit Sahai, and Daniel Wichs. Succinct delegation for low-space non-deterministic computation. In Ilias Diakonikolas, David Kempe, and Monika Henzinger, editors, *50th ACM STOC*, pages 709–721. ACM Press, June 2018.
- [Bra12] Zvika Brakerski. Fully homomorphic encryption without modulus switching from classical GapSVP. In Reihaneh Safavi-Naini and Ran Canetti, editors, *CRYPTO 2012*, volume 7417 of *LNCS*, pages 868–886. Springer, Heidelberg, August 2012.
- [BV11] Zvika Brakerski and Vinod Vaikuntanathan. Efficient fully homomorphic encryption from (standard) LWE. In Rafail Ostrovsky, editor, *52nd FOCS*, pages 97–106. IEEE Computer Society Press, October 2011.
- [CCH⁺19] Ran Canetti, Yilei Chen, Justin Holmgren, Alex Lombardi, Guy N. Rothblum, Ron D. Rothblum, and Daniel Wichs. Fiat-Shamir: from practice to theory. In Moses Charikar and Edith Cohen, editors, *51st ACM STOC*, pages 1082–1090. ACM Press, June 2019.
- [CL01] Jan Camenisch and Anna Lysyanskaya. An efficient system for non-transferable anonymous credentials with optional anonymity revocation. In Birgit Pfitzmann, editor, *EUROCRYPT 2001*, volume 2045 of *LNCS*, pages 93–118. Springer, Heidelberg, May 2001.
- [CLLW20] Kai-Min Chung, Yi Lee, Han-Hsuan Lin, and Xiaodi Wu. Constant-round blind classical verification of quantum sampling. In submission, 2020.
- [CLTV15] Ran Canetti, Huijia Lin, Stefano Tessaro, and Vinod Vaikuntanathan. Obfuscation of probabilistic circuits and applications. In Yevgeniy Dodis and Jesper Buus Nielsen, editors, *TCC 2015, Part II*, volume 9015 of *LNCS*, pages 468–497. Springer, Heidelberg, March 2015.

- [CMS19] Alessandro Chiesa, Peter Manohar, and Nicholas Spooner. Succinct arguments in the quantum random oracle model. In *TCC 2019, Part II*, LNCS, pages 1–29. Springer, Heidelberg, March 2019.
- [DFMS19] Jelle Don, Serge Fehr, Christian Majenz, and Christian Schaffner. Security of the Fiat-Shamir transformation in the quantum random-oracle model. In Alexandra Boldyreva and Daniele Micciancio, editors, *CRYPTO 2019, Part II*, volume 11693 of LNCS, pages 356–383. Springer, Heidelberg, August 2019.
- [FK17] Joseph F Fitzsimons and Elham Kashef. Unconditionally verifiable blind quantum computation. *Physical Review A*, 96(1):012303, 2017.
- [FS87] Amos Fiat and Adi Shamir. How to prove yourself: Practical solutions to identification and signature problems. In Andrew M. Odlyzko, editor, *CRYPTO’86*, volume 263 of LNCS, pages 186–194. Springer, Heidelberg, August 1987.
- [Gen09] Craig Gentry. Fully homomorphic encryption using ideal lattices. In Michael Mitzenmacher, editor, *41st ACM STOC*, pages 169–178. ACM Press, May / June 2009.
- [GGH⁺16] Sanjam Garg, Craig Gentry, Shai Halevi, Mariana Raykova, Amit Sahai, and Brent Waters. Candidate indistinguishability obfuscation and functional encryption for all circuits. *SIAM J. Comput.*, 45(3):882–929, 2016.
- [GKR15] Shafi Goldwasser, Yael Tauman Kalai, and Guy N. Rothblum. Delegating computation: Interactive proofs for muggles. *J. ACM*, 62(4):27:1–27:64, 2015.
- [GP20] Romain Gay and Rafael Pass. Indistinguishability obfuscation from circular security. Cryptology ePrint Archive, Report 2020/1010, 2020. <https://eprint.iacr.org/2020/1010>.
- [GSW13] Craig Gentry, Amit Sahai, and Brent Waters. Homomorphic encryption from learning with errors: Conceptually-simpler, asymptotically-faster, attribute-based. In Ran Canetti and Juan A. Garay, editors, *CRYPTO 2013, Part I*, volume 8042 of LNCS, pages 75–92. Springer, Heidelberg, August 2013.
- [GV19] Alexandru Gheorghiu and Thomas Vidick. Computationally-secure and composable remote state preparation. In *60th FOCS*, pages 1024–1033. IEEE Computer Society Press, 2019.
- [HILL99] Johan Håstad, Russell Impagliazzo, Leonid A. Levin, and Michael Luby. A pseudo-random generator from any one-way function. *SIAM J. Comput.*, 28(4):1364–1396, 1999.
- [HR18] Justin Holmgren and Ron Rothblum. Delegating computations with (almost) minimal time and space overhead. In Mikkel Thorup, editor, *59th FOCS*, pages 124–135. IEEE Computer Society Press, October 2018.
- [IBM] Ibm quantum experience. <https://quantum-computing.ibm.com/docs/>. Accessed: 2020-05-22.
- [Kil92] Joe Kilian. A note on efficient zero-knowledge proofs and arguments (extended abstract). In *24th ACM STOC*, pages 723–732. ACM Press, May 1992.

- [KPY19] Yael Tauman Kalai, Omer Paneth, and Lisa Yang. How to delegate computations publicly. In Moses Charikar and Edith Cohen, editors, *51st ACM STOC*, pages 1115–1124. ACM Press, June 2019.
- [KRR13] Yael Tauman Kalai, Ran Raz, and Ron D. Rothblum. Delegation for bounded space. In Dan Boneh, Tim Roughgarden, and Joan Feigenbaum, editors, *45th ACM STOC*, pages 565–574. ACM Press, June 2013.
- [KRR14] Yael Tauman Kalai, Ran Raz, and Ron D. Rothblum. How to delegate computations: the power of no-signaling proofs. In David B. Shmoys, editor, *46th ACM STOC*, pages 485–494. ACM Press, May / June 2014.
- [LZ19] Qipeng Liu and Mark Zhandry. Revisiting post-quantum Fiat-Shamir. In Alexandra Boldyreva and Daniele Micciancio, editors, *CRYPTO 2019, Part II*, volume 11693 of *LNCS*, pages 326–355. Springer, Heidelberg, August 2019.
- [Mah18] Urmila Mahadev. Classical verification of quantum computations. In Mikkel Thorup, editor, *59th FOCS*, pages 259–267. IEEE Computer Society Press, October 2018.
- [MF18] Tomoyuki Morimae and Joseph F. Fitzsimons. Post hoc verification with a single prover. *Physical Review Letters*, 120:040501, 2018.
- [Mic00] Silvio Micali. Computationally sound proofs. *SIAM J. Comput.*, 30(4):1253–1298, 2000.
- [MW05] Chris Marriott and John Watrous. Quantum arthur—merlin games. *Comput. Complex.*, 14(2):122–152, June 2005.
- [NIS] NIST. Post-quantum cryptography standardization. <https://csrc.nist.gov/Projects/Post-Quantum-Cryptography>. Accessed: 2020-09-21.
- [NWZ09] Daniel Nagaj, Pawel Wocjan, and Yong Zhang. Fast amplification of qma. *arXiv*, 0904.1549, 2009.
- [Pei16] Chris Peikert. A decade of lattice cryptography. *Foundations and Trends in Theoretical Computer Science*, 10(4):283–424, 2016.
- [PW07] Krzysztof Pietrzak and Douglas Wikström. Parallel repetition of computationally sound protocols revisited. In Salil P. Vadhan, editor, *TCC 2007*, volume 4392 of *LNCS*, pages 86–102. Springer, Heidelberg, February 2007.
- [Reg09] Oded Regev. On lattices, learning with errors, random linear codes, and cryptography. *J. ACM*, 56(6):34:1–34:40, 2009.
- [RRR16] Omer Reingold, Guy N. Rothblum, and Ron D. Rothblum. Constant-round interactive proofs for delegating computation. In Daniel Wichs and Yishay Mansour, editors, *48th ACM STOC*, pages 49–62. ACM Press, June 2016.
- [RUV13] Ben W Reichardt, Falk Unger, and Umesh Vazirani. Classical command of quantum systems. *Nature*, 496(7746):456, 2013.
- [RV10] Guy N. Rothblum and Salil P. Vadhan. Are pcps inherent in efficient arguments? *Comput. Complex.*, 19(2):265–304, 2010.

- [SXY18] Tsunekazu Saito, Keita Xagawa, and Takashi Yamakawa. Tightly-secure key-encapsulation mechanism in the quantum random oracle model. In Jesper Buus Nielsen and Vincent Rijmen, editors, *EUROCRYPT 2018, Part III*, volume 10822 of *LNCS*, pages 520–551. Springer, Heidelberg, April / May 2018.
- [SY17] Fang Song and Aaram Yun. Quantum security of nmac and related constructions - prf domain extension against quantum attacks. *IACR Cryptology ePrint Archive*, 2017:509, 2017. Version 20170602:164010. Preliminary version of this paper was presented at CRYPTO 2017.
- [WW20] Hoeteck Wee and Daniel Wichs. Candidate obfuscation via oblivious lwe sampling. *IACR Cryptol. ePrint Arch.*, 2020:1042, 2020.
- [Zha12] Mark Zhandry. How to construct quantum random functions. In *53rd FOCS*, pages 679–687. IEEE Computer Society Press, October 2012.

A Proof of Lemma 5.2

Here, we give a proof of Lemma 5.2. We note that the proof is essentially the same as the proof of [SXY18, Lemma 2.2].

Before proving the lemma, we introduce another lemma, which gives a lower bound for a decisional variant of Grover’s search problem.

Lemma A.1 ([SY17, Lemma C.1]). *Let $g_z : \{0, 1\}^\ell \rightarrow \{0, 1\}$ denotes a function defined as $g_z(z) := 1$ and $g_z(z') := 0$ for all $z' \neq z$, and $g_\perp : \{0, 1\}^\ell \rightarrow \{0, 1\}$ denotes a function that returns 0 for all inputs. Then for any quantum adversary $\mathcal{B} = (\mathcal{B}_1, \mathcal{B}_2)$ we have*

$$\left| \Pr[1 \stackrel{s}{\leftarrow} \mathcal{B}_2(|\text{st}_{\mathcal{B}}\rangle, z) \mid |\text{st}_{\mathcal{B}}\rangle \stackrel{s}{\leftarrow} \mathcal{B}_1^{g_z}()] - \Pr[1 \stackrel{s}{\leftarrow} \mathcal{B}_2(|\text{st}_{\mathcal{B}}\rangle, z) \mid |\text{st}_{\mathcal{B}}\rangle \stackrel{s}{\leftarrow} \mathcal{B}_1^{g_\perp}()] \right| \leq q_1 \cdot 2^{-\frac{\ell}{2}+1}.$$

where $z \stackrel{s}{\leftarrow} \{0, 1\}^\ell$ and q_1 denotes the maximal number of queries by \mathcal{B}_1 .

Then we prove Lemma 5.2.

Proof. (of Lemma 5.2.) We consider the following sequence of games. We denote the event that Game_i returns 1 by T_i .

Game₁: This game simulates the environment of the first term of LHS in the inequality in the lemma. Namely, the challenger chooses $z \stackrel{s}{\leftarrow} \{0, 1\}^\ell$, $H \stackrel{s}{\leftarrow} \text{Func}(\{0, 1\}^\ell \times \mathcal{X}, \mathcal{Y})$, \mathcal{A}_1 runs with oracle H to generate $|\text{st}_{\mathcal{A}}\rangle$, \mathcal{A}_2 runs on input $(|\text{st}_{\mathcal{A}}\rangle, z)$ with oracle H to generate a bit b , and the game returns b .

Game₂: This game is identical to the previous game except that the oracle given to \mathcal{A}_1 is replaced with $H[z, G]$ where $G \stackrel{s}{\leftarrow} \text{Func}(\mathcal{X}, \mathcal{Y})$.

Game₃: This game is identical to the previous game except that the oracle given to \mathcal{A}_1 is replaced with H and the oracle given to \mathcal{A}_2 is replaced with $H[z, G]$. We note that this game simulates the environment as in the second term of the LHS in the inequality in the lemma.

What we need to prove is $|\Pr[\mathbf{T}_1] - \Pr[\mathbf{T}_3]| \leq q_1 2^{-\frac{\ell}{2}+1}$. First we observe that the change from Game_2 to Game_3 is just conceptual and nothing changes from the adversary's view since in both games, the oracles given to \mathcal{A}_1 and \mathcal{A}_2 are random oracles that agrees on any input (z', x) such that $z' \neq z$ and independent on any input (z, x) . Therefore we have $\Pr[\mathbf{T}_2] = \Pr[\mathbf{T}_3]$. What is left is to prove $|\Pr[\mathbf{T}_1] - \Pr[\mathbf{T}_2]| \leq q_1 2^{-\frac{\ell}{2}+1}$. For proving this, we construct an algorithm $\mathcal{B} = (\mathcal{B}_1, \mathcal{B}_2)$ that breaks Lemma 5.2 with the advantage $|\Pr[\mathbf{T}_1] - \Pr[\mathbf{T}_2]|$ as follows:

$\mathcal{B}_1^{g^*}()$: It generates $H \stackrel{\$}{\leftarrow} \text{Func}(\{0, 1\}^\ell \times \mathcal{X}, \mathcal{Y})$ and $G \stackrel{\$}{\leftarrow} \text{Func}(\mathcal{X}, \mathcal{Y})$, implements an oracle O_1 as

$$O_1(z', x) = \begin{cases} G(x) & \text{if } g^*(z') = 1 \\ H(z', x) & \text{else} \end{cases},$$

runs $|\text{st}_{\mathcal{A}}\rangle \stackrel{\$}{\leftarrow} \mathcal{A}_1^{O_1}()$ and outputs $|\text{st}_{\mathcal{B}}\rangle := |\text{st}_{\mathcal{A}}\rangle$

$\mathcal{B}_2(|\text{st}_{\mathcal{B}}\rangle = |\text{st}_{\mathcal{A}}\rangle, z)$: It runs $b \stackrel{\$}{\leftarrow} \mathcal{A}_2^H(|\text{st}_{\mathcal{B}}\rangle, z)$ and outputs b .

It is easy to see that if $g^* = g_\perp$, then \mathcal{B} perfectly simulates Game_1 for \mathcal{A} and if $g^* = g_z$, then \mathcal{B} perfectly simulates Game_2 for \mathcal{A} . Therefore, we have $|\Pr[\mathbf{T}_1] - \Pr[\mathbf{T}_2]| \leq q_1 2^{-\frac{\ell}{2}+1}$ by Lemma 5.2. \square