

Call Me By My Name: Simple, Practical Private Information Retrieval for Keyword Queries

Sofía Celi
Brave Software
Portugal
cherenkov@riseup.net

Alex Davidson
Universidade NOVA de Lisboa & NOVA LINCS
Portugal
a.davidson@fct.unl.pt

ABSTRACT

We introduce ChalametPIR: a single-server Private Information Retrieval (PIR) scheme supporting fast, low-bandwidth *keyword* queries, with a conceptually very simple design. In particular, we develop a generic framework for converting PIR schemes for index queries over flat arrays (based on the Learning With Errors problem) into keyword PIR. This involves representing a key-value map using any probabilistic filter that permits reconstruction of elements from inclusion queries (e.g. Cuckoo filters). In particular, we make use of recently developed *Binary Fuse filters* to construct ChalametPIR, with minimal efficiency blow-up compared with state-of-the-art index-based schemes (all costs bounded by a factor of ≤ 1.08). Furthermore, we show that ChalametPIR achieves runtimes and financial costs that are factors of between $6\text{--}11\times$ and $3.75\text{--}11.4\times$ more efficient, respectively, than state-of-the-art keyword PIR approaches, for varying database configurations. Bandwidth costs are additionally reduced or remain competitive, depending on the configuration. Finally, we believe that our application of Binary Fuse filters can have independent value towards developing efficient variants of related cryptographic primitives (e.g. private set intersection), that already benefit from using less efficient filter constructions.

1 INTRODUCTION

Private Information Retrieval (PIR) schemes provide the ability to make private queries on public databases that are hosted by an untrusted (semi-honest) server(s). In the more plausible single-server setting (where there are no trust assumptions over multiple non-colluding servers [46]), the majority of approaches with tolerable costs (e.g. [26, 29, 42, 48, 52, 55, 76]) are limited to querying *indices* over flat arrays. However, this abstraction differs greatly from real-world instantiations of both structured and unstructured databases, which are often indexed by *keys*.

For a key-value map KV, Chor, Gilboa, and Naor observed that, via a generic transformation, index-based PIR could be used to obtain *PIR-by-keywords* (henceforth KWPIR) [22]. In KWPIR, the client privately queries for a keyword k , and learns $x = KV[k]$. While this abstraction remains much simpler than what is expected of today’s database systems, it still requires a logarithmic number of index-based PIR protocols to be run in the size of the database. As a result, significant running costs would be incurred, even when using the most practical PIR schemes, which typically require hundreds of kB of traffic and close to a second of server runtime. In response to these limitations, the last few years have seen the design

of promising single-round constructions from heavily optimised fully-homomorphic encryption [6, 47, 51, 62], as well as approaches that use local client storage to map keyword queries to indices [44]. Even so, considering the most efficient keyword-based SparsePIR scheme of Patel, Seo, and Yeo [62], there is an order of magnitude in the performance depreciation between index- and keyword-based PIR schemes. In particular, where recent work demonstrates very *simple* constructions of PIR guaranteeing state-of-the-art performance, based directly on Learning with Errors (LWE) [29, 42, 48, 76], similar constructions do not exist in the KWPIR setting.

Our work. We construct KWPIR via a generic transformation that merges LWE-based PIR schemes and *key-value filters* into highly efficient keyword PIR schemes. Key-value filters can be built from well-known Cuckoo filters [35], for example, which map a set into a data structure that allows querying keys and reconstructing corresponding values, with configurable false-positive rates ϵ (see Section 3 for our full abstraction). However, while such techniques have been used in FHE-based PIR design [6, 47] previously, their efficiency appeared to be outperformed by alternative techniques [62]. In contrast, we show that coupling LWE-based PIR schemes with recent innovations in filter design, namely Binary Fuse filters [40], produces a keyword PIR scheme with record performance across almost all performance metrics and a variety of database settings. Our concrete scheme ChalametPIR is built explicitly using this framework, using schemes such as SimplePIR [42] and FrodoPIR [29], while also compatible with more recent LWE-based PIR schemes [48].

Regarding concrete performance, for maps containing 1 million keys with associated 256 B values (1 GB in total), ChalametPIR based on FrodoPIR achieves online server runtimes of around 100 ms (on a 2021 Macbook) and response sizes of 4 kB. This represents a minimal performance blow-up ($1.08\times$) compared to the original index-based FrodoPIR scheme, and is an order of magnitude more efficient than SparsePIR. By comparing financial costs for standard AWS EC2 infrastructure [7] for various DB settings, we show that the costs of ChalametPIR are between $3.75\text{--}11.4\times$ cheaper than SparsePIR.

Formal contributions. In this work, we achieve the following.

- A formalisation of probabilistic *key-value* filters for the PIR setting (Section 3). We further provide a concrete definition and parameterisation for using Binary Fuse filters [40] in generic cryptographic applications, to store large key-value maps with a configurable false-positive rate (Section 4).




Figure 1: Overview of the generic framework used in ChalametPIR to construct KWPIR protocols over raw key-value maps. The framework uses key-value filters (Section 3.1) and LWE-based PIR (Section 2.4).

- A generic transformation that takes LWEPIR schemes and key-value filters, and produces conceptually very simple keyword PIR schemes (Section 5).
- An efficient parametrisation and open-source Rust implementation of the ChalametPIR scheme, based on FrodoPIR (but compatible with general LWEPIR schemes) and Binary Fuse filters.¹ Our experimental analysis shows that ChalametPIR achieves state-of-the-art performance costs (Section 6).

1.1 Technical Overview

Our approach is very simple, and forms of it have been used previously in PIR schemes (for example, see [6, 47, 62]). A high-level visualisation of the methodology is given in Figure 1. In principle, we make use of a key-value map KV of size m , that is indexed by keys $k \in \mathcal{K}$ with corresponding values $x \in \mathcal{X}$. We convert this map into a filter structure that permits reconstructing elements over \mathcal{X} using a set of hash functions $H = \{h_i\}_{i \in [k]}$, with a configurable false-positive probability, ϵ . In other words, the filter F has a function of the form $fpt_\epsilon(x) \leftarrow F.\text{check}(k)$, for some fingerprint function fpt_ϵ that allows deriving x . To avoid storing huge data elements in each entry of the filter, we break the filter into d “columns”, each holding $\log(p)$ bits of a given row of data, and indexed by the same set of hash functions. We interpret these filter columns as a matrix containing N rows, where $N = \zeta m$ and ζ is the natural blow-up introduced by the filter. We can then query for an element simply using linearly homomorphic encryption (Section 2.2). In principle, this query consists of sending an encrypted vector of all zeroes, except for entries corresponding to $h_i(k)$ which are set to 1.

Previous work combined this general approach with FHE and Cuckoo hashing [56]. The results, however, have not been shown to be so efficient (notably performing worse than non-filter-based approaches [62]), or leveraged the use of multiple

rounds in order to lower communication times via primitives as oblivious transfer [47]. The novelty in our work relies on the merging of non-FHE-based PIR (i.e. LWEPIR), and coupling it with concrete and very practical instantiations of filters, such as the novel Binary Fuse filters [40]. Binary Fuse filters set $1.08 \leq \zeta \leq 1.13$, dependent on the choice of $k \in \{3, 4\}$, which appears to be notably smaller than any other filter design. To the best of our knowledge, our work is the first to explore the usage of Binary Fuse filters in cryptography, as a practical basis for other cryptographic primitives that rely upon filter-based approaches.

Handling false-positives. PIR seems like a natural candidate for using filter-based approaches in general, as the database is assumed to be *public*, and the adversary is assumed to be *semi-honest*. This means that the occurrence of false-positives does not necessarily lead to security flaws, but they may indeed have real-world impacts. To mitigate false-positives, we use the fact that the false-positive rate (ϵ) of Binary Fuse filters is defined by the length of the key fingerprint in the output. In our case, we therefore explicitly structure outputs as $H(k)\|x$, where $H : k \mapsto \{0, 1\}^\mu$, where $\mu \geq 2\epsilon$ is a universal hash function. This means that a query for k' can identify a false-positive by simply checking that the first μ bits are equal to $H(k')$, and otherwise aborting. This allows complete configuration of $\epsilon = \mu/2$, depending on the hash length.

Security and performance. The security of our approach follows naturally from the LWE assumption, as parameterised by the underlying PIR scheme. Performance magnification compared with the corresponding index-based scheme is determined by the factor ζ , and thus can be as small as 1.08. Furthermore, using LWEPIR schemes that use square-root matrix encodings (such as SimplePIR, see Section 5.3) reduces this magnification further still. In comparison with existing keyword PIR schemes, ChalametPIR (based on either FrodoPIR or SimplePIR) is significantly more efficient across all performance metrics, for almost all database settings (see

¹<https://anonymous.4open.science/r/chalamet-3A2E>

Section 6). We provide an open-source Rust implementation of ChalamePIR, based on the FrodoPIR scheme.

1.2 Related Work

Index-based PIR. PIR is a decades-old problem first introduced by Chor, Gilboa, Kushilevitz, and Sudan [23], concerned with privately retrieving items from public databases, hosted by untrusted (semi-honest) servers. Of the two standard approaches, the first, information-theoretic PIR, relies on having at least two non-colluding servers respond to client queries, which are shared across both servers [5, 9–12, 21, 27, 34, 38, 50, 73]. Recent works have shown that such protocols can achieve sublinear asymptotic efficiency in the database size [27, 68]. The second approach, single-server PIR, handles client queries via a single untrusted server, where security follows from computational assumptions [1, 3, 6, 17, 19, 27, 37, 46, 49, 55, 59, 60]. Such schemes are generally less efficient (though sub-linear approaches exist [26, 76]), but avoid unrealistic trust assumptions.

The most efficient single-server index-based PIR schemes are based on lattice-based cryptographic assumptions, particularly on the ring learning with errors (RLWE) assumption and FHE [3, 6, 32, 52, 55, 59, 60]. However, a recent line of work builds PIR from the standard Learning with Errors (LWE) assumption with higher efficiency and increased simplicity [24, 29, 42, 48]. In particular, the implementations of such schemes require only hundreds of lines of code, and the operations are simple enough to be implemented by non-expert developers. FHE-based solutions appear to only remain competitive assuming complex optimisations that seem to be far beyond the capabilities of a non-expert implementer. Various works, such as [60, 76], focus on providing very fast and efficient online PIR protocols, but require streaming the entire database to the client in an offline phase, which violates fundamental PIR efficiency criteria (Definition 2.5).

Keyword PIR. For decades, PIR schemes that could allow querying keywords (and thus maintaining much more realistic functionality, with respect to modern data structures) reduced the problem to running many rounds of index-based PIR. In particular, Chor et al. [22] showed keyword PIR could be achieved by running logarithmically number of rounds of index-based PIR over binary tree structures. Similar constructions based on oblivious PRFs have been given [36], with the advantage of achieving notions of privacy for the database.

More recent lines of work allows for single-round keyword-query functionality via FHE-based PIR. In particular, the work of [3] introduces a solution that leverages a form of cuckoo hashing to probabilistically map keywords into a small table — similar to our proposed approach. Alternatively, one can build keyword-based PIR via equality operators [6]. In this approach, the client’s query is encoded into a domain, encrypted and sent to a server. The server computes each bit of the vector using an equality operator — represented as an indicator function that is set to 1 when it returns true, and 0 otherwise — between the client’s encrypted query and each database identifier (which can be an index or keyword).

Then, the server derives the inner product between the database and the vector, and sends the result to be decrypted by the client. Via a folklore equality operator, they construct a PIR scheme that has the smallest upload cost amongst all non-trivial approaches, but has high computational times due to the high multiplicative depth of equality circuits, as database elements grow. The work of [51] instead uses equality operators for *constant-weight* codewords, that have multiplicative depth that depend only on the Hamming weight of the code, and not on the bit-length of the element. This construction is 10× faster than “regular” equality operators and still facilitates keyword queries. However, computational and communicational times remain very high, when compared with state-of-the-art index-based PIR schemes. The “Checklist” scheme of [44] developed a keyword-based PIR approach based on multi index-based PIR, by having the client locally store a probabilistic mapping between keyword queries and their respective indices using hash prefixes. Unfortunately, their approach requires the client to store $2\epsilon|KV|$ bits of data to achieve false-positives rates ϵ .

Finally, the work of [62] present a different direction by providing a framework that transforms the database as an encoding of linear combinations, directly utilising the capabilities of an underlying FHE-based PIR scheme. In particular, their approach can be applied to existing schemes such as [52, 55]. This approach results in performance that is an order of magnitude more efficient than [51], and is compatible with recursion [46] and batching [6] techniques.

Filters in cryptography. Bloom [13] and Cuckoo [56] Filters have a long history of applications in cryptography. Such filter descriptions allow efficiently representing and querying sets via k hash function evaluations, with a configurable false-positive probability ϵ . Their application has resulted in various significant advances in achieving efficient designs of protocols for performing private set intersection [28, 33, 64, 65], PIR [3, 6, 47], encrypted search [61], and many others.

Filters in general have seen many advances since the pioneering work of Bloom. Since then, various forms of Bloom filters have been developed that optimise for space and query times [14, 16, 30, 53, 67]. While Bloom filters requires that $k = 1/\epsilon$ in the optimal setting, Cuckoo filters [35] set $k = 2$ while still maintaining configurable ϵ . This approach stores larger number of bits (dependent on ϵ) per entry, which further permits entire reconstruction of elements (or fingerprints) from queries, on top of indicating whether elements belong to their set. Further optimisations in filter designs have been introduced since, including XOR filters [39], Ribbon filters [31], and Binary Fuse filters [40]. Binary Fuse filters in particular, provide a constant number of hash functions ($k \in \{3, 4\}$), and represent the state-of-the-art in terms of filter size. We describe Binary Fuse filters in Section 4.

2 PRELIMINARIES

2.1 Notation

We denote by $[n]$ the set $\{1, \dots, n\}$. For all intents and purposes, we consider sets to be ordered (i.e. as arrays, indexed

from 1 onwards) unless stated otherwise. We use $Q = \emptyset$ to denote the initialisation of an empty array. Let $l = |Q|$, we use a function $Q.push(x)$ to denote the appending of x to the array Q , we use a function $x \leftarrow Q.pop()$ to denote returning $x = Q[1]$, setting $Q[i-1] = Q[i]$ for $i \in [l]$, and eliminating $Q[l]$, so that $|Q| = l - 1$. Finally, we use a function $Q.rem(x)$ to denote finding the element x in Q , removing it if found, and then left-shifting all array elements to the right of this element, in the same manner as the $pop()$ function.

We denote vectors $\mathbf{v} = (v_1, \dots, v_m) \in \mathbb{R}^m$ using bold-face, and similarly (but capitalised) for matrices $\mathbf{M} = (v_1|v_2|\dots|v_n) \in \mathbb{R}^{m \times n}$, where $(v_1|v_2|\dots|v_n)$ denotes the concatenation of n column vectors into a single matrix. Similarly, we write $\mathbf{v} = [v_1|\dots|v_n]$ to denote concatenation of n vectors $v_i \in \mathbb{R}^{m_i}$ into a single vector $\mathbf{v} \in \mathbb{R}^{\sum_i m_i}$.

For $p \in \mathbb{N}$, we let $+_p$ denote the addition operator of elements in \mathbb{Z}_p , replacing with $+$ when the modular reduction is obvious. For $x \in \mathbb{Z}_q$ and $q > z > 0$, let $\lfloor x \rfloor_{q,z}$ denote the computation of the rounding function $\lfloor (z/q) \cdot x \rfloor \bmod z$. For a distribution χ , we write $\mathbf{x} \leftarrow \chi^m$ to denote sampling the vector \mathbf{x} , where each entry x_i is sampled independently from χ . We let λ denote the concrete security parameter throughout.

2.2 Homomorphic Encryption for Public Inner-Products

A symmetric-key homomorphic encryption scheme for public inner-products (HEIP) allows encrypting vectors $\mathbf{v} \in \mathbb{Z}_p^m$ for some $p > 0$, into ciphertext vectors $\mathbf{c} \in \mathbb{Z}_q^m$ for $q > p$. With knowledge of \mathbf{c} alone, the homomorphic capability of the scheme allows computation of an encryption, \mathbf{c}' , of the inner product $\langle \mathbf{v}, \mathbf{w} \rangle \in \mathbb{Z}_p$, for any public vector $\mathbf{w} \in \mathbb{Z}_p$. We formally define such an encryption scheme, Σ , in the following way.

- $\Sigma.kgen(1^\lambda)$: Outputs a key sk and public parameters pp .
- $\Sigma.\text{enc}(\text{pp}, \text{sk}, \mathbf{v} \in \mathbb{Z}_p^m)$: Outputs an encryption \mathbf{c} of a value $\mathbf{v} \in \mathbb{Z}_p^m$ corresponding to the secret key sk .
- $\Sigma.\text{eval}(\text{pp}, \mathbf{c} \in \mathbb{Z}_q^m, \mathbf{w} \in \mathbb{Z}_p^m)$: Let $\mathbf{c} = (c_1, \dots, c_m)$ be a vector of ciphertexts corresponding to sk , and \mathbf{w} a plaintext vector. Outputs a ciphertext \mathbf{c}' .
- $\Sigma.\text{dec}(\text{pp}, \text{sk}, \mathbf{c})$: Outputs a value $v \in \mathbb{Z}_p$.

In the following, we may also abuse notation and write $\mathbf{c} \leftarrow \Sigma.\text{enc}(\text{sk}, \mathbf{v} \in \mathbb{Z}_p^m)$ to denote producing a vector of m ciphertexts, where the i^{th} ciphertext c_i encrypts the i^{th} value v_i of \mathbf{v} . Subsequently, Σ must satisfy the following correctness guarantee, and the standard IND-CPA security guarantee for public-key encryption schemes.

Definition 2.1 (Correctness of evaluation). Let $\mathbf{v}, \mathbf{w} \in \mathbb{Z}_p^m$, let $(\text{pp}, \text{sk}) \leftarrow \Sigma.kgen(1^\lambda)$, and let $\mathbf{c}_\mathbf{v} \leftarrow \Sigma.\text{enc}(\text{pp}, \text{sk}, \mathbf{v})$. Then Σ is *correct* if the following guarantees hold.

- (1) $\Pr[\mathbf{v} \leftarrow \Sigma.\text{dec}(\text{pp}, \text{sk}, \mathbf{c}_\mathbf{v})] > 1 - \text{negl}(\lambda)$
- (2) $\Pr[\langle \mathbf{v}, \mathbf{w} \rangle \leftarrow \Sigma.\text{dec}(\text{pp}, \text{sk}, \Sigma.\text{eval}(\text{pp}, \mathbf{c}_\mathbf{v}, \mathbf{w}))] > 1 - \text{negl}(\lambda)$

Encryption scheme from LWE. As described in [29, 42], it is possible to build homomorphic encryption for general linear functions from LWE-based Regev encryption [66]. Let q, p ,

and n be $\text{poly}(\lambda)$, and let χ_σ be a specific *error* distribution with parameter $\sigma = \text{poly}(\lambda)$. For simplicity, we are going to assume throughout that $q > p$ and $p|q$, and we let $\Delta_{q,p} = q/p$. A description of the Regev-based scheme, Σ_{lwe} , that permits evaluation of public inner-products is as follows.

- $\Sigma_{\text{lwe}}.\text{kgen}(1^\lambda, q, p, n, \sigma)$: Samples $\mathbf{s} \leftarrow \chi_\sigma^n$, and returns $(\text{pp}, \text{sk}) = ((q, n, p, \chi_\sigma), \mathbf{s})$.
- $\Sigma_{\text{lwe}}.\text{enc}(\text{pp}, \text{sk}, \mathbf{v} \in \mathbb{Z}_p)$: Samples $\mathbf{a} \leftarrow \chi_q^n$ and $e \leftarrow \chi_\sigma$, and computes $\hat{\mathbf{c}} = \text{sk} \cdot \mathbf{a} + e + \Delta_{q,p} \cdot \mathbf{v}$. Returns $\mathbf{c} = (\mathbf{a}, \hat{\mathbf{c}})$.
- $\Sigma_{\text{lwe}}.\text{eval}(\text{pp}, \mathbf{c} \in \mathbb{Z}_q^m, \mathbf{w} \in \mathbb{Z}_p^m)$: Parses \mathbf{c} as $(\mathbf{A}, \hat{\mathbf{c}})$, where $\mathbf{A} = (a_1|\dots|a_m) \in \mathbb{Z}_q^{n \times m}$ and $\hat{\mathbf{c}} = (\hat{c}_1, \dots, \hat{c}_m) \in \mathbb{Z}_q^m$, and returns $\mathbf{c}' = (\mathbf{a}', \hat{\mathbf{c}}') = (\mathbf{A} \cdot \mathbf{w}, \hat{\mathbf{c}} \cdot \mathbf{w})$.
- $\Sigma_{\text{lwe}}.\text{dec}(\text{pp}, \text{sk}, \mathbf{c})$: It returns $[\hat{\mathbf{c}} - (\text{sk} \cdot \mathbf{a})]_{q/p}$.

Security. It's known from [66] that such an encryption scheme can be proven secure based on the worst-case hardness of known problems over lattices when χ_σ is a discrete Gaussian distribution centred at zero, with standard deviation σ . In [29], an alternative hardness guarantee is given based on the *Ternary LWE* problem, in the case that $\chi = \chi_\sigma$ is chosen to be the uniform ternary distribution that samples elements from $\{0, \pm 1\}$.

Correctness. Regev's encryption is widely known to be additively homomorphic: given two ciphertexts $\mathbf{c}_1 = (a_1, \hat{c}_1)$ and $\mathbf{c}_2 = (a_2, \hat{c}_2)$, their sum $\mathbf{c}_+ = (a_1+a_2, \hat{c}_1+\hat{c}_2)$ decrypts to the sum of the plaintexts, as long as the noise does not grow too large. We now highlight parameter settings that have been shown to satisfy correctness with respect to public inner products with vectors in \mathbb{Z}_p^m , when considering Gaussian and uniform ternary error distributions, using the following lemma.

LEMMA 2.2 (CORRECTNESS [29, 42]). Σ_{lwe} produces correct decryptions with probability $1 - \delta$ (for $\delta > 0$) for public inner products with vectors $\mathbf{w} \in \mathbb{Z}_p^m$, if at least one of the following conditions holds.

- $\chi = \chi_\sigma$ is a Gaussian error distribution with standard deviation parameter $\sigma = s^2/2\pi$ for $s > 0$, and $q \geq \sqrt{2 \ln(2/\delta)} \cdot \text{sigma} \cdot p^2 \cdot m^{1/2}$.
- χ is a uniform distribution over $\{0, \pm 1\}$, and $q \geq 8 \cdot p^2 \cdot \sqrt{m}$.

In the second case, $\delta = \text{negl}(\lambda)$ via naive application of the Central Limit Theorem [29].

Clearly, the correctness property can be extended beyond the statistical error distributions considered in this work.

Preprocessing inner-products. In both [29, 42], it is shown that encryptions in Σ_{lwe} can be preprocessed for a global matrix \mathbf{A} . Note that $\mathbf{A} \leftarrow \text{PRG}(\beta)$ given a uniformly sampled pseudorandom generator seed $\beta \leftarrow \{0, 1\}^\lambda$, and \mathbf{A} is used globally for encrypting vectors of size m .² Regev's encryption remains secure with this pseudo-random “global” matrix \mathbf{A} when used to encrypt polynomially many messages provided that each ciphertext uses both an independent secret vector s and an error vector e [63]. To denote using such an encryption mechanism, we will write $\Sigma_{\text{lwe}}.\text{enc}_\mathbf{A}(\text{sk}, \mathbf{v})$ for some vector $\mathbf{v} \in$

²Security of the scheme then follows from LWE with polynomial security loss (i.e. Matrix LWE [29]), from a standard hybrid argument.

Construction 2.1: Generic PIR scheme

A PIR protocol between a server holding $\text{DB} \subseteq \mathcal{X}^m$, and a client that wishes to learn $\text{DB}[i]$.

- (1) The server runs $\text{pp}_{\text{DB}} \leftarrow \text{PIR.setup}(1^\lambda)$, and makes pp_{DB} publicly available.
- (2) The client runs $(q, \text{st}) \leftarrow \text{PIR.query}(\text{pp}_{\text{DB}}, i)$, sends q to the server, and stores (q, st) .
- (3) The server runs $r \leftarrow \text{PIR.respond}(\text{pp}_{\text{DB}}, \text{DB}, q)$, and returns r to the client.
- (4) The client runs $x \leftarrow \text{PIR.process}(\text{pp}_{\text{DB}}, \text{st}, r)$, and outputs x .

\mathbb{Z}_p^m . This modification allows pre-processing inner-products by computing $\mathbf{d} = \mathbf{A} \cdot \mathbf{x} \in \mathbb{Z}_q^n$, for some \mathbf{x} . Then, when performing evaluations and decryptions, it is enough to only operate on the right-hand side of the ciphertext. Finally, decryption is performed in the normal way, using the secret key $\text{sk} = s$ that is used in the original encryption.

2.3 Private Information Retrieval

Let $\text{DB} \in \mathcal{X}^m$ represent a database containing m elements sampled from some element space \mathcal{X} . A (single-server) Private Information Retrieval (PIR) scheme [23], denoted by PIR, consists of the following algorithms.³

- $\text{pp}_{\text{DB}} \leftarrow \text{PIR.setup}(1^\lambda, \text{DB})$: An algorithm that outputs a set of public parameters.
- $(q, \text{st}) \leftarrow \text{PIR.query}(\text{pp}_{\text{DB}}, i)$: An algorithm that takes some public parameters, and an index $i \in [m]$ as input and outputs a query $q \in \{0, 1\}^*$ and some corresponding state $\text{st} \in \{0, 1\}^*$.
- $r \leftarrow \text{PIR.respond}(\text{pp}_{\text{DB}}, \text{DB}, q)$: An algorithm that takes some public parameters, the database, and a query as input. The algorithm outputs a response $r \in \{0, 1\}^*$.
- $x \leftarrow \text{PIR.process}(\text{pp}_{\text{DB}}, \text{st}, r)$: An algorithm that takes public parameters, the state, and a response as input. The algorithm outputs an element $x \in \mathcal{X}$.

A generic PIR protocol (using the algorithms defined above) is described in Construction 2.1. All such protocols must satisfy three properties: *correctness*, *security*, and *efficiency*. Broadly speaking, correctness guarantees that a query returns the intended result in the database, security guarantees that the client query hides the index being retrieved, and efficiency guarantees that the solution is more efficient than the trivial solution of downloading the entire database. We provide formal realisations of each property below.

Definition 2.3 (Correctness). Let P_x be the probability that the protocol in Construction 2.1 outputs x , where $\text{DB}[i] = x$. We say that PIR is *correct* if and only if $P_x > 1 - \text{negl}(\lambda)$.

³We only consider single-server (*computationally-secure*) PIR schemes in this work. Section 1.2 discusses multi-server approaches.

Experiment ℓ -QIND $_{\text{PIR}}^{\mathcal{A}}$ (ℓ -kwQIND $_{\text{PIR}}^{\mathcal{A}}$)

```

1:    $b \leftarrow \{0, 1\}$ 
2:    $\text{pp}_{\text{DB}} \leftarrow \text{PIR.setup}(1^\lambda)$ 
3:    $(i_1, \dots, i_\ell), (j_1, \dots, j_\ell) \leftarrow \mathcal{A}(\text{pp}_{\text{DB}}, \text{DB})$ 
     $(k_1, \dots, k_\ell), (k'_1, \dots, k'_\ell) \leftarrow \mathcal{A}(\text{pp}_{\text{DB}}, \text{DB})$ 
4:    $\mathcal{T} = [(i_t + b * (j_i - i_t)) \text{ for } t \in [\ell]]$ 
     $\mathcal{T} = [(k_t + b * (k'_t - k_t)) \text{ for } t \in [\ell]]$ 
5:    $Q = \emptyset$ 
6:   for  $t \in \mathcal{T}$ :
7:      $(q, \text{st}) \leftarrow \text{PIR.query}(\text{pp}_{\text{DB}}, t)$ 
8:      $Q.\text{push}(q)$ 
9:    $b' \leftarrow \mathcal{A}(\text{pp}_{\text{DB}}, \text{DB}, Q)$ 

```

Figure 2: ℓ -query indistinguishability for (keyword) PIR.

For completeness, we may alternatively allow the query functionality to take an indicator vector as input corresponding to the index i that should be queried. In other words, we may write, $\text{PIR.query}(\text{pp}_{\text{DB}}, f)$, where $f \in \{0, 1\}^m$. Typically, for correctness to hold, we require that $f_i = 1$, if and only if i is the index that should be queried, and 0 elsewhere.

Definition 2.4 (Security). For a PPT algorithm \mathcal{A} , let $P_{b,b'}^{\mathcal{A}}$ be the probability that \mathcal{A} outputs $b' = b$ in ℓ -QIND $_{\text{PIR}}^{\mathcal{A}}$ (Figure 2). We say that PIR is *secure* (and satisfies ℓ -query indistinguishability) if $|P_b^{\mathcal{A}} - 1/2| < \text{negl}(\lambda)$ for all such algorithms \mathcal{A} .

Definition 2.5 (Efficiency). For a single client launching $O(1)$ queries, PIR is *efficient* if the total communication overhead is smaller than the total bit-length of DB.

PIR for keyword queries. Keyword PIR schemes were first introduced in [22], and consider key-value map databases DB, where elements $x \in \mathcal{X}$ contained in DB are associated with keys $k \in \mathcal{K}$, for a key space \mathcal{K} . To allow keyword queries to be made against a PIR database, it is necessary to modify the PIR.query functionality, as seen below.

- $(q, \text{st}) \leftarrow \text{PIR.query}(\text{pp}_{\text{DB}}, k)$: An algorithm that takes public parameters and a key $k \in \mathcal{K}$ as input, and returns the query q and the state st .

The generic construction in 2.1 can then be modified to have a client that wishes to learn the value associated with k in DB. Correctness, then, is defined as follows.

Definition 2.6 (Correctness for keyword queries). Let $P_{k,x}$ be the probability that the scheme in Construction 2.1 outputs x , where $\text{DB.read}(k) = x$. We say that PIR is *correct* if and only if $P_{k,x} > 1 - \text{negl}(\lambda)$.

Security is defined in the same way as in Definition 2.4, but using the ℓ -kwQIND $_{\text{PIR}}^{\mathcal{A}}$ security game defined in Figure 2 (i.e. considering the highlighted lines).

2.4 LWE-Based PIR

A recent line of work [24, 29, 42, 48, 75] has focused on creating practical PIR schemes based directly on LWE. We refer to those schemes as “LWE-based PIR” (LWEPIR). In this work, we provide a high-level framework that captures the functionality of each of these approaches. This framework allows us to discuss and implement the functionality of each of these existing schemes, without relying on peculiarities of any individual approach.

Background. The design of each of LWEPIR schemes is similar to established Ring LWE-based PIR ones (e.g. [6, 55]). The database (with m entries) contains entries in \mathbb{Z}_p and it is organised as a vector, where each entry of the vector is a single entry of the database. The client encrypts a vector of length m with all-zeroes except for a single entry that is equal to 1 in the i^{th} position, using an HEIP scheme for \mathbb{Z}_p . The client, then, sends this ciphertext vector to the server. The server, in turn, evaluates the inner-product homomorphically between the received encrypted vector and their database vector, and sends this evaluated vector back to the client. The client decrypts it, and learns the i^{th} element of the database.

Clearly, this functionality could be implemented using classical additively homomorphic encryption (e.g. Paillier-based [57]). However, it has been shown that using such schemes in the PIR setting results in schemes that are prohibitively expensive to run, in comparison with simply downloading the database in its entirety [69]. The work of [1] showed that such a formulation could be made efficient enough for real-world use-cases, when using Ring LWE-based FHE schemes. A long line of follow-up works [3, 6, 26, 32, 52, 55, 59, 60, 76] have exploited various features of such FHE schemes (for example, by batching ciphertexts and reducing costs using NTT transformations) to make PIR schemes fairly efficient. In the case of [26], it was shown that asymptotic costs can be reduced to $O(\sqrt{m})$, when making \sqrt{N} queries.

Nevertheless, even with such changes, many problems remain for deploying any such PIR scheme at scale. For instance, standard PIR schemes that require no offline setup are costly to run, requiring many seconds and large amounts of bandwidth to run queries on relatively small databases (e.g. $m < 2^{20}$) [3, 6, 52, 55]. So-called *stateful schemes* typically move expensive computation to an offline phase that makes the subsequent phase, the *online* one, cheaper. This offline phase, however, involves heavy computation as, for example, streaming the entire database to every client [60, 76] (which violates the PIR efficiency criterion), or heavy FHE-based computation that is client-dependent, and therefore unlikely to scale for large numbers of clients [52, 55].

Recent work has shown that LWE-based HEIP schemes can be used to develop PIR schemes that are cheap to run in the preprocessing (or “offline”) paradigm [24, 29, 42, 48]. In particular, the main advantages include an offline state generation phase that is independent of clients, and with much smaller download footprints than the actual database. Furthermore, such schemes are very simple to implement using Regev-based encryption, relying only on standard unsigned

32-bit integer instructions. Put together, these advantages translate to much smaller concrete costs: costing only tens of milliseconds of computation, and hundreds of kB of amortised costs per query. As a result, such schemes would appear to represent the state-of-the-art for continuing to build more efficient alternatives.

High-level LWEPIR framework. Each LWEPIR scheme relies on a variant of the Regev-based HEIP scheme described in Section 2.2, where a large part of the encryption functionality can be performed *in advance* and be reused over multiple clients. Hence, LWEPIR schemes have two phases: a pre-processing phase that can be amortised over multiple clients, and a per-client online phase. We describe both of these phases in the following.

Pre-processing Phase. Recall that the database (DB) has a size denoted by $m \in \mathbb{N}$. The purpose of the pre-processing phase is to generate a global public state, prior to any individual client query to the server.

Server setup: $(\text{pp}_{\text{DB}} \leftarrow \text{LWEPIR}.\text{setup}(1^\lambda, \text{DB}))$. The server constructs their DB containing m elements, each of size w , and samples a short random seed $\beta \in \{0, 1\}^\lambda$. Let $m \cdot w = m_1 \cdot m_2$, for $m_1, m_2 \in \mathbb{N}$. The server derives a matrix $A \leftarrow \text{PRG}(\beta, n, m, q) \in \mathbb{Z}_q^{n \times m_1}$, and encodes the DB in a matrix representation as $D \in \mathbb{Z}_p^{m_1 \times m_2}$. It then computes $M \leftarrow A \cdot D$ and publishes the pair (β, M) . It returns the public parameters pp_{DB} containing LWE parameters (q, p, n, σ) , the seed β , PIR parameters (m_1, m_2) , and (optionally) the matrix M .

Online Phase. The online phase allows the client to query for the desired database element, after downloading the aforementioned state.

Query. $[(q, st) \leftarrow \text{LWEPIR}.\text{query}(\text{pp}_{\text{DB}}, i)]$: The client downloads (β, M) and derives $A \leftarrow \text{PRG}(\beta, n, m, q) \in \mathbb{Z}_q^{n \times m_1}$. The client then generates a unit vector f_i : an all-zero vector with a single 1 at the index i . The client parses q, p, n, σ from pp_{DB} , calls $(\text{pp}_{\text{LWE}}, \text{sk}) \leftarrow \Sigma_{\text{LWE}}.\text{kgen}(1^\lambda, q, p, n, \sigma)$, and runs $c \leftarrow \Sigma_{\text{LWE}}.\text{enc}_A(\text{pp}_{\text{LWE}}, \text{sk}, f_i)$, where the i^{th} element of c , c_i , is an LWE encryption with respect to the i^{th} column, a_i , of A . The client parses $(A, \hat{c}) = c$, lets $q = \hat{c}$, and lets $st = \text{sk} \cdot A$. The client then sends q to the server.

Response. $[r \leftarrow \text{LWEPIR}.\text{respond}(\text{pp}_{\text{DB}}, D, q)]$: The server receives q , and then parses their database matrix as a concatenation of column vectors: $D = (\mathbf{d}\mathbf{b}_1 | \dots | \mathbf{d}\mathbf{b}_{m_2})$. The server responds to the client with a vector r , where the i^{th} element r_i of r is the ciphertext computed as $r_i \leftarrow \Sigma_{\text{LWE}}.\text{eval}(\text{pp}_{\text{LWE}}, q, \mathbf{d}\mathbf{b}_i)$, for each $i \in [m_2]$.

Post-processing. $[x \leftarrow \text{LWEPIR}.\text{process}(\text{pp}_{\text{LWE}}, r, st)]$: The client receives r and returns $x \leftarrow \Sigma_{\text{LWE}}.\text{dec}(st, \text{sk}, r)$.

Correctness. Correctness of LWEPIR follows naturally from the correctness of Σ_{LWE} . First, q is an encryption of the all-zero vector, except in the i^{th} position where it encrypts 1. By the correctness of Σ_{LWE} , the server response is a public inner product of this encrypted vector, and the sequence of vectors in $\mathbb{Z}_p^{m_1}$ that make up the server database. Since

the client simply decrypts the server response, correctness of the inner product holds, providing that the conditions in Lemma 2.2 hold for q, χ, m_1 . Therefore, the server learns the vector $\mathbf{x} = (\mathbf{db}_1[i], \dots, \mathbf{db}_{m_2}[i])$ which is equal to the i^{th} row, $D[i]$, of the database matrix (which trivially decodes to the i^{th} row of the database itself).

Security. The security of the PIR scheme follows from the fact that the client message is simply a vector of Σ_{LWE} encryptions. By a trivial hybrid argument and the IND-CPA security of Σ_{LWE} , the client message hides element that they are querying.

Efficiency. The concrete efficiency of LWEPIR depends on the parameter choices. Intuitively, since the (amortisable) offline cost is $M \in \mathbb{Z}_p^{n \times m_2}$ (where $n \ll m_1$) and the response is a vector $r \in \mathbb{Z}_p^{m_2}$, then the total bandwidth usage is significantly smaller than the size of the database.

Differences between constructions. In the following, we discuss the differences between available LWEPIR schemes. Without loss of generality, the rest of our work remains agnostic to the specific choice of scheme. However, we describe our eventual PIR scheme in Section 5 using the FrodoPIR matrix formulation [29], as we believe it provides the cleanest interface for building a keyword PIR scheme. We discuss in Section 5.3 the changes that can be made to support alternative formats. Moreover, such modifications primarily relate to the offline phase, while the online phase is almost identical.

Across each of the schemes, q is typically taken to be 2^{32} , which allows performing encrypted operations as high speed native CPU instructions. This implies choosing a power-of-two p , to ensure that $p|q$, though this is not mandatory.

Matrix encoding. The encoding process of DB (that renders D) differs between the SimplePIR approach of [24, 42] and the FrodoPIR approach of [29]. The former encodes it with the “square-root” approach [19, 46]: $D \in \mathbb{Z}_p^{\sqrt{m} \times \sqrt{m}}$, and the latter in their own parsing manner: $D \in \mathbb{Z}_p^{m \times d}$ where $d = \lceil w/\log(p) \rceil$ ⁴. In all schemes, the encrypted vector takes the form of $(0, \dots, 0, 1, 0, \dots, 0)$, an all-zero vector except where $f_i[i] = 1$. However, in [24, 42], elements are assumed to correspond to only subsets of columns of the database matrix. In FrodoPIR, the entire row is treated as a single database entry.

The square-root approach results in asymptotic communication cost of $O(\sqrt{m})$, whereas the FrodoPIR approach costs $O(m)$ for the client query, and $O(w/\log(p))$ in the download. However, FrodoPIR appears to make this choice to reduce concrete financial costs in different architectures. In AWS, for example, upload communication is free, and download communication is not. See Section 5.3 for wider discussion.

State download. In SimplePIR [42] and FrodoPIR [29], the matrix M is included in pp_{DB} and downloaded. The DoublePIR approach of [42], as well as the very recent the approach of [48], differ in that they highlight that the square-root encoding allows for decoding the response with a smaller portion of the state. The crucial observation is that only $w/\log(p)$ columns of M are needed to decode a PIR query

⁴Thus, the i^{th} row consists of $d \log(p)$ -bit chunks of $\text{DB}[i] \in \mathbb{Z}_p^d$.

for any given element in D . In both approaches, effectively the client runs a separate PIR scheme to retrieve these w columns, and then uses the result to run PIR on the whole database. It is shown in both works that applying this change results in concrete efficiency gains in certain situations.

Query preprocessing. FrodoPIR [29] provides a client preprocessing step, that allows performing a large part of query generation before knowledge of the query is required. In effect, this requires generating $\mathbf{b}' = \text{sk} \cdot \mathbf{A} + \mathbf{e}$ and $\mathbf{d}' = \text{sk} \cdot (\mathbf{A} \cdot D)$ and storing these values securely (i.e. not revealing them).⁵ Generating the query in the online phase simply requires adding $(q/p) \cdot f_i$ to \mathbf{b}' to generate q , before sending it to the server. On decryption, the client simply subtracts \mathbf{d}' directly from the server response, during post-processing.

2.5 Key-Value Maps

A key-value (KV) map consists of two algorithms, set and read. The $\text{set}(k, x)$ operation writes the value $x \in \mathcal{X}$ to the key $k \in \mathcal{K}$. The $\text{read}(k)$ operation, returns x if (k, x) has been written previously, and \perp otherwise.

Real-or-random key-value (RoRKV) maps are similar except that $\text{read}(k)$ returns some random value $r \in \mathcal{X}$ when (k, x) has not been previously written. It is possible to construct standard KV maps from any RoRKV map, at the cost of increasing the storage of each element by the map key length. The construction is defined as follows.

- KV.set(k, x) : run RoRKV.set($k, k||x$).
- KV.read(k) : run $y \leftarrow \text{RoRKV.set}(k)$, parse $k'||x' \leftarrow y$, output x' if $k' = k$, and \perp otherwise.

To reduce the impact of the length of the key on storage, we can instead store values as $\text{hash}(k)||x$, where hash is a random oracle hash function.

3 PROBABILISTIC KEY-VALUE FILTERS

In this section, we summarise and formalise the concept of probabilistic key-value filters that allow efficiently storing and querying key-value maps, with some false-positive probability $\epsilon > 0$. This structure will form the basis of a keyword querying mechanism, which we will use to build our PIR scheme in Section 5. In Appendix A, for additional context, we provide additional formalisations for filter designs that focus only on encoding sets, rather than maps.

3.1 Key-Value Filters

Key-Value filters are a form of storage that allows encoding key-value maps \mathcal{M} of pairs $(k, x) \in \mathcal{K} \times \mathcal{X}$, for key and value domains $\mathcal{K}, \mathcal{X} \subseteq \{0, 1\}^*$, respectively. Key-value filters consist of four algorithms setupFilter , write , check , and reconstruct , and are parametrised by a fingerprint function, $\text{fpt}_\epsilon : \{0, 1\}^* \mapsto \{0, 1\}^\mu$. The function fpt_ϵ is, in turn, parametrised by the false-positive probability via the polynomial $\mu = \mu(\epsilon)$. In essence, for every check on a value x to the filter, a fingerprint y is returned, and we say that x is in KV if $y = \text{fpt}_\epsilon(k, x)$. The algorithmic structure of key-value filter is provided below.

⁵Note that this technique is mentioned as “LinPIR” in [48].

- $(F, H) \leftarrow \text{KeyValue.setupFilter}(1^m, \epsilon, \circ)$: A static initialisation function that generates a filter F of size $N = O(\log(1/\epsilon)m)$, and a set of hash functions $H = \{h_i\}_{i \in [k]}$ for some $k \in \mathbb{N}$, and where $h_i : \{0, 1\}^* \mapsto [N]$. The input \circ defines a mathematical operation that is used for reconstructing data items.
- $b \leftarrow F.\text{write}(\mathcal{M}, H, \text{fpt}_\epsilon)$: Writes a map \mathcal{M} to F using the set of hash functions in H , and returns $b = 1$ if successful, and $b = 0$ otherwise. If $b = 0$, it may be necessary to regenerate the filter.
- $F[H(k)] \leftarrow F.\text{check}(k, H)$: Simply evaluates $H(k)$ for k , and returns $F[H(k)]$.
- $\text{fpt}_\epsilon(k, x) \leftarrow F.\text{reconstruct}(k, H, \text{fpt}_\epsilon)$: Runs $F[H(k)] \leftarrow F.\text{check}(k, H)$, and then returns $\bigcup_{i=1}^k F[h_i(k)] = F[h_1(k)] \circ \dots \circ F[h_k(k)]$.

We can express the correctness of a Key-Value filter with respect to the following two definitions, providing absolute correctness for included elements (no false-negatives), and correctness with probability $(1 - \epsilon)$ for testing non-included elements (false-positives with probability ϵ). These definitions mirror similar properties for data storage and fingerprint-based filters (see Appendix A).

Definition 3.1 (Correctness of inclusion). Let $(F, H) \leftarrow \text{KeyValue.setupFilter}(1^m, \epsilon)$, and let \mathcal{M} be any map $\mathcal{M} \subseteq \mathcal{K} \times \mathcal{X}$ such that $(k, x) \in \mathcal{K} \times \mathcal{X}$ is contained within \mathcal{M} . We say that F correctly indicates inclusion if the following equality holds:

$$\Pr \left[y = \text{fpt}_\epsilon(k, x) \mid \begin{array}{l} 1 \leftarrow F.\text{write}(\mathcal{M}, H, \text{fpt}_\epsilon) \\ y \leftarrow F.\text{reconstruct}(k, H, \text{fpt}_\epsilon) \end{array} \right] = 1.$$

Definition 3.2 (Correctness of non-inclusion). Let $(F, H) \leftarrow \text{KeyValue.setupFilter}(1^m, \epsilon)$, and let \mathcal{M} be any set $\mathcal{M} \subseteq \{0, 1\}^*$ such that $x \in \{0, 1\}^*$ is **not** contained within \mathcal{M} . We say that F correctly indicates non-inclusion (with false-positive probability ϵ), if the following inequality holds:

$$\Pr \left[y = \text{fpt}_\epsilon(k, x) \mid \begin{array}{l} F.\text{write}(\mathcal{M}, H, \text{fpt}_\epsilon) \\ y \leftarrow F.\text{reconstruct}(k, H, \text{fpt}_\epsilon) \end{array} \right] \leq \epsilon.$$

Constructions. Key-value filters can be built directly from any fingerprint-based filters (see Appendix A.2) that operate only over sets (e.g. Cuckoo, XOR, or Binary Fuse filters). In principle, queries are performed over keys $k \in \mathcal{K}$, and the reconstruct algorithm returns $\text{fpt}_\epsilon(k, x)$ for $x \in \mathcal{X}$, if (k, x) is encoded in the filter.⁶ More concretely, we can adapt fingerprint-based filters to support key-value functionality by simply modifying the storage procedure to perform $F[H(k)] \leftarrow F.\text{check}(k, H)$, and then setting $F[h_1(k)] = \text{fpt}_\epsilon(k, x) \circ (-F[h_2(k)]) \circ \dots \circ (-F[h_k(k)])$.

Probabilistic Key-Value Maps. To build probabilistic key-value maps (Section 2.5) from key-value filters, we instantiate the KV.read function using the $F.\text{reconstruct}$ algorithm. However, this implicitly requires a mechanism for extracting the value x explicitly from the output of $\text{fpt}_\epsilon(k, x)$. In concrete constructions, fpt_ϵ is defined as a hash function to ensure

⁶In fingerprint-based filters, fpt_ϵ is defined only over the value space.

that the false-positive probability is lowest. However, such hash functions do not necessarily allow for extraction. One could modify fpt_ϵ to be the identity function, thus returning x directly, but this would effectively violate *Correctness of non-inclusion* (see Definition 3.2) unless we parametrise \mathcal{X} by ϵ . To provide extraction with false-positive rate based on ϵ , we can simply use the fingerprint function $\text{fpt}_\epsilon(k, x) = \text{hash}(k) \| x$, where hash is a random oracle hash function.

In addition, since we work with filters that are *selective* by design — in other words, requiring that the entire set/map of elements is written in one go — we must also impose the same restriction on the key-value map.

Matrix representation and filter concatenation. For a key-value filter, F , we write $\mathbf{F} \leftarrow \text{Matrix}(F) \in \mathcal{X}^{N \times 1}$ to denote the matrix representation of F . In other words, the i^{th} entry of \mathbf{F} corresponds to the i^{th} concrete element in F . Clearly, \mathbf{F} is a vector, but later we make use of the fact that the concatenation of d filters (each using the same set of hash functions, H) can be expressed generically as a matrix $\mathbf{F} \in \mathcal{X}^{N \times d}$, where the $(i, j)^{\text{th}}$ position $F_{i,j}$ corresponds to the i^{th} entry of the j^{th} concatenated filter.

To express a concatenated filter, F , we abuse notation and write $\mathbf{F} = (F_1, \dots, F_d)$, where each F_i is an individual filter. This representation allows expressing $d \cdot \log p$ bits of information per filter-entry. We further abuse notation and write $F.\text{write}(\mathcal{M}, H, \text{fpt}_\epsilon)$ and $y \leftarrow F.\text{reconstruct}(k, H, \text{fpt}_\epsilon)$, which allows us to express running $F_i.\text{write}(\mathcal{M}, H, \text{fpt}_\epsilon)$ and $y_i \leftarrow F_i.\text{reconstruct}(k, H, \text{fpt}_\epsilon)$ individually, for each $i \in [d]$. In the case of reconstruction, the response y is equal to the bit-concatenation expressed by $y_1 \| \dots \| y_d$.

4 BINARY FUSE FILTERS FOR \mathbb{Z}_p

Binary Fuse filters (BFFs) (as well as their predecessors, XOR filters [39]) were first introduced by Graf and Lemire [40] as an alternative filter-design, focused specifically on minimizing the space and query overheads of key-value filters, while maintaining quick access times. Compared with XOR filters, the constant space overhead can be reduced to $\varsigma \in \{\approx 1.08, \approx 1.13\}$, for the number of hash functions $k \in \{3, 4\}$, respectively. In principle, these savings are achieved by breaking the filter into many, much smaller segments $\mathbf{F} = (F_1 \| \dots \| F_p)$, where P is chosen to be some value that ensures that each segment F_i contains 2^g entries, for some $g \in \mathbb{N}$. Hash function evaluations map uniformly to k contiguous segments (i.e. mapping uniformly to $\{0, 1\}^g$), and then reconstruction of $\text{fpt}_\epsilon(x)$ is performed using the XOR operation in $\{0, 1\}^\mu$.

Note that Cuckoo and XOR filters can be seen as subclasses of BFFs (we discuss in more detail the Cuckoo filter case in Section 4.2), where $k = 2$ and $k = 3$, respectively, and segments are chosen to be much larger. However, as well as the reduction in space requirements, hash function evaluations for BFFs can be chosen to map natively to g -bit domains, making such function accesses cheaper. Concretely, it is shown in [40] that such filters maintain higher performance than Cuckoo filters, even for plausibly negligible ϵ (e.g. 2^{-40}). Even so,

while cuckoo filters have been widely used in cryptographic schemes, BFFs are yet to see any significant usage.

Formal description. First, let $\mathcal{K} = \{0, 1\}^*$, let $\mathcal{X} = \{0, 1\}^l$ for some $l \in \mathbb{N}$, and let $\text{hash} : \{0, 1\}^* \mapsto \{0, 1\}^\mu$ be a random oracle hash function, where $\mu \geq 2\epsilon$. We consider key-value maps of the form $\mathcal{M} \subseteq \mathcal{K} \times \mathcal{X}$. Then, we consider the function $\text{fpt}_\epsilon : \mathcal{K} \times \mathcal{X} \mapsto \{0, 1\}^{\mu+l}$ as defined in Section 3.1 (see also Algorithm 1), for instantiating probabilistic key-value maps. In other words, $\text{fpt}_\epsilon(k, x) = \text{hash}(k) \| x$. To consider elements in \mathbb{Z}_p , we set $p = 2^{\mu+l}$ and let \circ be mod- p addition. All changes so far can be made without altering any of the internal characteristics of the filter itself. We write BFF_p when referring to such BFFs from this point forth. The formal description of each of the functions is given below.

Formally speaking, BFFs for \mathbb{Z}_p instantiate the algorithms for key-value filters (Section 3.1) in the following way.

- $(F, H, \text{fpt}_\epsilon) \leftarrow \text{KeyValue.setupFilter}(1^m, \epsilon, \circ)$: Runs Algorithm 1 defined in Appendix B.
- $b \leftarrow F.\text{write}(\mathcal{M}, H)$: Runs Algorithm 2 defined in Appendix B.
- $F[H(k)] \leftarrow F.\text{check}(k, H)$: Simply evaluates $H(k)$ for k , and returns $F[H(k)]$.
- $\text{fpt}_\epsilon(k, x) \leftarrow F.\text{reconstruct}(k, H)$: First runs $F[H(k)] \leftarrow F.\text{check}(k, H)$, and returns $\bigcirc_{i=1}^k F[h_i(k)] = F[h_1(k)] \circ \dots \circ F[h_k(k)]$.

Correctness. Since we are building a key-value filter, we must show that BFF_p satisfies correctness, as dictated by Definition 3.1 and Definition 3.2. It is shown in [40] that the write algorithm encodes a set with absolute correctness for reading included elements. The only change in Algorithm 2 is that the fpt_ϵ is computed differently, and so *correctness of inclusion* follows immediately.

For *correctness of non-inclusion*, [40] shows, experimentally, that the choice of the parameter ς defined in Algorithm 1 ensures correctness of non-inclusion with false-positive probability ϵ , where 2ϵ bits are stored filter per-entry. However, our analysis differs, in that a false-positive occurs based on the first μ bits of the output of fpt_ϵ . We therefore prove this property directly in Lemma 4.1.

LEMMA 4.1 (CORRECTNESS OF NON-INCLUSION). BFF_p satisfies correctness of non-inclusion (Definition 3.2), with false-positive probability $2^{-\mu/2} \leq 2^{-\epsilon} = \text{negl}(\epsilon)$.

PROOF. Consider a key $k \notin \mathcal{M}$, and a filter description which is sampled as $(F, H, \text{fpt}_\epsilon) \leftarrow \text{KeyValue.setupFilter}(1^m, \epsilon)$, and after writing $F.\text{write}(\mathcal{M}, H, \text{fpt}_\epsilon)$. A collision in the algorithm $y \leftarrow F.\text{reconstruct}(k^*, \mathcal{M}, \text{fpt}_\epsilon)$ occurs when the result is of the form $y = \text{hash}(k^*) \| x'$, for any value x' . To quantify the chance of this event occurring, we consider two possible types of events.

The first type corresponds to the event that $H(k^*) = H(k)$ for some $k \in \mathcal{M}$. Then the result of the reconstruction query is $y = \text{hash}(k) \| \mathcal{M}[k]$, in which case a collision occurs if $\text{hash}(k) = \text{hash}(k^*)$. By the choice of hash as a random oracle hash function mapping to $\{0, 1\}^\mu$, we know that the chance of a collision occurring is $2^{-\mu/2}$.

The second type corresponds to when the result of $H(k^*) \neq H(k)$ for any $k \in \mathcal{M}$. In this case, the result of running $F.\text{check}(k^*, H(k^*))$ returns k entries in F , which are independently distributed. Therefore, when summing these entries in $F.\text{reconstruct}$, we retrieve a sum of independently and uniformly distributed elements in \mathbb{Z}_p . As a result, the chance of the first μ bits being equal to $\text{hash}(k^*)$ is also equal to $2^{-\mu/2}$, by the fact that hash maps uniformly to $\{0, 1\}^\mu$. By the choice of $\mu \geq \epsilon$, the rest of the statement follows. \square

4.1 Supporting Larger Values

Note that the modifications proposed previously require that the entire value of a RoRKV fit within \mathbb{Z}_p , which is likely to incur large costs when it comes to implementing modular arithmetic. Alternatively, as discussed in previously in Section 3.1, filter representations that hold elements in \mathbb{Z}_p can be concatenated, into a vector $\widehat{F} = (F_1, \dots, F_d)$, where each F_j corresponds to a filter that holds $\log(p)$ bits of data in every element, for $j \in [d]$, leading to concatenated filter that holds $d \log(p)$ bits per-entry. The same set of hash functions H is used to query each filter, meaning that the same locations in each filter are returned when querying a single key. Therefore, to query \widehat{F} , we can abuse notation and write $\widehat{F}.\text{check}(k, H) = F_1.\text{check}(k, H) \| \dots \| F_d.\text{check}(k, H) \in \mathbb{Z}_p^d$. Likewise, we write $F = \text{Matrix}(\widehat{F}) \in \mathbb{Z}_p^{N \times d}$ as the matrix representation of this filter. Note that this construction has an identical false-positive rate to a single filter design, as long as we maintain the same fpt_ϵ function used in BFF_p .

4.2 Comparison With Cuckoo Filters

As discussed in [40], Cuckoo hashing [56] and their filter-variants [35] represent an instantiation of the paradigm introduced by Binary Fuse filters, where $k = 2$ and there are no segments. Cuckoo filters have seen many applications in cryptographic literature, e.g. in private set intersection [64, 65], encrypted search [61], PIR [74], and beyond. For comparing Cuckoo filters with Binary Fuse filters, we focus on the size of ς , i.e. the blow-up of the size of the filter compared with the original database, since the number of hash function evaluations is unlikely to make a difference. As is noted in [40], each entry of the cuckoo filter requires an extra 3 bits of representation, and there is a factor of $\varsigma = 1.047$ to magnify the size by. While ς is concretely smaller in the case of Cuckoo filters, the requirement for holding 3 extra bits per filter entry complicates matters for our PIR scheme, resulting in adding $3d$ bits to the width of the eventual filter matrix. As is shown in [40], in the end Cuckoo filters concretely require more space to represent datasets than Binary Fuse filters. As a result, Binary Fuse filters would appear to represent a non-trivial improvement that could find use-cases in other cryptographic primitives and protocols.

5 KEYWORD PIR CONSTRUCTION

We now describe our Keyword PIR construction, KWPIR, for a generic key-value filter for elements in \mathbb{Z}_p . We assume that

the server holds a key-value map, KV , containing m keys, that clients would like to query. Furthermore, we consider the value space to be $\mathcal{X} = \{0, 1\}^w$ and set $d = (\mu + w)/\log p$, where $\text{hash} : \{0, 1\}^* \mapsto \{0, 1\}^\mu$ is a random oracle hash function, for $\mu = 2\epsilon$. Finally, we use a concatenated filter design $F = (F_1, \dots, F_d)$, with a $\text{setupFilter}()$ algorithm that returns (F, H) , that allows us to encode $(\mu + w)$ -bit elements in total. Furthermore, let LWEPIR be an LWE-based PIR scheme (Section 2.4), and let Σ_{lwe} be an LWE-based HEIP scheme (Section 2.2). An algorithmic description of KWPIR is as follows.

- $\text{pp}_{KV} \leftarrow \text{KWPIR}.\text{setup}(1^\lambda, KV)$: Attempts at writing KV a finite number of times, using $b \leftarrow F.\text{write}(KV, H)$, and otherwise aborts if b is never set to 1. Finally, runs the setup algorithm $\text{pp}_{LWE} \leftarrow \text{LWEPIR}.\text{setup}(1^\lambda, F)$ ⁷, and returns $\text{pp}_{KV} = (\text{pp}_{LWE}, H)$.
- $(q, st) \leftarrow \text{KWPIR}.\text{query}(\text{pp}_{KV}, k)$: Runs $(h_1, \dots, h_k) \leftarrow H(k)$, and then lets $f_{H(k)} = (f_1, \dots, f_m)$ be the vector where $f_i = 1$ if and only if $i \in H(k)$, and is 0 otherwise. Finally, returns $(q, st) \leftarrow \text{LWEPIR}.\text{query}(\text{pp}_{LWE}, f_{H(k)})$.
- $r \leftarrow \text{KWPIR}.\text{respond}(\text{pp}_{KV}, KV, q)$: Let $F \leftarrow \text{Matrix}(F) \in \mathbb{Z}_p^{N \times d}$, and returns $r \leftarrow \text{LWEPIR}.\text{respond}(\text{pp}_{LWE}, F, q)$.
- $x \leftarrow \text{KWPIR}.\text{process}(\text{pp}_{KV}, st, r)$: Runs the function $x \leftarrow \text{LWEPIR}.\text{process}(\text{pp}_{LWE}, st, r)$, and returns x .

5.1 Correctness of KWPIR

The proof of correctness for KWPIR follows in Theorem 5.1, and depends on the choosing F as BFF_p , and where LWEPIR is parametrised using the parameters q, p, n, σ , and N .

Theorem 5.1 (Correctness of KWPIR). *Let F be a Binary Fuse Filter for \mathbb{Z}_p , and let LWEPIR be a correct PIR for index-based queries for generic databases $DB \in \mathbb{Z}_p^{N \times w}$, with LWE parameters q, p, n, σ , and N . Then KWPIR is a correct PIR scheme for making keyword queries against KV .*

PROOF. The proof of correctness almost follows immediately from the LWEPIR scheme — based on the choice of q, p , and σ with respect to N — and the false-positive rate ϵ . The difference is that $f_{H(k)}$ is an indicator vector, where k values are set to 1, rather than a single element. As desired, the eventual decryption x is equal to a sum of the form:

$$\begin{aligned} & F[h_1(k)] + \dots + F[h_k(k)] \mod p \\ &= F[h_1(k)] + \dots + F[h_k(k)] \mod p \\ &= F.\text{reconstruct}(k, H) \\ &= \text{fpt}_\epsilon(k, x), \end{aligned}$$

□

False-positives and larger data elements. Note explicitly that PIR correctness only considers the case where a query is made for an element that belongs to F . By definition, the filter responds to such queries with 100% accuracy, in other words false-negatives cannot occur. We do not prove any property for false-positives occurring in the PIR scheme, and so we do not have to consider the impact of false-positives occurring

⁷ F is interpreted as a standard DB containing N elements in \mathbb{Z}_p .

in the formal definition. However, speaking concretely on the possibility of a false-positive occurring, let us consider the encoding of values as $k||x$. In this regime, it would be necessary to find a key k_0 , such that $F.\text{reconstruct}(k_0, H)$ returns $k_0||x_0$, for some value x_0 , where $k_0 \notin KV$. Since fpt_ϵ is a universal hash function in \mathbb{Z}_p , this occurs with probability $2^{-\kappa}$.

This concrete estimation relies on encoding the entire data value in a single entry of the filter, which may harm performance. As mentioned in Section 4.1, it is trivial to adapt KWPIR to consider longer data elements without increasing the size of p , by using a concatenated filter regime.

5.2 Security of KWPIR

The proof of security of KWPIR follows in Theorem 5.2, as a consequence of LWEPIR being a secure PIR for standard index-based databases.

Theorem 5.2 (Security of KWPIR). *Let LWEPIR be a secure PIR scheme satisfying ℓ -query indistinguishability (ℓ -QIND_{PIR}^A) for index-based queries, for generic databases $DB \in \mathbb{Z}_p^{N \times d}$, with LWE parameters q, p, n, σ , and N . Let KV be a key-value map, containing $m = N/k$ elements, represented using a filter, F , and a set of k hashes H . Then KWPIR is (ℓ/k) -kwQIND_{PIR}^B secure for making keyword queries against F , based on the hardness of LWE_{q,n,p,σ}.*

PROOF. Let \mathcal{A} be a PPT adversary in the ℓ -QIND_{PIR}^A experiment, where PIR = LWEPIR, and likewise let \mathcal{B} be a PPT adversary in the (ℓ/k) -kwQIND_{PIR}^B security game that \mathcal{A} runs as a subroutine. After initialisation, \mathcal{B} produces their lists of keys $(k_1, \dots, k_{\ell/k})$ and $(k'_1, \dots, k'_{\ell/k})$ to be queried, and sends these to \mathcal{A} . Then, \mathcal{A} runs:

$(i_{1,1}, \dots, i_{1,k}) \leftarrow F.\text{check}(\iota, H)$, $(j_{1,1}, \dots, j_{1,k}) \leftarrow F.\text{check}(\iota, H)$, for each $\iota \in [\ell/k]$, and concatenates these lists into two lists of length ℓ , of the form:

$$(i_{1,1}, \dots, i_{1,k}, i_{2,1}, \dots, i_{\ell/k,k}), \quad (j_{1,1}, \dots, j_{1,k}, j_{2,1}, \dots, j_{\ell/k,k}).$$

Then, \mathcal{A} submits both of these lists to the challenger in the ℓ -QIND_{PIR}^A experiment, and learns a list of ℓ queries $Q = (q_1, \dots, q_\ell)$. By the nature of LWEPIR, each q_ℓ (for $\ell \in [\ell]$) is an LWE-based ciphertext of the form described in Section 2.2. Therefore, \mathcal{A} breaks Q into ℓ/k contiguous segments of length k , where we write $Q_\iota = (q_{\iota,1}, \dots, q_{\iota,k})$ to denote the segment containing $(q_{(\iota-1)\cdot(\ell/k)+1}, \dots, q_{(\iota-1)\cdot(\ell/k)+k})$, for $\iota \in [k]$. Then, \mathcal{A} runs $\tilde{q}_\iota \leftarrow \Sigma_{\text{lwe}}.\text{eval}(Q_\iota, 1_k)$, for each $\iota \in [\ell/k]$, where 1_k is the k -dimensional all-one vector — in other words, performing a homomorphic sum of each of the ciphertexts. Finally, \mathcal{A} returns $\tilde{Q} = (\tilde{q}_1, \dots, \tilde{q}_{\ell/k})$ to \mathcal{B} . When \mathcal{B} returns b' to \mathcal{A} , \mathcal{A} simply forwards b' to their challenger.

We now show that \mathcal{A} simulates the (ℓ/k) -kwQIND_{PIR}^B game perfectly for \mathcal{B} . This amounts to showing that \tilde{Q} is a list of queries for the keywords submitted by \mathcal{B} , corresponding to $(k_1, \dots, k_{\ell/k})$ when $b = 0$, and $(k'_1, \dots, k'_{\ell/k})$ when $b = 1$.

Without loss of generality, let us consider the case of $b = 0$. Notice that \tilde{q}_ι is an encryption of the vector $f_{H(k)}$. This is because \tilde{q}_ι results from the homomorphic evaluation of the

sum of $(q_{(l-1)\cdot(\ell/k)+1}, \dots, q_{(l-1)\cdot(\ell/k)+k})$, where $q_{(l-1)\cdot(\ell/k)+t}$ is a query that encrypts $f_{h_t(k)}$ — in other words, the all-zero vector with a 1 in position $h_t(k)$ — for $t \in [k]$. Furthermore, we know that this homomorphic evaluation is correct because Σ_{LWE} is parameterised to be correct for DB of size m , while the map KV only contains N/k elements (and thus requires N/k homomorphic operations). Therefore, the extra homomorphic computations performed by \mathcal{A} will not violate correctness when each query is applied to the DB associated with KV. Note that, by the definition of KWPIR, \tilde{q}_l is a ciphertext encrypting $\text{LWEPIR}.\text{query}(\text{pp}_{\text{LWE}}, f_{H(k)})$, which is equivalent to $\text{KWPIR}.\text{query}(\text{pp}_{\text{KV}}, k)$. The argument above holds identically in the case that $b = 1$. Therefore, the simulation produced by \mathcal{A} corresponds exactly to the real game in $(\ell/k)\text{-kwQIND}_{\text{PIR}}^{\mathcal{B}}$.

Now, consider that the possibility that \mathcal{B} has non-negligible advantage: this translates directly into a non-negligible advantage for \mathcal{A} in $\ell\text{-QIND}_{\text{PIR}}^{\mathcal{A}}$, since each of the queries submitted by \mathcal{A} are valid against a DB of size N . Given that LWEPIR is a secure PIR scheme based on the $\text{LWE}_{q,n,p,\sigma}$ assumption, we conclude that \mathcal{B} has negligible advantage similarly. \square

5.3 Square-Root Matrix Encoding

By fixing the matrix description $F \in \mathbb{Z}_p^{N \times d}$ of the concatenated filter, we immediately align KWPIR with FrodoPIR [29]. This is because, we effectively treat each row in the filter “database” as a single element, as is done in FrodoPIR. However, we can easily express KWPIR in terms of an LWEPIR scheme that allows “square-root” database encoding as well. To achieve this, we simply modify the filter matrix representation F to encode multiple *rows* of the filter on a single row. This way we can achieve $F \in \mathbb{Z}_p^{\sqrt{N \cdot d} \times \sqrt{N \cdot d}}$ which results in asymptotically smaller communication overheads (which we discuss shortly). Then, when querying against F , the task is simply to decode only the elements of the response that correspond to the desired columns of F . Thus, the actual filter representation does not have to change at all.

6 PERFORMANCE EVALUATION

In this section, we discuss parameter settings, implementation details and experimental evaluation of the KWPIR protocol.

6.1 Implementation

PIR scheme. As previously discussed, we can use any underlying LWEPIR scheme to implement KWPIR. While the choice of scheme impacts bandwidth costs (due to differences in database encoding), the actual online runtimes are largely equivalent. This is due to the fact that the online phase always needs to run $O(N \cdot d)$ operations regardless of the database format. We emphasise here that we focus on detailing the costs of a simple implementation that will more readily usable by non-expert developers, and we ignore the possibility of using optimised matrix multiplication algorithms.

Due to these reasons, for our implementation and instantiation, we decide to use the FrodoPIR Rust implementation⁸ as a

⁸<https://github.com/brave-experiments/frodo-pir>

base for our own implementation.⁹ We call this instantiation **ChalamePIR**. Our changes to the FrodoPIR codebase include adding API support for keyword databases, and incorporating an adapted Rust implementation of Binary Fuse filters.¹⁰ Our adaptations of Binary Fuse filters include handling of plaintext operations in \mathbb{Z}_p , and modifying the algorithm to work with key-value maps. For bandwidth costs, we provide cost calculations for ChalamePIR instantiated using both FrodoPIR [29] and SimplePIR [42] as the underlying LWEPIR scheme. We further benchmark the offline and online phases of ChalamePIR, taking into account both underlying approaches. We highlight explicitly how the modification of the database format in FrodoPIR and SimplePIR can result in interesting performance trade-offs. Since the number of offline and online server operations should be equivalent in both cases (modulo modification of LWE parameters), we provide runtimes only using our FrodoPIR-based implementation

Experimental parameters. For our FrodoPIR-based implementation [29] we consider an LWE dimension of $n = 1774$, modulus $q = 2^{32}$ to provide $\lambda = 128$ bits of security [2]. For SimplePIR, we use $q = 2^{32}$ and $n = 1024$. To establish the size of p , the plaintext modulus, in FrodoPIR, we must take into account the database size m . Primarily, we consider key-value map sizes of $2^{16} \leq m \leq 2^{20}$, where $p = 2^{10}$ for $m \in \{2^{16}, 2^{17}, 2^{18}\}$, and $p = 2^9$ for $m \in \{2^{19}, 2^{20}\}$. For these experiments, we set the size of each value entry (of the form $\text{hash}(k) \parallel x$) as simulated to be 1 KB ($w = 2^{13}$ bits) in length. In this setting, $\epsilon = \mu/2$, where μ can be configured based on the choice of hash function. The choice of p when using SimplePIR is simulated using the open-source code of [42]. To compare with existing Keyword PIR schemes [51, 62], we additionally experiment with three databases of the form:

- $m = 2^{20}$, $w = 2^{11}$ (256 B), and $p = 2^9$;
- $m = 2^{17}$, $w = 30 \cdot 2^{13}$ (30 kB), and $p = 2^9$;
- $m = 2^{14}$, $w = 100 \cdot 2^{13}$ (100 kB), and $p = 2^9$.

Finally, for the parameters of BFF_p , we consider both cases of $k = 3$ and $k = 4$, where k is the number of hash functions. When calculating the number of entries in the filter for these cases, we set $\zeta = 1.13$ and $\zeta = 1.08$, respectively. In some cases we provide only benchmarks for $k = 3$, which provides a lower bound on the efficiency of the approach in terms of bandwidth and server computation.

Computational setup and financial costs. For estimating the runtime of ChalamePIR and maintaining the comparisons as fair as possible with previous work, we use two AWS EC2 instances almost identical to the ones used in [62]¹¹: (i) Intel(R) Xeon(R) CPU E5-2686 v4 @ 2.30GHz, 32GiB of memory (referred in AWS EC2 as “t2.2xlarge”), and (ii) Intel(R) Xeon(R) Platinum 8124M CPU @ 3.00GHz, 72GiB of memory and 36vCPU (referred in AWS EC2 as “c5.9xlarge”). In particular, we use the “t2.2xlarge” machine to compare performance with existing index-based LWE PIR schemes, and we use the “c5.9xlarge” machine to compare with the

⁹<https://anonymous.4open.science/r/chalame-3A2E>

¹⁰Original code: <https://github.com/ayazhafiz/xorf>

¹¹Ubuntu PC, 3.7 GHz Intel Xeon W-2135, 12-core CPU, 64 GB RAM.

| KV | # keys × value ($m \times w$) | Query (kB) | | Response (kB) | |
|--------------------|--------------------------------------|------------|---------|---------------|---------|
| | | $k = 3$ | $k = 4$ | $k = 3$ | $k = 4$ |
| LWEPIR = FrodoPIR | | | | | |
| $m \uparrow$ | $2^{16} \times 1\text{ kB}$ | 287 | 276 | 3.2 | 3.2 |
| | $2^{17} \times 1\text{ kB}$ | 579 | 553 | 3.2 | 3.2 |
| | $2^{18} \times 1\text{ kB}$ | 1157 | 1106 | 3.2 | 3.2 |
| | $2^{19} \times 1\text{ kB}$ | 2314 | 2212 | 3.56 | 3.56 |
| | $2^{20} \times 1\text{ kB}$ | 4628 | 4424 | 3.56 | 3.56 |
| $w \uparrow$ | $2^{20} \times 256\text{ B}$ | 4628 | 4424 | 0.89 | 0.89 |
| | $2^{17} \times 30\text{ kB}$ | 579 | 553 | 96 | 96 |
| | $2^{14} \times 100\text{ kB}$ | 72 | 69 | 291 | 291 |
| LWEPIR = SimplePIR | | | | | |
| $m \uparrow$ | $2^{16} \times 1\text{ kB}$ | 31.89 | 31.17 | 31.89 | 31.17 |
| | $2^{17} \times 1\text{ kB}$ | 44.65 | 43.64 | 44.65 | 43.64 |
| | $2^{18} \times 1\text{ kB}$ | 63.78 | 62.34 | 63.78 | 62.34 |
| | $2^{19} \times 1\text{ kB}$ | 90.36 | 88.32 | 90.36 | 88.32 |
| | $2^{20} \times 1\text{ kB}$ | 127.56 | 124.68 | 127.56 | 124.68 |
| $w \uparrow$ | $2^{20} \times 256\text{ B}$ | 63.78 | 62.34 | 63.78 | 62.34 |
| | $2^{17} \times 30\text{ kB}$ | 256.18 | 250.4 | 256.18 | 250.4 |
| | $2^{14} \times 100\text{ kB}$ | 180.71 | 180.71 | 176.63 | 176.63 |

Table 1: Bandwidth costs (kB) for ChalametPIR.

SparsePIR keyword PIR scheme [62]. In addition, we provide benchmarks using a Macbook M1 Max, to highlight how efficient operations are when they run on commodity hardware. All of our experiments use single-thread execution and results are taken as the average of 100 runs.

In terms of other performance metrics, we use the current AWS financial cost structure for running a server in the “c5.9xlarge” [7]. Therefore, the CPU per-hour cost is estimated as $\$1.53/36 = \0.0425 (since this machine has 36 vCPUs, and we run single-threaded), the download cost is $\$0.09$ per GB, and the upload cost is zero. Furthermore, following prior works, we define the *rate* as the ratio of the retrieved record size to the response size, and the *throughput* as the ratio of the database size to the server’s online computation time.

6.2 Experimental Analysis

Here, we describe the concrete online runtime and bandwidth costs of ChalametPIR (based on both FrodoPIR and SimplePIR). We specifically highlight the minimal performance magnification of introducing keyword functionality with the underlying index-based approach. In addition, in Appendix C, we report offline costs which, while not negligible, amortise linearly either globally or per-client, and differ greatly depending on the LWEPIR scheme used (we discuss this further in Section 7).

Bandwidth. The bandwidth costs for ChalametPIR are given in Table 1. Clearly, the query and response are far more balanced in the case of SimplePIR as opposed to FrodoPIR. As previously alluded, FrodoPIR optimises for the download as

| | DB ($m \times w$) | Query | Response | Parsing |
|-------------------|-------------------------------|-----------|----------|----------|
| Macbook M1 Max | $2^{16} \times 1024\text{ B}$ | 0.010597 | 6.5508 | 0.22001 |
| | $2^{17} \times 1024\text{ B}$ | 0.038866 | 12.473 | 0.21894 |
| | $2^{18} \times 1024\text{ B}$ | 0.051996 | 24.452 | 0.21658 |
| | $2^{19} \times 1024\text{ B}$ | 0.14442 | 54.053 | 0.24204 |
| | $2^{20} \times 1024\text{ B}$ | 0.24049 | 116.89 | 0.24384 |
| EC2 “t2.t2xlarge” | $2^{16} \times 1024\text{ B}$ | 0.050048 | 37.830 | 0.47251 |
| | $2^{17} \times 1024\text{ B}$ | 0.1787 | 74.733 | 0.47046 |
| | $2^{18} \times 1024\text{ B}$ | 0.19739 | 143.82 | 0.46782 |
| | $2^{19} \times 1024\text{ B}$ | 0.4219 | 319.82 | 0.50735 |
| | $2^{20} \times 1024\text{ B}$ | 0.8471 | 634.21 | 0.56381 |
| EC2 “c5.9xlarge” | $2^{20} \times 256\text{ B}$ | 1.3699 | 133.58 | 0.090116 |
| | $2^{17} \times 30\text{ kB}$ | 0.055415 | 1846.6 | 10.663 |
| | $2^{14} \times 100\text{ kB}$ | 0.0040465 | 760.64 | 35.485 |

Table 2: Online performance (milliseconds) of ChalametPIR (LWEPIR = FrodoPIR, $k = 3$). Response is a server operation, while Query and Parsing are run by the client.

this results in reduced financial costs when running the server functionality on standard cloud architectures (since upload costs are typically free). See Table 3 for more details.

Regardless, the total costs are fairly small, requiring data transfer in the order of kilobytes to perform a keyword query. In the case of using FrodoPIR as the underlying PIR scheme, the advantage of having a smaller download is that the *rate* is ≈ 0.3 . In other words, the size of the response ciphertext is only $\approx 3\times$ larger than the original record.

Runtimes. ChalametPIR runtimes are minimal (as seen in Table 2): client operations (query and parsing) require a small number of milliseconds, and the server response only requires more than a second for the $2^{17} \times 100\text{ kB}$ database size. Otherwise, server costs amount to only hundreds of milliseconds. Since these times are achieved using single-threaded processing, and given that the computation is a series of independent vector-column multiplications, parallelisation would significantly reduce these times. In addition, these times do not take into account any optimisations that could be introduced with sub-cubic matrix multiplication formulae [25, 71].

Comparison with Index-based PIR. In Figure 3, we highlight the performance comparison between ChalametPIR and the underlying index-based LWEPIR schemes of FrodoPIR and SimplePIR. In effect, we calculate the overhead of introducing the keyword functionality. For both runtimes and bandwidth costs, performing PIR over the Binary Fuse Filter description results in only a very small magnification of both the query and response sizes, when compared with an indexed array (with no keyword query functionality). Note that the runtime and query bandwidth blow-up is approximately $1.08\times$ (when $k = 3$) for FrodoPIR-based ChalametPIR, because of the lack of square-root matrix encoding. For SimplePIR-based ChalametPIR, the blow-up for bandwidth and runtimes is approximately $\sqrt{1.08}\times$.




Figure 3: Comparison of online costs (query/response sizes and runtime) for **ChalametPIR** with index-based LWEPIR $\in \{\text{FrodoPIR}, \text{SimplePIR}\}$ schemes. We refer to index-based schemes with “Index” and keyword-based ones with “KW”. Note that the values of Index-based and KW-based PIR schemes are so similar that they appear superimposed in the first and second figures.

| | ChalametPIR | | SparsePIR | |
|--------------------------------------------------------|-------------|----------------------|-----------|---------|
| | FrodoPIR | SimplePIR | Onion | Spiral |
| Online costs: $2^{20} \times 256$ B | | | | |
| Query (kB) | 287 | 63.78 | 63 | 14 |
| Response (kB) | 0.89 | 63.78 | 127 | 21 |
| Runtime (s) | 0.13358 | 0.13358 [†] | 3.04 | 1.44 |
| Rate | 0.28 | 0.004 | 0.002 | 0.012 |
| Throughput (MB/s) | 1916 | 1916 | 84 | 178 |
| Cost (USD) | 1.65e-6 | 7.05e-6 | 4.68e-5 | 1.88e-5 |
| Online costs: $2^{17} \times 30$ kB | | | | |
| Query (kB) | 579 | 256 | 63 | 14 |
| Response (kB) | 96 | 256.18 | 127 | 86 |
| Runtime (s) | 1.8466 | 1.8466 [†] | 41.91 | 11.57 |
| Rate | 0.313 | 0.117 | 0.236 | 0.349 |
| Throughput (MB/s) | 2218 | 2218 | 98 | 354 |
| Cost (USD) | 3e-5 | 4.37e-5 | 5.05e-4 | 1.43e-4 |
| Online costs: $2^{14} \times 100$ kB | | | | |
| Query (kB) | 72 | 180.71 | 63 | 14 |
| Response (kB) | 291 | 176.63 | 508 | 242 |
| Runtime (s) | 0.76064 | 0.76064 [†] | 17.32 | 5.91 |
| Rate | 0.344 | 0.566 | 0.197 | 0.413 |
| Throughput (MB/s) | 2692 | 2692 | 118 | 347 |
| Cost (USD) | 3.4e-5 | 2.41e-5 | 0.25e-4 | 9.05e-5 |

Table 3: Online cost comparison for **ChalametPIR** (LWEPIR $\in \{\text{FrodoPIR}, \text{SimplePIR}\}$, and $k = 3$) with SparsePIR, based on Onion [55] and Spiral [52] PIR. Server costs computed on AWS EC2 ‘c5.9xlarge’. [†]: Online runtimes for SimplePIR are estimated as equivalent to FrodoPIR, since the number of operations is essentially equivalent. Green and light green indicate the most and second-most optimal cases.

6.3 Keyword PIR Performance Comparison

The schemes of [62] and [51] represent the most efficient single-server keyword PIR protocols to date. In particular, the SparsePIR scheme of [62] represents the state-of-the-art in terms of performance (both communication and runtimes).

In Table 3, we compare ChalametPIR — instantiated with LWEPIR $\in \{\text{FrodoPIR}, \text{SimplePIR}\}$ — against SparsePIR — instantiated with Onion [55] (“OnionSparsePIR”) and Spiral [52] (“SpiralSparsePir”) PIR. Since [62] does not provide an open-source implementation of their work, we report the numbers given in their paper. Note that the runtimes of [62] are given with specific AVX2 and AVX-512 instruction sets with SIMD instructions enabled, while we do not use such optimisations. Finally, we provide server runtimes of ChalametPIR using our FrodoPIR-based implementation. We assume equivalent runtimes for a SimplePIR-based implementation, since the number of operations is the same, modulo difference in their choice of LWE security parameters. To simplify the rest of the comparison, we refer to the benchmarked map taking sizes in $(2^{20} \times 256 \text{ B})$, $(2^{17} \times 30 \text{ kB})$, $(2^{14} \times 100 \text{ kB})$ as case I, case II, and case III, respectively.

In terms of runtimes, ChalametPIR is an order of magnitude quicker in case I, with speed-up factors of $6.25\times$ and $7.78\times$ for cases II and III, respectively. This leads to a significant improvement in *throughput*, processing $\sim 2 \text{ GB}$ of data per second, while SparsePIR achieves only hundreds of MB.

In terms of client download, ChalametPIR with FrodoPIR excels in the setting where the elements are smallest, since the client download is dependent only on the parameter w . For case I, this configuration is $> 23\times$ more efficient than SparsePIR, with a download size of $< 1 \text{ kB}$. For case II, we can already see that SpiralSparsePIR is competitive with ChalametPIR with FrodoPIR, achieving similar download costs. Finally, for case III, ChalametPIR with SimplePIR achieves the lowest bandwidth cost across the board, while FrodoPIR has a comparatively larger cost, due to w being larger. We can see that these trends are represented in the rate also,

since this is determined by the ratio of the ciphertext download size with respect to the retrieved element. In terms of client upload, since **FrodoPIR** naturally favours optimising download instead of upload, **FrodoPIR**-based **ChalametPIR** performs poorly across all cases. In contrast, **SparsePIR** provides the best trade-off in terms of upload across all cases.

Finally, in terms of AWS EC2 financial costs, **ChalametPIR** is by far the cheapest PIR scheme to use across all database sizes. Concretely, a server implementation of **ChalametPIR** with either **LWEPIR** scheme results in between $3\times$ – $11.4\times$ and cost savings. This cost metric is important for general application providers, that do not have native access to hardware to run server-side software, and must resort to using commercial cloud-computing infrastructure. We show in Appendix C that the offline costs of **ChalametPIR** have a largely insignificant impact compared with the per-query online costs, when considering amortisation over even moderate client usage, and improving further still for widely-used systems.

Constant-weight PIR. As was shown in [62], the constant-weight PIR scheme of [51] performs much more slowly and with much larger bandwidth constraints than the **SparsePIR** approach, even for much smaller databases. We attempted to acquire results for each of the larger cases ourselves, but were unable to get full performance figures from the provided implementation in [51], due to the experiments failing to terminate. Given that [62] shows **SparsePIR** is over an order of magnitude more efficient with respect to nearly all of the performance criteria, it is clear that **ChalametPIR** would achieve a similar (if not more stark) set of contrasts.

7 DISCUSSION

Applications. Information retrieval that allows for a false positive rate has attracted significant interest in recent years, especially in distributed and database systems, where false positives can be tolerated to a degree, and minimal space usage is crucial [16]. While there have been several proposals to efficiently solve this problem [4, 54], privacy has not been deeply considered. Providing efficient KWPIR is a step forward in solving this lack of consideration. In other areas, KW-PIR are fundamental tools for building *credentials-checking* (C3) services, which check if a username, password pair is exposed in order to prevent *credential-stuffing attacks* or *credential-tweaking attacks* [58], as they are one of the most prevalent forms of account compromise [72]. Naively, index-based PIR solutions to this problem allow for only retrieving breached passwords. A keyword-based solution allows for querying for a specific username, password pair, which can better alert a user of a breach of their credentials. Interesting future work can focus on analysing how important the role of database privacy plays in such problem, and how such guarantees can be imported to the KWPIR setting.

Keyword PIR is also a natural fit for *private pattern matching*: privately identifying occurrences of a given string in text. Specifically, for the “exact” version of the problem: retrieve occurrences where the given query exactly matches a substring in the text. The need for privacy in these cases relies

on querying on text that can be considered sensitive information [45]. Adapting our scheme for this problem will need to determine how to properly construct the different structures and parameters, and we leave this extension as future work.

Batch PIR. Batch PIR performs Q PIR queries in a single batch, but where processing and communication costs are concretely smaller than the trivial case of launching Q independent PIR queries. As is noted in [42], **LWEPIR** schemes naturally are amenable to generic batching techniques introduced in [43], to reduce the total server time from far below $O(QN)$, by partitioning the database into Q chunks, and running independent PIR queries on each of these smaller chunks. Since batch PIR is not the main focus of this work, we encourage the reader to see [42] for more details.

Database updates. As noted in previous works [29, 42], **LWEPIR** approaches do not provide native support for handling database updates, beyond re-running the offline state generation procedure. Standard telescopic database update mechanisms can be applied [44], but devising instantiation-specific approaches represents an interesting open problem.

Alternative LWE PIR Schemes. The **DoublePIR** [42] and **HintlessPIR** [48] schemes provide alternative **LWEPIR** protocols that could be considered in the context of **ChalametPIR**. In both of these approaches, the central idea is that the square-root matrix encoding means that the client does not need the full offline state to decode online queries. In essence, they can use another layer of PIR to retrieve only the elements in the offline hint that are required. In this paradigm, **FrodoPIR** and **SimplePIR** simply represent a trivial solution to download the entire *hint* database. In **DoublePIR**, the idea is to provide another layer of **SimplePIR** but where the client queries the *hint* as the intended database. In **HintlessPIR**, the idea is that using RLWE-based PIR schemes can lead to performance improvements compared with the aforementioned approaches. However, as we discussed in 6.2, since these changes only impact the offline phase, the results that we represent for the online phase would largely be equivalent in each of the cases.

8 CONCLUSION

In this work, we built a simple framework for constructing Keyword PIR based on state-of-the-art index-based PIR schemes. We refer to this framework as KWPIR, and derive **ChalametPIR** as a concrete instantiation of it that is compatible with **LWEPIR** schemes. The framework makes uses of novel key-value filters (Binary Fuse filters) and arrives at computational and communicational overheads that are essentially competitive with their index-based counterparts. We implemented **ChalametPIR** in Rust as a proof-of-concept, and with it illustrate that the scheme is more efficient than state-of-the-art keyword-based schemes.

REFERENCES

- [1] Carlos Aguilar Melchor, Joris Barrier, Laurent Fousse, and Marc-Olivier Killijian. 2016. XPIR: Private Information Retrieval for Everyone. *PoPETs* 2016, 2 (April 2016), 155–174.
- [2] Martin R. Albrecht, Rachel Player, and Sam Scott. 2015. On the concrete hardness of Learning with Errors. *J. Math. Cryptol.* 9,

- 3 (2015), 169–203. <http://www.degruyter.com/view/j/jmc.2015.9.issue-3/jmc-2015-0016/jmc-2015-0016.xml>
- [3] Asra Ali, Tancrède Lepoint, Sarvar Patel, Mariana Raykova, Phillip Schoppmann, Karn Seth, and Kevin Yeo. 2021. Communication-Computation Trade-offs in PIR, See [8], 1811–1828.
- [4] Stephen Alstrup, Gerth Brodal, and Theis Rauhe. 2001. Optimal Static Range Reporting in One Dimension. In *Proceedings of the Thirty-Third Annual ACM Symposium on Theory of Computing* (Hersonissos, Greece) (*STOC ’01*). Association for Computing Machinery, New York, NY, USA, 476–482. <https://doi.org/10.1145/380752.380842>
- [5] Andris Ambainis. 1997. Upper Bound on Communication Complexity of Private Information Retrieval. In *ICALP 97 (LNCS, Vol. 1256)*, Pierpaolo Degan, Roberto Gorrieri, and Alberto Marchetti-Spaccamela (Eds.). Springer, Heidelberg, 401–407.
- [6] Sebastian Angel, Hao Chen, Kim Laine, and Srinath T. V. Setty. 2018. PIR with Compressed Queries and Amortized Query Processing. In *2018 IEEE Symposium on Security and Privacy*. IEEE Computer Society Press, 962–979. https://doi.org/10.1107/3-540-63165-8_196
- [7] AWS. [n. d.]. Amazon EC2 On-Demand Pricing. <https://aws.amazon.com/ec2/pricing/on-demand/>. Accessed 18th January 2024..
- [8] Michael Bailey and Rachel Greenstadt (Eds.). 2021. *USENIX Security 2021*. USENIX Association.
- [9] Richard Beigel, Lance Fortnow, and William Gasarch. 2006. A Tight lower bound for restricted pir protocols. *Computational Complexity* 15 (05 2006), 82–91. <https://doi.org/10.1007/s00037-006-0208-3>
- [10] Amos Beimel and Yuval Ishai. 2001. Information-Theoretic Private Information Retrieval: A Unified Construction. In *ICALP 2001 (LNCS, Vol. 2076)*, Fernando Orejas, Paul G. Spirakis, and Jan van Leeuwen (Eds.). Springer, Heidelberg, 912–926. https://doi.org/10.1007/3-540-48224-5_74
- [11] Amos Beimel, Yuval Ishai, Eyal Kushilevitz, and Ilan Orlov. 2012. Share Conversion and Private Information Retrieval. In *2012 IEEE 27th Conference on Computational Complexity*. 258–268. <https://doi.org/10.1109/CCC.2012.23>
- [12] Amos Beimel, Yuval Ishai, Eyal Kushilevitz, and Jean-François Raymond. 2002. Breaking the $O(n^{1/(2k-1)})$ Barrier for Information-Theoretic Private Information Retrieval. In *43rd FOCS*. IEEE Computer Society Press, 261–270. <https://doi.org/10.1109/SFCS.2002.1181949>
- [13] Burton H. Bloom. 1970. Space/Time Trade-offs in Hash Coding with Allowable Errors. *Commun. ACM* 13, 7 (1970), 422–426. <https://doi.org/10.1145/362686.362692>
- [14] Flavio Bonomi, Michael Mitzenmacher, Rina Panigrahy, Sushil Singh, and George Varghese. 2006. An Improved Construction for Counting Bloom Filters. In *Algorithms - ESA 2006, 14th Annual European Symposium, Zurich, Switzerland, September 11-13, 2006, Proceedings (Lecture Notes in Computer Science, Vol. 4168)*, Yossi Azar and Thomas Erlebach (Eds.). Springer, 684–695. https://doi.org/10.1007/11841036_61
- [15] Prosenjit Bose, Hua Guo, Evangelos Kranakis, Anil Maheshwari, Pat Morin, Jason Morrison, Michiel Smid, and Yihui Tang. 2008. On the false-positive rate of Bloom filters. *Inform. Process. Lett.* 108, 4 (2008), 210–213. <https://doi.org/10.1016/j.ipl.2008.05.018>
- [16] Andrei Broder and Michael Mitzenmacher. 2003. Network Applications of Bloom Filters: A Survey. *Internet Mathematics* 1, 4 (2003), 485 – 509.
- [17] Christian Cachin, Silvio Micali, and Markus Stadler. 1999. Computationally Private Information Retrieval with Polylogarithmic Communication, See [70], 402–414. https://doi.org/10.1007/3-540-48910-X_28
- [18] Luís Caires, Giuseppe F. Italiano, Luís Monteiro, Catuscia Palamidessi, and Moti Yung (Eds.). 2005. *ICALP 2005*. LNCS, Vol. 3580. Springer, Heidelberg.
- [19] Yan-Cheng Chang. 2004. Single Database Private Information Retrieval with Logarithmic Communication. In *ACISP 04 (LNCS, Vol. 3108)*, Huaxiong Wang, Josef Pieprzyk, and Vijay Varadharajan (Eds.). Springer, Heidelberg, 50–61. https://doi.org/10.1007/978-3-540-27800-9_5
- [20] Bernard Chazelle, Joe Kilian, Ronitt Rubinfeld, and Ayellet Tal. 2004. The Bloomier filter: an efficient data structure for static support lookup tables. In *15th SODA*, J. Ian Munro (Ed.). ACM-SIAM, 30–39.
- [21] Benny Chor and Niv Gilboa. 1997. Computationally Private Information Retrieval (Extended Abstract). In *29th ACM STOC*. ACM Press, 304–313. <https://doi.org/10.1145/258533.258609>
- [22] Benny Chor, Niv Gilboa, and Moni Naor. 1998. Private Information Retrieval by Keywords. *Cryptology ePrint Archive*, Report 1998/003. <https://eprint.iacr.org/1998/003>.
- [23] Benny Chor, Oded Goldreich, Eyal Kushilevitz, and Madhu Sudan. 1995. Private Information Retrieval. In *36th FOCS*. IEEE Computer Society Press, 41–50. <https://doi.org/10.1109/SFCS.1995.492461>
- [24] Simone Colombo, Kirill Nikitin, Henry Corrigan-Gibbs, David J. Wu, and Bryan Ford. 2023. Authenticated private information retrieval. In *32nd USENIX Security Symposium (USENIX Security 23)*. USENIX Association, Anaheim, CA, 3835–3851. <https://www.usenix.org/conference/usenixsecurity23/presentation/colombo>
- [25] Don Coppersmith and Shmuel Winograd. 1990. Matrix Multiplication via Arithmetic Progressions. *J. Symb. Comput.* 9, 3 (mar 1990), 251–280. [https://doi.org/10.1016/S0747-7171\(08\)80013-2](https://doi.org/10.1016/S0747-7171(08)80013-2)
- [26] Henry Corrigan-Gibbs, Alexandra Henzinger, and Dmitry Kogan. 2022. Single-Server Private Information Retrieval with Sublinear Amortized Time. In *EUROCRYPT 2022, Part II (LNCS, Vol. 13276)*, Orr Dunkelman and Stefan Dziembowski (Eds.). Springer, Heidelberg, 3–33. https://doi.org/10.1007/978-3-031-07085-3_1
- [27] Henry Corrigan-Gibbs and Dmitry Kogan. 2020. Private Information Retrieval with Sublinear Online Time. In *EUROCRYPT 2020, Part I (LNCS, Vol. 12105)*, Anne Canteaut and Yuval Ishai (Eds.). Springer, Heidelberg, 44–75. https://doi.org/10.1007/978-3-03-45721-1_3
- [28] Alex Davidson and Carlos Cid. 2017. An Efficient Toolkit for Computing Private Set Operations. In *ACISP 17, Part II (LNCS, Vol. 10343)*, Josef Pieprzyk and Suriadi Suriadi (Eds.). Springer, Heidelberg, 261–278.
- [29] Alex Davidson, Gonçalo Pestana, and Sofia Celi. 2023. FrodoPIR: Simple, Scalable, Single-Server Private Information Retrieval. *PoPETs 2023*, 1 (Jan. 2023), 365–383. <https://doi.org/10.56553/popets-2023-0022>
- [30] Fan Deng and Davood Rafie. 2006. Approximately detecting duplicates for streaming data using stable bloom filters. In *Proceedings of the ACM SIGMOD International Conference on Management of Data, Chicago, Illinois, USA, June 27-29, 2006*, Surajit Chaudhuri, Vagelis Hristidis, and Neoklis Polyzotis (Eds.). ACM, 25–36. <https://doi.org/10.1145/1142473.1142477>
- [31] Peter C. Dillinger and Stefan Walzer. 2021. Ribbon filter: practically smaller than Bloom and Xor. *CoRR* abs/2103.02515 (2021). arXiv:2103.02515 <https://arxiv.org/abs/2103.02515>
- [32] Changyu Dong and Liqun Chen. 2014. A Fast Single Server Private Information Retrieval Protocol with Low Communication Cost. In *ESORICS 2014, Part I (LNCS, Vol. 8712)*, Miroslaw Kutylowski and Jaideep Vaidya (Eds.). Springer, Heidelberg, 380–399. https://doi.org/10.1007/978-3-319-11203-9_22
- [33] Changyu Dong, Liqun Chen, and Zikai Wen. 2013. When private set intersection meets big data: an efficient and scalable protocol. In *ACM CCS 2013*, Ahmad-Reza Sadeghi, Virgil D. Gligor, and Moti Yung (Eds.). ACM Press, 789–800. <https://doi.org/10.1145/2508859.2516701>
- [34] Zeev Dvir and Sivakanth Gopi. 2016. 2-Server PIR with Subpolynomial Communication. *J. ACM* 63, 4 (2016), 39:1–39:15. <https://doi.org/10.1145/2968443>
- [35] Bin Fan, Dave G. Andersen, Michael Kaminsky, and Michael D. Mitzenmacher. 2014. Cuckoo Filter: Practically Better Than Bloom. In *Proceedings of the 10th ACM International on Conference on Emerging Networking Experiments and Technologies* (Sydney, Australia) (*CoNEXT ’14*). Association for Computing Machinery, New York, NY, USA, 75–88. <https://doi.org/10.1145/2674005.2674994>
- [36] Michael J. Freedman, Yuval Ishai, Benny Pinkas, and Omer Reingold. 2005. Keyword Search and Oblivious Pseudorandom Functions. In *TCC 2005 (LNCS, Vol. 3378)*, Joe Kilian (Ed.). Springer, Heidelberg, 303–324. https://doi.org/10.1007/978-3-540-30576-7_17
- [37] Craig Gentry and Zulfikar Ramzan. 2005. Single-Database Private Information Retrieval with Constant Communication Rate, See [18], 803–815. https://doi.org/10.1007/11523468_65

- [38] Niv Gilboa and Yuval Ishai. 2014. Distributed Point Functions and Their Applications. In *EUROCRYPT 2014 (LNCS, Vol. 8441)*, Phong Q. Nguyen and Elisabeth Oswald (Eds.). Springer, Heidelberg, 640–658. https://doi.org/10.1007/978-3-642-55220-5_35
- [39] Thomas Mueller Graf and Daniel Lemire. 2020. Xor Filters. *ACM J. Exp. Algorithms* 25 (2020), 1–16. <https://doi.org/10.1145/3376122>
- [40] Thomas Mueller Graf and Daniel Lemire. 2022. Binary Fuse Filters: Fast and Smaller Than Xor Filters. *ACM J. Exp. Algorithms* 27 (2022), 1.5:1–1.5:15. <https://doi.org/10.1145/3510449>
- [41] Carmit Hazay and Martijn Stam (Eds.). 2023. *EUROCRYPT 2023, Part I*. LNCS, Vol. 14004. Springer, Heidelberg.
- [42] Alexandra Henzinger, Matthew M. Hong, Henry Corrigan-Gibbs, Sarah Meiklejohn, and Vinod Vaikuntanathan. 2023. One Server for the Price of Two: Simple and Fast Single-Server Private Information Retrieval. In *32nd USENIX Security Symposium (USENIX Security 23)*. USENIX Association, Anaheim, CA, 3889–3905. <https://www.usenix.org/conference/usenixsecurity23/presentation/henzinger>
- [43] Yuval Ishai, Eyal Kushilevitz, Rafail Ostrovsky, and Amit Sahai. 2004. Batch codes and their applications. In *36th ACM STOC*, László Babai (Ed.). ACM Press, 262–271. <https://doi.org/10.1145/1007352.1007396>
- [44] Dmitry Kogan and Henry Corrigan-Gibbs. 2021. Private Blocklist Lookups with Checklist, See [8], 875–892.
- [45] Vladimir Kolesnikov, Mike Rosulek, and Ni Trieu. 2018. SWiM: Secure Wildcard Pattern Matching from OT Extension. In *FC 2018 (LNCS, Vol. 10957)*, Sarah Meiklejohn and Kazue Sako (Eds.). Springer, Heidelberg, 222–240. https://doi.org/10.1007/978-3-662-58387-6_12
- [46] Eyal Kushilevitz and Rafail Ostrovsky. 1997. Replication is NOT Needed: SINGLE Database, Computationally-Private Information Retrieval. In *38th FOCS*. IEEE Computer Society Press, 364–373. <https://doi.org/10.1109/SFCS.1997.646125>
- [47] Tancrède Lepoint, Sarvar Patel, Mariana Raykova, Karn Seth, and Ni Trieu. 2021. Private Join and Compute from PIR with Default. In *ASIACRYPT 2021, Part II (LNCS, Vol. 13091)*, Mehdi Tibouchi and Huaxiong Wang (Eds.). Springer, Heidelberg, 605–634. https://doi.org/10.1007/978-3-030-92075-3_21
- [48] Baiyu Li, Daniele Micciancio, Mariana Raykova, and Mark Schlueter-Wu. 2023. Hintless Single-Server Private Information Retrieval. Cryptology ePrint Archive, Paper 2023/1733. <https://eprint.iacr.org/2023/1733> <https://eprint.iacr.org/2023/1733>
- [49] Helger Lipmaa. 2005. An Oblivious Transfer Protocol with Log-Squared Communication. In *ISC 2005 (LNCS, Vol. 3650)*, Jianying Zhou, Javier Lopez, Robert H. Deng, and Feng Bao (Eds.). Springer, Heidelberg, 314–328.
- [50] Yiping Ma, Ke Zhong, Tal Rabin, and Sebastian Angel. 2021. Incremental Offline/Online PIR (extended version). Cryptology ePrint Archive, Report 2021/1438. <https://eprint.iacr.org/2021/1438>.
- [51] Rasoul Akhavan Mahdavi and Florian Kerschbaum. 2022. Constant-weight PIR: Single-round Keyword PIR via Constant-weight Equality Operators. In *USENIX Security 2022*, Kevin R. B. Butler and Kurt Thomas (Eds.). USENIX Association, 1723–1740.
- [52] Samir Jordan Menon and David J. Wu. 2022. SPIRAL: Fast, High-Rate Single-Server PIR via FHE Composition. In *2022 IEEE Symposium on Security and Privacy*. IEEE Computer Society Press, 930–947. <https://doi.org/10.1109/SP46214.2022.9833700>
- [53] Michael Mitzenmacher. 2002. Compressed bloom filters. *IEEE/ACM Trans. Netw.* 10, 5 (2002), 604–612. <https://doi.org/10.1109/TNET.2002.803864>
- [54] Christian Worm Mortensen, Rasmus Pagh, and Mihai Pundefined-trăcu. 2005. On Dynamic Range Reporting in One Dimension. In *Proceedings of the Thirty-Seventh Annual ACM Symposium on Theory of Computing* (Baltimore, MD, USA) (*STOC ’05*). Association for Computing Machinery, New York, NY, USA, 104–111. <https://doi.org/10.1145/1060590.1060606>
- [55] Muhammad Haris Mughees, Hao Chen, and Ling Ren. 2021. OnionPIR: Response Efficient Single-Server PIR. In *ACM CCS 2021*, Giovanni Vigna and Elaine Shi (Eds.). ACM Press, 2292–2306. <https://doi.org/10.1145/3460120.3485381>
- [56] Rasmus Pagh and Flemming Friche Rodler. 2004. Cuckoo hashing. *J. Algorithms* 51, 2 (2004), 122–144. <https://doi.org/10.1016/J.JALGOR.2003.12.002>
- [57] Pascal Paillier. 1999. Public-Key Cryptosystems Based on Composite Degree Residuosity Classes, See [70], 223–238. https://doi.org/10.1007/3-540-48910-X_16
- [58] Bijeeta Pal, Tal Daniel, Rahul Chatterjee, and Thomas Ristenpart. 2019. Beyond Credential Stuffing: Password Similarity Models Using Neural Networks. In *2019 IEEE Symposium on Security and Privacy (SP)*. 417–434. <https://doi.org/10.1109/SP.2019.00006>
- [59] Jeongeon Park and Mehdi Tibouchi. 2020. SHECS-PIR: Somewhat Homomorphic Encryption-Based Compact and Scalable Private Information Retrieval. In *ESORICS 2020, Part II (LNCS, Vol. 12309)*, Liquan Chen, Ninghui Li, Kaitai Liang, and Steve A. Schneider (Eds.). Springer, Heidelberg, 86–106. https://doi.org/10.1007/978-3-030-59013-0_5
- [60] Sarvar Patel, Giuseppe Persiano, and Kevin Yeo. 2018. Private Stateful Information Retrieval. In *ACM CCS 2018*, David Lie, Mohammad Mannan, Michael Backes, and XiaoFeng Wang (Eds.). ACM Press, 1002–1019. <https://doi.org/10.1145/3243734.3243821>
- [61] Sarvar Patel, Giuseppe Persiano, Kevin Yeo, and Moti Yung. 2019. Mitigating Leakage in Secure Cloud-Hosted Data Structures: Volume-Hiding for Multi-Maps via Hashing. In *ACM CCS 2019*, Lorenzo Cavallaro, Johannes Kinder, XiaoFeng Wang, and Jonathan Katz (Eds.). ACM Press, 79–93. <https://doi.org/10.1145/3319535.3354213>
- [62] Sarvar Patel, Joon Young Seo, and Kevin Yeo. 2023. Don’t be Dense: Efficient Keyword PIR for Sparse Databases. In *32nd USENIX Security Symposium (USENIX Security 23)*. USENIX Association, Anaheim, CA, 3853–3870. <https://www.usenix.org/conference/usenixsecurity23/presentation/patel>
- [63] Chris Peikert, Vinod Vaikuntanathan, and Brent Waters. 2008. A Framework for Efficient and Composable Oblivious Transfer. In *CRYPTO 2008 (LNCS, Vol. 5157)*, David Wagner (Ed.). Springer, Heidelberg, 554–571. https://doi.org/10.1007/978-3-540-85174-5_31
- [64] Benny Pinkas, Mike Rosulek, Ni Trieu, and Avishay Yanai. 2020. PSI from PaXoS: Fast, Malicious Private Set Intersection. In *EUROCRYPT 2020, Part II (LNCS, Vol. 12106)*, Anne Canetti and Yuval Ishai (Eds.). Springer, Heidelberg, 739–767. https://doi.org/10.1007/978-3-030-45724-2_25
- [65] Benny Pinkas, Thomas Schneider, Christian Weinert, and Udi Wieder. 2018. Efficient Circuit-Based PSI via Cuckoo Hashing. In *EUROCRYPT 2018, Part III (LNCS, Vol. 10822)*, Jesper Buus Nielsen and Vincent Rijmen (Eds.). Springer, Heidelberg, 125–157. https://doi.org/10.1007/978-3-319-78372-7_5
- [66] Oded Regev. 2005. On lattices, learning with errors, random linear codes, and cryptography. In *37th ACM STOC*, Harold N. Gabow and Ronald Fagin (Eds.). ACM Press, 84–93. <https://doi.org/10.1145/1060590.1060603>
- [67] Ori Rottenstreich, Yossi Kanizo, and Isaac Keslassy. 2014. The Variable-Increment Counting Bloom Filter. *IEEE/ACM Trans. Netw.* 22, 4 (2014), 1092–1105. <https://doi.org/10.1109/TNET.2013.2272604>
- [68] Elaine Shi, Waqar Aqeel, Balakrishnan Chandrasekaran, and Bruce M. Maggs. 2021. Puncturable Pseudorandom Sets and Private Information Retrieval with Near-Optimal Online Bandwidth and Time. In *CRYPTO 2021, Part IV (LNCS, Vol. 12828)*, Tal Malkin and Chris Peikert (Eds.). Springer, Heidelberg, Virtual Event, 641–669. https://doi.org/10.1007/978-3-030-84259-8_22
- [69] Radu Sion and Bogdan Carbnar. 2007. On the Practicality of Private Information Retrieval. In *NDSS 2007*. The Internet Society.
- [70] Jacques Stern (Ed.). 1999. *EUROCRYPT’99*. LNCS, Vol. 1592. Springer, Heidelberg.
- [71] Volker Strassen. 1969. Gaussian Elimination is Not Optimal. *Numer. Math.* 13, 4 (aug 1969), 354–356. <https://doi.org/10.1007/BF02165411>
- [72] Kurt Thomas, Frank Li, Ali Zand, Jacob Barrett, Juri Ranieri, Luca Invernizzi, Yarik Markov, Oxana Comanescu, Vijay Eranti, Angelika Moscicki, Daniel Margolis, Vern Paxson, and Elie Bursztein. 2017. Data Breaches, Phishing, or Malware? Understanding the Risks of Stolen Credentials. In *Proceedings of the 2017 ACM SIGSAC Conference on Computer and Communications Security* (Dallas, Texas, USA) (*CCS ’17*). Association for Computing Machinery, New York, NY, USA, 1421–1434. <https://doi.org/10.1145/3133956.3134067>

- [73] Stephanie Wehner and Ronald de Wolf. 2005. Improved Lower Bounds for Locally Decodable Codes and Private Information Retrieval, See [18], 1424–1436. <https://doi.org/10.1007/11523468-115>
- [74] Kevin Yeo. 2023. Lower Bounds for (Batch) PIR with Private Preprocessing, See [41], 518–550. <https://doi.org/10.1007/978-3-031-30545-0-18>
- [75] Mingxun Zhou, Wei-Kai Lin, Yiannis Tselekounis, and Elaine Shi. 2023. Optimal Single-Server Private Information Retrieval, See [41], 395–425. <https://doi.org/10.1007/978-3-031-30545-0-14>
- [76] Mingxun Zhou, Andrew Park, Elaine Shi, and Wenting Zheng. 2023. Piano: Extremely Simple, Single-Server PIR with Sublinear Server Computation. Cryptology ePrint Archive, Paper 2023/452. <https://eprint.iacr.org/2023/452> <https://eprint.iacr.org/2023/452>.

A ALTERNATIVE FILTER ABSTRACTIONS

We discuss functionality for various filter abstractions, to provide context for the key-value filters described in Section 3.1.

A.1 Data Storage (DS) Filters

Bloom filters [13] were the first construction of a long and fruitful series of works that encode datasets of m elements as a series of digits, and use hash functions to record fast data writing and access. In principle, they are a compact data structure for probabilistic set membership testing. The speed of writing and reading from the database is achieved at the cost of a configurable probability (ϵ) of *false-positive* reads occurring [15] — indicating, erroneously, that an element belongs to the set — while *false negatives* are impossible. The theoretical lower bound for the space requirement of all such data structures is $O(\log(1/\epsilon)m)$ bits [16]. Their algorithmic description can be generalised as follows.

- $(F, H) \leftarrow DS.setupFilter(1^m, \epsilon)$: A static initialisation function that returns a filter F of size $N = O(\log(1/\epsilon)m)$, and a set of uniform independent hash functions $H = \{h_i\}_{i \in [k]}$ for some $k \in \mathbb{N}$, and where $h_i : \{0, 1\}^* \mapsto [N]$.
- $b \leftarrow F.write(S, H)$: Writes a set $S \subseteq \{0, 1\}^*$ to F using the set of hash functions in H , and returns $b = 1$ if successful, and $b = 0$ otherwise. If $b = 0$, it may be necessary to regenerate the filter.
- $b \leftarrow F.check(x, H)$: Checks if $x \in \{0, 1\}^*$ has been previously written to F using H , and returns $b = 1$ if it has and $b = 0$ otherwise. Note that $b = 1$ is returned erroneously with probability up to ϵ .

We write $F[j]$ to indicate the j^{th} entry of F . Furthermore, we will write $H(x)$ as shorthand to indicate the set $\{h_i(x)\}_{i \in [k]}$, and $F[H(x)]$ as shorthand to indicate the set $\{F[h_i(x)]\}_{i \in [k]}$.

Correctness. We can express the correctness of a data storage filter with respect to the following two definitions.

Definition A.1 (Correctness of inclusion). Let $(F, H) \leftarrow DS.setupFilter(1^m, \epsilon)$, and let S be any set $S \subseteq \{0, 1\}^*$ such that $x \in \{0, 1\}^*$ is contained within S . We say that F correctly indicates inclusion if the following equality holds:

$$\Pr[1 \leftarrow F.check(x, H) \mid 1 \leftarrow F.write(S, H)] = 1.$$

Definition A.2 (Correctness of non-inclusion). Let $(F, H) \leftarrow DS.setupFilter(1^m, \epsilon)$, and let S be any set $S \subseteq \{0, 1\}^*$ such

that $x \in \{0, 1\}^*$ is **not** contained within S . We say that F correctly indicates non-inclusion (with false-positive probability ϵ), if the following inequality holds:

$$\Pr[1 \leftarrow F.check(x, H) \mid 1 \leftarrow F.write(S, H)] \leq \epsilon.$$

Constructions. For Bloom filters, F is constructed as a bit-string of length $N = 1.44km$, where $k = \log(1/\epsilon)$. For each $x \in S$, $F.write(S, H)$ executes each $j \leftarrow h_i(x)$ and sets $F[j] = 1$ (ignoring cases where it is already set to 1). If $F[j] = 1$ for each j , then construction of F fails. When $F.check(x, H)$ is executed, it returns $\bigwedge_{i=1}^k F[h_i(x)] = 1$. Each write/read to the Bloom filter requires k hash function operations. The space requirement is a factor of 1.44 larger than the optimal lower bound. Various advances have produced cheaper variants of Bloom filters, across a variety of settings [14, 30, 53, 67].

A.2 Fingerprint-Based (FB) Filters

Fingerprint-based filters consider an element space $X \subseteq \{0, 1\}^*$, and are parametrised by a fingerprint function, $fpt_\epsilon : \{0, 1\}^* \mapsto \{0, 1\}^\mu$. The function fpt_ϵ is, in turn, parametrised by the false-positive probability via the polynomial $\mu = \mu(\epsilon)$. In essence, for every check on a value x to the filter, a fingerprint y is returned. We say that x is considered as part of the filter if $y = fpt_\epsilon(x)$. To explicitly differentiate fingerprint-based filters from data storage filters, we add an extra algorithm *reconstruct*, that explicitly returns the fingerprint values from the filter. The modified algorithmic structure is as follows.

- $(F, H, fpt_\epsilon) \leftarrow FB.setupFilter(1^m, \epsilon, \circ)$: A static initialisation function that generates a filter F of size $N = O(\log(1/\epsilon)m)$, and a set of hash functions $H = \{h_i\}_{i \in [k]}$ for some $k \in \mathbb{N}$, and where $h_i : \{0, 1\}^* \mapsto [N]$. Also returns a function $fpt_\epsilon : \{0, 1\}^* \mapsto \{0, 1\}^{\mu(\epsilon)}$, parameterised by ϵ . The input \circ defines a mathematical operation that is used for reconstructing data items.
- $b \leftarrow F.write(S, H, fpt_\epsilon)$: Writes a map S to F using the set of hash functions in H , and returns $b = 1$ if successful, and $b = 0$ otherwise. If $b = 0$, it may be necessary to regenerate the filter.
- $F[H(x)] \leftarrow F.check(x, H)$: Evaluates $H(x)$ for x , and returns $F[H(x)]$.
- $fpt_\epsilon(x) \leftarrow F.reconstruct(x, H, fpt_\epsilon)$: Runs $F[H(x)] \leftarrow F.check(x, H)$, and then returns $\bigcup_{i=1}^k F[h_i(x)] = F[h_1(x)] \circ \dots \circ F[h_k(x)]$.

Correctness. In Fingerprint-based filters, the check algorithm is only used to return the slots that should be read when checking the fingerprint of data elements. Therefore, the correctness criteria must take into account the output of the *reconstruct* algorithm instead.

Definition A.3 (Correctness of inclusion). Let $(F, H) \leftarrow FB.setupFilter(1^m, \epsilon)$, and let S be any set $S \subseteq \{0, 1\}^*$ such that $x \in \{0, 1\}^*$ is contained within S . We say that F correctly indicates inclusion if the following equality holds:

$$\Pr[y = fpt_\epsilon(x) \mid \begin{array}{l} 1 \leftarrow F.write(S, H, fpt_\epsilon) \\ y \leftarrow F.reconstruct(x, H, fpt_\epsilon) \end{array}] = 1.$$

Definition A.4 (Correctness of non-inclusion). Let $(F, H) \leftarrow \text{FB}.\text{setupFilter}(1^m, \epsilon)$, and let \mathcal{S} be any set $\mathcal{S} \subseteq \{0, 1\}^*$ such that $x \in \{0, 1\}^*$ is **not** contained within \mathcal{S} . We say that F correctly indicates non-inclusion (with false-positive probability ϵ), if the following inequality holds:

$$\Pr \left[y = \text{fpt}_\epsilon(x) \mid \begin{array}{l} 1 \leftarrow F.\text{write}(\mathcal{S}, H, \text{fpt}_\epsilon) \\ y \leftarrow F.\text{reconstruct}(x, H, \text{fpt}_\epsilon) \end{array} \right] \leq \epsilon.$$

Constructions. Garbled Bloom filters were first proposed in [33] as a filter that allows such reconstruction, where $\mathcal{K} = \{0, 1\}^*$, $\mathcal{X} = \mathbb{Z}_p$, $\mu(\epsilon) = \epsilon$, and \circ is mod- p addition, for some $p \in \mathbb{N}$. The total space usage of such filters is $\log(p) \cdot N$ bits, where N is the number of entries (which is equivalent to a standard Bloom filter). Such filters are useful for establishing efficient private set intersection protocols, and have also been used in PIR scenarios [33, 47]. Filters are typically first initialised as a series of random values in \mathcal{X} . Writing entries to such filters involves computing $F[H(k)] \leftarrow F.\text{check}(k, H)$, and then setting $F[h_1(k)] = \text{fpt}_\epsilon(x) \circ (-F[h_2(k)]) \circ \dots \circ (-F[h_k(k)])$. When writing subsequent values, previously modified entries of the filter cannot be modified again; the lexicographically smallest value of $i \in [k]$ where $F[h_i(k)]$ can be modified instead. If no such i exists, the construction of F fails.

Cuckoo filters [35] represent a fingerprint-based key-value filter, with smaller space overhead $((\log(1/\epsilon) + 1 + \log b)m/\alpha$, for load factor α), with $k = 2$, $\mathcal{K} = \{0, 1\}^*$, $\mathcal{X} = \{0, 1\}^l$ for $l = \log(1/\epsilon)$, $\mu = \epsilon$, and \circ is the l -bit XOR operation.

More recently, XOR filters have been proposed by Graf and Lemire [39] as fingerprint-based filters, based on Bloomier filters [20]. XOR filters choose $k = 3$, and divide the filter into three continuous segments, in other words $F = [F_1 \| F_2 \| F_3]$. The set H is chosen such that h_i maps to indices in the range $N/3$, corresponding to segment F_i . Like cuckoo filters, $\mathcal{X} = \{0, 1\}^*$, and \circ is the μ -bit XOR operation. It has been shown that the overall space overhead of XOR filters is $\varsigma \mu \cdot m$, for $\varsigma \approx 1.23$, which is significantly closer to the optimal space overhead than standard Bloom filters. Furthermore, Graf and Lemire showed that XOR filters perform better than Cuckoo filters in cases where ϵ is large (e.g. 1%), but worse when ϵ is chosen to be small (e.g. 2^{-30}) [39].

B BINARY FUSE FILTER ALGORITHMS

We define two algorithms that allow us to instantiate the `setupFilter` (Algorithm 1) and `write` (Algorithm 2) functionality for a Binary Fuse Filter BFF_p . Intuitively speaking, these definitions differ from their original specification in that they allow us to encode key-value maps in the structure, whereas the work of [40] only allows encoding a set.

First, the `setupFilter` algorithm returns the filter structure BFF_p , based on specific parameters, and initialises the hash functions for querying. The parameter m defines the maximum number of key-value pairs in the map KV that will be encoded in the filter, defining its eventual size N , in tandem

Algorithm 1 BFF_p `setupFilter`($1^m, \epsilon, +_p$) algorithm

Require: A parameter $k \in \{3, 4\}$. A parameter $m \in \mathbb{N}$ denoting the number of keys in the maps written to BFF_p .

- 1: Sample hash : $\{0, 1\}^* \mapsto \{0, 1\}^\mu$ as a random oracle hash function for $\mu = \mu(\epsilon)$.
 - 2: Set $s \in \{2^{\lfloor \log_{3.33}(m) + 2.25 \rfloor}, 2^{\lfloor \log_{2.91}(m) - 0.5 \rfloor}\}$ for $k \in \{3, 4\}$, respectively.
 - 3: Let $N = \varsigma m$, where
- $$\varsigma = \begin{cases} \max \left(\left\lfloor \left(0.875 + 0.25 \cdot \max(1, \frac{\log(10^6)}{\log(m)}) \right) \cdot m \right\rfloor, \lfloor 1.125m \rfloor \right) \\ \max \left(\left\lfloor \left(0.77 + 0.305 \cdot \max(1, \frac{\log(6 \cdot 10^5)}{\log(m)}) \right) \cdot m \right\rfloor, \lfloor 1.075m \rfloor \right) \end{cases}$$
- for $k \in \{3, 4\}$, respectively.
- 4: Sample universal hash functions $h' : \{0, 1\}^* \mapsto [N/s]$. and $h'' : \{0, 1\}^* \mapsto [s]$
 - 5: $F = \emptyset$
 - 6: **for** $i \in [N]$ **do** $F[i] \leftarrow \$ \mathbb{Z}_p$ **end for**
 - 7: $H = \emptyset$
 - 8: **for** $i \in [k]$ **do**
 - 9: Let h_i be the function that is evaluated as $h_i(\cdot) = (N/s \cdot (h''(\cdot) - 1)) + h'(\cdot || i)$
 - 10: $H[i] = h_i$
 - 11: **end for**
 - 12: Let fpt_ϵ be the function that is evaluated as $\text{fpt}_\epsilon(k, x) = \text{hash}(k) \| x$
 - 13: **return** $(F, H, \text{fpt}_\epsilon)$
-

with the false-positive probability ϵ . The operation $+_p$ corresponds to the operation (addition mod p) used in `reconstruct`, and thus each entry of BFF_p is an element of \mathbb{Z}_p .

Second, the `write` algorithm (Algorithm 2) defines a mechanism for encoding each key-value pair of a given KV in BFF_p . This algorithm can fail and abort with non-negligible probability (see line 21), which necessitates running an entirely new `setupFilter` process to generate a new set of hash functions.

C ADDITIONAL BENCHMARKS

Comparison with Index-based PIR. Table 4 provides additional context for the comparison made between ChalmetPIR and index-based PIR schemes in Section 6.2, with concrete runtime and bandwidth numbers for the FrodoPIR.

Offline performance. Table 5 provides example offline costs for instantiating ChalmetPIR with FrodoPIR and SimplePIR, based on running the computation on a Macbook M1 Max device. The main difference is in the size of the download (the computation and storage only differ depending on the choice of LWE parameters). As we mentioned in Section 7, utilising alternative LWEPIR schemes such as DoublePIR [42] or HintlessPIR [48] will potentially result in smaller costs. As such, our benchmarks here provide an upper-bound that provide a basis for understanding the performance of the offline phase of ChalmetPIR. Note that the computational and storage costs of the offline phase amortise over all client queries, meaning that this expensive one-time cost tends to zero for large systems of clients. Furthermore, the one-time download for clients amortises over all their queries.

Algorithm 2 BFF_p F.write($\mathcal{M}, \mathcal{H}, \text{fpt}_\epsilon$) algorithm

Require: \mathcal{M} is a map containing m distinct keys sampled from \mathcal{K} , each associated with a data element sampled from \mathcal{X} .

- 1: Let S be a vector containing the keys $\{k_i\}_{i \in [m]}$ from \mathcal{M} , ordered by $h_1(k)$.
- 2: Let $C = \emptyset$
- 3: **for** $j \in [N]$ **do** $C[j] = \emptyset$ **end for**
- 4: **for** $i \in [N]$ **do**
- 5: $k_i = S[i]$
- 6: **for** $\iota \in [k]$ **do** $C[h_\iota(k_i)].push(k_i)$ **end for**
- 7: **end for**
- 8: $Q = \emptyset$
- 9: **for** $j \in [N]$ **do**
- 10: **if** $|C[j]| = 1$ **then** $Q.push(j)$ **end if**
- 11: **end for**
- 12: $P = \emptyset$
- 13: **while** $|Q| > 0$ **do**
- 14: $j \leftarrow Q.pop()$
- 15: **if** $|C[j]| = 1$ **then**
- 16: $k' = C[j]$
- 17: $P.push((k', j))$
- 18: **for** $\iota \in [k]$ **do** $C[h_\iota(k')].rem(k')$ **end for**
- 19: **end if**
- 20: **end while**
- 21: **if** $|P| \neq m$ **then** **abort** **end if**
- 22: **while** $|P| > 0$ **do**
- 23: $(k', j) \leftarrow P.pop()$
- 24: $F[j] = 0 \in \mathbb{Z}_p$
- 25: **for** $z \in H(k')$ **do**
- 26: **if** $z \neq j$ **then** $F[j] = F[j] +_p (-F[z])$ **else** $F[j] = F[j] +_p \text{fpt}_\epsilon(k', \mathcal{M}[k'])$ **end if**
- 27: **end for**
- 28: **end while**

Online Performance (ms) of Index-based FrodoPIR [29]

| | DB ($m \times w$) | Query | Response | Parsing |
|-------------------|------------------------|-----------|----------|----------|
| Macbook M1 Max | $2^{16} \times 1024$ B | 0.0076956 | 5.2735 | 0.18083 |
| | $2^{17} \times 1024$ B | 0.017356 | 10.545 | 0.18544 |
| | $2^{18} \times 1024$ B | 0.055522 | 21.101 | 0.18061 |
| | $2^{19} \times 1024$ B | 0.1023 | 47.675 | 0.20108 |
| | $2^{20} \times 1024$ B | 0.21222 | 100.63 | 0.20483 |
| EC2 “t2.t2xlarge” | $2^{16} \times 1024$ B | 0.11887 | 29.482 | 0.34437 |
| | $2^{17} \times 1024$ B | 0.080101 | 50.585 | 0.34515 |
| | $2^{18} \times 1024$ B | 0.20374 | 118.54 | 0.3466 |
| | $2^{19} \times 1024$ B | 0.48432 | 263.83 | 0.3768 |
| | $2^{20} \times 1024$ B | 0.85748 | 537.28 | 0.37458 |
| EC2 “c5.9xlarge” | $2^{20} \times 256$ B | 1.2324 | 118.46 | 0.065281 |
| | $2^{17} \times 30$ kB | 0.036396 | 36.396 | 8.1519 |
| | $2^{14} \times 100$ kB | 0.0033412 | 637.81 | 26.599 |

Table 4: Online performance (ms) of Index-based FrodoPIR, based on the implementation provided by [29].

Offline financial costs. To provide a rough estimate of the financial costs, we use the same costs stated previously for standard AWS usage (\$0.0425 per CPU hour, and \$0.09 per GB

| Offline performance | | | | |
|----------------------|------------------|-----------------|---------------|-----------|
| Sizes | Runtime (sec) | Storage (GB) | Download (MB) | |
| | | | FrodoPIR | SimplePIR |
| $2^{16} \times 1$ kB | 25866 | 0.226 | 5.54 | 32.07 |
| $2^{17} \times 1$ kB | 50772 | 0.452 | 5.54 | 45.35 |
| $2^{18} \times 1$ kB | 101010 | 0.904 | 5.54 | 64.14 |
| $2^{19} \times 1$ kB | 225710 | 1.808 | 6.16 | 90.71 |
| $2^{20} \times 1$ kB | 490110 | 3.616 | 6.16 | 128.28 |

Table 5: Offline server runtimes (sec), storage (GB), and client download costs (MB) of offline steps for ChalametPIR, using either FrodoPIR or SimplePIR, where $k = 3$. Runtimes for both LWEPIR schemes are estimated to be equivalent, due to identical number of operations.

of download [7]). Ultimately, even for moderate numbers of clients, the offline costs become quickly insignificant compared with the per-query online costs accounted for in Table 3.

For the offline computation (which is amortised across all client queries *globally*), the up-front cost ranges between \$7.19 and \$136. While this initial cost is fairly expensive, even for moderate numbers of clients (e.g. 1M) making moderate numbers of queries (e.g. 100), the costs amortise to lower or of the same order as the per-query online costs (Table 3). For the communication, the download costs per-client range from $\$4.8e-5$ to $\$5.4e-5$ for the FrodoPIR configuration, and between $\$2.8e-3$ and $\$0.01$ for SimplePIR. In the case of FrodoPIR, if each client makes at least 100 queries, the costs again become quickly insignificant compared with the per-client online costs. Finally, recent improvements made by the HintlessPIR approach would likely reduce these costs even further. Consequently, we consider the offline phase to have little impact on the total costs of the scheme.